

TECHNICAL CHARACTERISTICS

BLAN1ETK

# Lana




## Ottoman Steel

Lana steel ottoman, with its structure in steel and upholstered seat, makes it the perfect accessory for the steel easychairs and sofas.

DESIGNED BY YONOH



**ondarreta**



### DIMENSIONS

55 cm x 45 cm x 44 cm  
(22.8" x 24" x 26")  
[width x depth x height]

### WEIGHT

4,25 kg (9.37 lb)

### PACKAGING

One per box, box dimensions:  
52 cm x 54 cm x 62 cm  
(20.5" x 21.3" x 24.4").

### ORIGIN

100% Made in Europe

### DESIGN

Yonoh



## **COMPONENTS**

### **FRAME**

#### **Material**

25 mm (0.98") side and 2 mm (0.08") thickness cold laminated E-420 quality (EN-10305 Normative) steel tube.  
Tensile Strength > 490 N/mm<sup>2</sup> (71,069 psi);  
Elastic Limit > 420 N/mm<sup>2</sup> (60,916 psi); Elongation > 12%

#### **Finishes**

Colour Epoxy

### **SEAT & BACK**

#### **Fabrics**

8 mm (0.31") thick plywood board shell. Medium density polyether stuffing foam of 50 mm (1.97") thick for the seat and 40 mm (1.57") thick for the back.

#### **Wood's Technical Characteristics:**

Urea-formol glue: low formaldehyde emission (E1 European Normative)

The wood has the PEFC certificate.

## **METAL FINISHES**

### **EPOXYS**

Powder covering formulated with polyester resins, with good both mechanical and chemical properties, outdoor maximum resistance and noxious compounds free. Electrostatic application and oven cured at 200°C (392°F).

#### **Technical Characteristics:**

Thickness (ISO 2360): between 60 and 90 µm.

Adherence (ISO 2409): Grade: 0 (maximum adherence)).

## **COM REQUERIMIENTS**

Lana Ottoman: necessary fabric for upholstering: 60 cm (23.6") width/unit

