


Cirio Múltiple

Antoni Arola, 2010

Pendant lamps



The dancer sister in the Cirio family, this variation enables the candles to be freely placed wherever they are needed. Eight to twelve points of light come from one ceiling plate and are long enough to cover large halls or stairways, creating various atmospheres within the same space.

Its design easily accommodates changing the shade to create different ambiances and arrangements from Sargadelos porcelain (lighting up with the warmth of an altar candle) to translucent opal glass or the opaque grace of brass.

GENERAL DESCRIPTION

Capsule with LED module, translucent white diffuser and heat sink with black matte finish.

3 lampshade options: white porcelain, polished brass and white opal glass.

3 metal circular canopy options with power supply incorporated for a minimum of 6 and a maximum of 12 light sources:

Surface-mounted: white or black with matte finish.

Recessed: white (CE market).

S&C LED capsule suitable with HeadLed System lampshades.

Suitable for Junction Box (UL market).

Electric cable length: 3 m / 118.1" - 8 m / 315"

LIGHT SOURCE

Light source included

6-12 x Module of 4 LEDs

Power system: 7,7 W

Operating current: 700 mA

T^a Colour : 2.700 K

CRI: 90

Lifetime: 40.000 h

Luminous flux: 4.512 ~ 9.024 lm

Built-in LED.

Suitable for dimming 1-10V /

DALI. (Not included external dimmer switch 1-10V / DALI).

Energy efficiency class (E.E.C):

A⁺⁺... A.

Suitable only for indoor use.

Always use this light source.

Input voltage : 120 ~ 277 Vac.

(50 Hz / 60 Hz). According to destination.

*UL Market: They have been tested with UL certification with an Input Voltage (Vac) of 120V and 277V.

Luminous performance with lampshade:

- White porcelain: 29%

- Polished brass: 29,3%

- White opal glass: 87%



SANTA & COLE

APPROXIMATE WEIGHT (unpacked)

(Weight with porcelain lampshade):

8 Kg / 17.5 lb

Lampshades:

Porcelain: 0,5 Kg / 1.1 lb

Brass: 0,6 Kg / 1.3 lb

White opal glass: 0,3 Kg / 0.7 lb

REGULATIONS

CE



UNE-EN 60598

UNE-EN 55015

UNE-EN 62031

UNE-EN 61000-3-2



Dry and damp location

UL-1598

UL-8750

E-336377

MAINTENANCE

Clean with a smooth cloth. Do not use ammonia, solvents or abrasive cleaning products.

OTHERS


The lamp is delivered in different packages.

The assembly instructions are delivered with the product.


LAMPSHADES




White porcelain




White opal glass



Brass



MODELS




* CE Market only

COLLECTION


Pendant lamps



Cirio Simple



Cirio Múltiple



Cirio Cascada



Cirio Circular



Cirio Lineal



Cirio Chandelier