

# BELT

BEL\_4144S

suspension lamp, surface mounted

| Date      | Type     |
|-----------|----------|
| Project   |          |
| Location  |          |
| Model #   | Quantity |
| Specifier |          |

## Description

Suspension lamp featuring a metal body, textile cable, optional glass shade, acrylic (PMMA) lens diffuser, and integrated LED. The glass shade can be omitted for a different design style. Adjustable height with an individual canopy, suitable for creating various compositions.



Pictures above might not show the specified dimensions or material. They are for illustration purposes only.

## Ordering information

| Product Code                    | Lamp   | Finish                            |
|---------------------------------|--|-----------------------------------|
| ■ BEL_4144S                     | ■ LED 6,2W (led included)<br>(2700K / Ang 120° / >90 CRI / 350mA)<br>230V / Typ* 725 lumens / Dimmable Triac | ■ 89 PL GRN Pale Green (RAL 7033) |
| ■ BEL_4144SG (with glass shade) | ■ LED 6,2W (led included)<br>(3000K / Ang 120° / >90 CRI / 350mA)<br>230V / Typ* 763 lumens / Dimmable Triac | ■ 94 CHMP Champagne (RAL 1035)    |
|                                 |  | ■ 96 ANT Anthracite (RAL 7021)    |
|                                 |  | ■ CUSTOM                          |

## Product includes

| Code      | Description                                   |
|-----------|---|
| 114125XX0 | 1 surface canopy for 1 single                 |
| BEL_4144  | 1 belt pendant                                |
| 114144000 | 1 glass shade + lens diffuser (only T-4144SG) |


## SPECIAL REQUIREMENTS

### Custom finishes and versions

We offer custom plated or RAL finishes and shades.

Alternate lamping and sizes available for projects. Consult our offices.

## Special instructions



# BELT


BEL\_4144R

suspension lamp, recessed mounted

| Date      | Type     |
|-----------|----------|
| Project   |          |
| Location  |          |
| Model #   | Quantity |
| Specifier |          |

## Description

Suspension lamp featuring a metal body, textile cable, optional glass shade, acrylic (PMMA) lens diffuser, and integrated LED. The glass shade can be omitted for a different design style. Adjustable height with an individual canopy, suitable for creating various compositions. False ceiling is required for recessed canopy (Ø 45mm drill).



Pictures above might not show the specified dimensions or material. They are for illustration purposes only.

## Ordering information

| Product Code                  | Lamp   | Finish   |
|-------------------------------|--|--|
| BEL_4144R                     | LED 6,2W (led included) <span style="background-color: #FFD700; padding: 2px;">E</span><br>(2700K / Ang 120° / >90 CRI / 350mA)<br>230V / Typ* 725 lumens / Remote driver / Dimmable Triac | 89 PL GRN Pale Green (RAL 7033)  |
| BEL_4144RG (with glass shade) | LED 6,2W (led included)<br>(3000K / Ang 120° / >90 CRI / 350mA)<br>230V / Typ* 763 lumens / Remote driver / Dimmable Triac   | 94 CHMP Champagne (RAL 1035)<br>96 ANT Anthracite (RAL 7021)<br>CUSTOM |

## Product includes


| Code      | Description                                   |
|-----------|---|
| 113534XX2 | 1 recessed canopy for 1 single                |
| BEL_4144  | 1 belt pendant                                |
| 114144000 | 1 glass shade + lens diffuser (only T-4144RG) |

## SPECIAL REQUIREMENTS

### Custom finishes and versions

We offer custom plated or RAL finishes and shades.

Alternate lamping and sizes available for projects. Consult our offices.



## Special instructions

# BELT

BEL\_4145S

suspension lamp, surface mounted

|           |          |
|-----------|----------|
| Date      | Type     |
| Project   |          |
| Location  |          |
| Model #   | Quantity |
| Specifier |          |

## Description

Suspension lamp with a metal body, textile cable, optional metal and glass shades, an acrylic (PMMA) lens diffuser, and integrated LED. The glass and metal shades are optional and can be arranged in various ways and positions to create different designs. The metal shade comes in three sizes (Ø 250mm, Ø 350mm, Ø 450mm) and can be installed facing up or down. Features adjustable height with an individual canopy, suitable for creating unique compositions.



Pictures above might not show the specified dimensions or material. They are for illustration purposes only.




## Ordering information

| Product Code                                   | Lamp   | Finish                          |
|--|--|---------------------------------|
| BEL_4145SS (small shade 250mm)                 | LED 6,2W (led included) <span style="background-color: yellow;">E</span> | 89 PL GRN Pale Green (RAL 7033) |
| BEL_4145SM (medium shade 350mm)                | (2700K / Ang 120° / >90 CRI / 350mA)                                     | 94 CHMP Champagne (RAL 1035)    |
| BEL_4145SL (large shade 450mm)                 | 230V / Typ* 725 lumens / Dimmable Triac                                  | 96 ANT Anthracite (RAL 7021)    |
| BEL_4145SSG (small shade 250mm + glass shade)  | LED 6,2W (led included)  | CUSTOM                          |
| BEL_4145SMG (medium shade 350mm + glass shade) | (3000K / Ang 120° / >90 CRI / 350mA)                                     |                                 |
| BEL_4145SLG (large shade 450mm + glass shade)  | 230V / Typ* 763 lumens / Dimmable Triac                                  |                                 |

## Product includes

| Code      | Description                                   |
|-----------|---|
| 114125XX0 | 1 surface canopy for 1 single                 |
| BEL_4144  | 1 belt pendant                                |
| 114145XXY | 1 metal shade (Ø 250mm, Ø 350mm, Ø 450mm)     |
| 114144000 | 1 glass shade + lens diffuser (only T4145SXG) |




## SPECIAL REQUIREMENTS

### Custom finishes and versions

We offer custom plated or RAL finishes and shades.

Alternate lamping and sizes available for projects. Consult our offices.

Possible shapes:  
\*See page 5 to see all diameters and shapes available:



## Special instructions

**estiluz**®

ESTILUZ, S.A.  
Carretera d'Ogassa, s/n  
17860 Sant Joan de les Abadesses  
T+34 972 720 125  
F+34 972 720 796

estiluz@estiluz.com  
www.estiluz.com

# BELT


BEL\_4145R

suspension lamp, recessed mounted

|           |          |
|-----------|----------|
| Date      | Type     |
| Project   |          |
| Location  |          |
| Model #   | Quantity |
| Specifier |          |

## Description

Suspension lamp with a metal body, textile cable, optional metal and glass shades, an acrylic (PMMA) lens diffuser, and integrated LED. The glass and metal shades are optional and can be arranged in various ways and positions to create different designs. The metal shade comes in three sizes (Ø 250mm, Ø 350mm, Ø 450mm) and can be installed facing up or down. Features adjustable height with an individual canopy, suitable for creating unique compositions. False ceiling is required for recessed canopy (Ø 45mm drill).




Pictures above might not show the specified dimensions or material. They are for illustration purposes only.

## Ordering information

| Product Code                                   | Lamp  | Finish                          |
|--|---|---------------------------------|
| BEL_4145RS (small shade 250mm)                 | LED 6,2W (led included) <span style="background-color: #FFD700; padding: 2px;">E</span> | 89 PL GRN Pale Green (RAL 7033) |
| BEL_4145RM (medium shade 350mm)                | (2700K / Ang 120° / >90 CRI / 350mA) / 230V   | 94 CHMP Champagne (RAL 1035)    |
| BEL_4145RL (large shade 450mm)                 | Typ* 725 lumens / Remote driver / Dimmable Triac  | 96 ANT Anthracite (RAL 7021)    |
| BEL_4145RSG (small shade 250mm + glass shade)  | LED 6,2W (led included)   | CUSTOM                          |
| BEL_4145RMG (medium shade 350mm + glass shade) | (3000K / Ang 120° / >90 CRI / 350mA) / 230V   |                                 |
| BEL_4145RLG (large shade 450mm + glass shade)  | Typ* 763 lumens / Remote driver / Dimmable Triac  |                                 |

## Product includes

| Code      | Description                                   |
|-----------|---|
| 113534XX2 | 1 recessed canopy for 1 single                |
| BEL_4144  | 1 belt pendant                                |
| 114145XXY | 1 metal shade (Ø 250mm, Ø 350mm, Ø 450mm)     |
| 114144000 | 1 glass shade + lens diffuser (only T4145RXG) |




## SPECIAL REQUIREMENTS

### Custom finishes and versions

We offer custom plated or RAL finishes and shades.

Alternate lamping and sizes available for projects. Consult our offices.

Possible shapes:  
\*See page 5 to see all diameters and shapes available:



### Special instructions

**estiluz**®

ESTILUZ, S.A.  
Carretera d'Ogassa, s/n  
17860 Sant Joan de les Abadesses  
T+34 972 720 125  
F+34 972 720 796

estiluz@estiluz.com  
www.estiluz.com

# BELT

BEL\_4145


suspension lamp

| Date      | Type     |
|-----------|----------|
| Project   |          |
| Location  |          |
| Model #   | Quantity |
| Specifier |          |


## Many possible shapes with BEL\_4145

The glass shade is optional. If not used, the pendant comes with a standard acrylic PMMA optic lens. When the glass shade is used, it includes a special acrylic lens that provides even lighting without shadows. The metal shade is available in three sizes (Ø 250mm, Ø 350mm, Ø 450mm) and it can be installed facing up or down. Maximum lamp height 3500mm.


BEL\_4145 with small metal shade Ø 250mm




BEL\_4145 with small metal shade Ø 250mm + glass shade




BEL\_4145 with medium metal shade Ø 350mm




BEL\_4145 with medium metal shade Ø 350mm + glass shade



BEL\_4145 with large metal shade Ø 450mm



BEL\_4145 with large metal shade Ø 450mm + glass shade



# BELT

BEL\_4144 / BEL\_4145

suspension lamp, linear compositions

|           |          |
|-----------|----------|
| Date      | Type     |
| Project   |          |
| Location  |          |
| Model #   | Quantity |
| Specifier |          |

## Many possible configurations with BEL\_4144 and BEL\_4145

| Code                              | Composition includes   | Finish  |  |
|-----------------------------------|--|---|--|
| ■ BEL_L73S3SG<br>belt composition | 1 linear canopy 113415XX1<br>3 units of T-4144 with textil cable<br>3 metal shades (Ø 250mm) 114145XX1<br>3 glass shades + lens diffusers 114144000<br>3 remote drivers / Dimmable Triac | ■ 89 PL GRN Pale Green (RAL 7033)<br>■ 94 CHMP Champagne (RAL 1035)<br>■ 96 ANT Anthracite (RAL 7021)<br>■ CUSTOM |  |
| ■ BEL_L73S2MG<br>belt composition | 1 linear canopy 113415XX1<br>2 units of T-4144 with textil cable<br>2 metal shades (Ø 350mm) 114145XX2<br>2 glass shades + lens diffusers 114144000<br>2 remote drivers / Dimmable Triac | ■ 89 PL GRN Pale Green (RAL 7033)<br>■ 94 CHMP Champagne (RAL 1035)<br>■ 96 ANT Anthracite (RAL 7021)<br>■ CUSTOM |  |
| ■ BEL_L92S3MG<br>belt composition | 1 linear canopy 113415XX3<br>3 units of T-4144 with textil cable<br>3 metal shades (Ø 350mm) 114145XX2<br>3 glass shades + lens diffusers 114144000<br>3 remote drivers / Dimmable Triac | ■ 89 PL GRN Pale Green (RAL 7033)<br>■ 94 CHMP Champagne (RAL 1035)<br>■ 96 ANT Anthracite (RAL 7021)<br>■ CUSTOM |  |
| ■ BEL_L16S3LG<br>belt composition | 1 linear canopy 113415XX7<br>3 units of T-4144 with textil cable<br>3 metal shades (Ø 450mm) 114145XX3<br>3 glass shades + lens diffusers 114144000<br>3 remote drivers / Dimmable Triac | ■ 89 PL GRN Pale Green (RAL 7033)<br>■ 94 CHMP Champagne (RAL 1035)<br>■ 96 ANT Anthracite (RAL 7021)<br>■ CUSTOM |  |

## Special instructions

# BELT

BEL\_4144 / BEL\_4145



suspension lamp, round compositions

| Date      | Type     |
|-----------|----------|
| Project   |          |
| Location  |          |
| Model #   | Quantity |
| Specifier |          |

## Many possible configurations with BEL\_4144 and BEL\_4145



| Code                             | Composition includes  |
|----------------------------------|---|
| ■ BEL_R40S3G<br>belt composition | 1 round canopy 113415XX6<br>3 units of T-4144 with textil cable<br>3 glass shades + lens diffusers 114144000<br>3 remote drivers / Dimmable Triac |

| Finish      |                       |
|-------------|-----------------------|
| ■ 89 PL GRN | Pale Green (RAL 7033) |
| ■ 94 CHMP   | Champagne (RAL 1035)  |
| ■ 96 ANT    | Anthracite (RAL 7021) |
| ■ CUSTOM    |                       |





| Code                                 | Composition includes   |
|--------------------------------------|--|
| ■ BEL_R40S2SG1MG<br>belt composition | 1 round canopy 113415XX6<br>3 units of T-4144 with textil cable<br>2 metal shades (Ø 250mm) 114145XX1<br>1 metal shade (Ø 350mm) 114145XX2<br>3 glass shades + lens diffusers 114144000<br>3 remote drivers / Dimmable Triac |

| Finish      |                       |
|-------------|-----------------------|
| ■ 89 PL GRN | Pale Green (RAL 7033) |
| ■ 94 CHMP   | Champagne (RAL 1035)  |
| ■ 96 ANT    | Anthracite (RAL 7021) |
| ■ CUSTOM    |                       |



| Code                                     | Composition includes  |
|--|---|
| ■ BEL_R70S1M2MG1L2LG<br>belt composition | 1 round canopy 113415XX4<br>6 units of T-4144 with textil cable<br>3 metal shades (Ø 350mm) 114145XX2<br>3 metal shades (Ø 450mm) 114145XX3<br>4 glass shades + lens diffusers 114144000<br>6 remote drivers / Dimmable Triac |

| Finish      |                       |
|-------------|-----------------------|
| ■ 89 PL GRN | Pale Green (RAL 7033) |
| ■ 94 CHMP   | Champagne (RAL 1035)  |
| ■ 96 ANT    | Anthracite (RAL 7021) |
| ■ CUSTOM    |                       |



## Special instructions