


VOLTA T-3535S

surface suspension lamp

Date	Type
Project	
Location	
Model #	Quantity
Specifier	

Description

Suspension lamp with a curved metallic body, cylindrical aluminium heads and acrylic (PMMA) lens diffusers. Adjustable height. Possibility to create different compositions (see page 5).




Pictures above might not show the specified dimensions or material. They are for illustration purposes only.

Ordering information

Code	Lamp	Canopy	Finish body	Finish head
T-3535S-W	LED 2x6,2W (led included) (2700K / Ang 45° / >90 CRI / 350mA) 230V / Typ* 2x725 lumens / Dimmable Triac	26 BLK Black 71 WH White	26 BLK Black 71 WH White CUSTOM	26 BLK Black 61 S GLD Satin Gold 71 WH White CUSTOM
T-3535S-M	LED 2x6,2W (led included) (3000K / Ang 45° / >90 CRI / 350mA) 230V / Typ* 2x763 lumens / Dimmable Triac			

Product includes

Code	Description
113635XX0	1 surface canopy for 1 single pendant
T-3535C	1 Volta pendant



SPECIAL REQUIREMENTS

Custom versions

We offer custom plated or RAL finishes. Alternate lamping and sizes available for projects. Consult our offices.

Special instructions



ESTILUZ, S.A.
Carretera d'Ogassa, s/n
17860 Sant Joan de les Abadesses
T+34 972 720 125
F+34 972 720 796

estiluz@estiluz.com
www.estiluz.com

VOLTA T-3535R

recessed suspension lamp

Date	Type
Project	
Location	
Model #	Quantity
Specifier	

Description


Suspension lamp with a curved metallic body, cylindrical aluminium heads and acrylic (PMMA) lens diffusers.

Adjustable height.

Possibility to create different compositions (see page 6).



















Recessed canopy and remote driver.

False ceiling for recessed canopy is required Ø 50mm drill.




Pictures above might not show the specified dimensions or material. They are for illustration purposes only.

Ordering information

Code	Lamp	Canopy	Finish body	Finish head
 T-3535R-W  Ø 50mm drill on dropped ceiling	LED 2x6,2W (led included)  (2700K / Ang 45° / >90 CRI / 350mA) 230V / Typ* 2x725 lumens / Dimmable Triac	 26 BLK Black	 26 BLK Black	 26 BLK Black
		 71 WH White	 71 WH White	 61 S GLD Satin Gold
 T-3535R-M  Ø 50mm drill on dropped ceiling	LED 2x6,2W (led included)  (3000K / Ang 45° / >90 CRI / 350mA) 230V / Typ* 2x763 lumens / Dimmable Triac	 71 WH White	 71 WH White	 71 WH White
		 CUSTOM	 CUSTOM	 CUSTOM

Product includes

Code	Description
113635XX0R	1 recessed canopy for 1 single pendant
T-3535C	1 Volta pendant



SPECIAL REQUIREMENTS

Custom versions

We offer custom plated or RAL finishes. Alternate lamping and sizes available for projects. Consult our offices.

Special instructions


VOLTA T-3536S

surface suspension lamp

Date	Type
Project	
Location	
Model #	Quantity
Specifier	

Description

Suspension lamp with a curved metallic body, cylindrical aluminium heads and acrylic (PMMA) lens diffusers. Adjustable height. Possibility to create different compositions (see page 5).



Pictures above might not show the specified dimensions or material. They are for illustration purposes only.

Ordering information

Code	Lamp
T-3536S-W	LED 3x6,2W (led included) E (2700K / Ang 45° / >90 CRI / 350mA) 230V / Typ* 3x725 lumens / Dimmable Triac
T-3536S-M	LED 3x6,2W (led included) E (3000K / Ang 45° / >90 CRI / 350mA) 230V / Typ* 3x763 lumens / Dimmable Triac

Canopy		Finish body		Finish head	
26 BLK	Black	26 BLK	Black	26 BLK	Black
71 WH	White	71 WH	White	61 S GLD	Satin Gold
		CUSTOM		CUSTOM	

Product includes


Code	Description
113635XX0	1 surface canopy for 1 single pendant
T-3536C	1 Volta pendant

SPECIAL REQUIREMENTS

Custom versions

We offer custom plated or RAL finishes. Alternate lamping and sizes available for projects. Consult our offices.

Special instructions



VOLTA T-3536R

recessed suspension lamp

Date	Type
Project	
Location	
Model #	Quantity
Specifier	

Description


Suspension lamp with a curved metallic body, cylindrical aluminium heads and acrylic (PMMA) lens diffusers.

Adjustable height.

Possibility to create different compositions (see page 6).

Recessed canopy and remote driver.

False ceiling for recessed canopy is required Ø 50mm drill.



Pictures above might not show the specified dimensions or material. They are for illustration purposes only.

Ordering information

Code	Lamp	Canopy	Finish body	Finish head
T-3536R-W Ø 50mm drill on dropped ceiling	LED 3x6,2W (led included) (2700K / Ang 45° / >90 CRI / 350mA) 230V / Typ* 3x725 lumens / Dimmable Triac	26 BLK Black 71 WH White	26 BLK Black 71 WH White CUSTOM	26 BLK Black 61 S GLD Satin Gold 71 WH White CUSTOM
T-3536R-M Ø 50mm drill on dropped ceiling	LED 3x6,2W (led included) (3000K / Ang 45° / >90 CRI / 350mA) 230V / Typ* 3x763 lumens / Dimmable Triac			

Product includes


Code	Description
113635XX0R	1 recessed canopy for 1 single pedant
T-3536C	1 Volta pendant

SPECIAL REQUIREMENTS

Custom versions

We offer custom plated or RAL finishes. Alternate lamping and sizes available for projects. Consult our offices.

Special instructions




VOLTA T-3535S / T-3536S

linear surface compositions


Date	Type
Project	
Location	
Model #	Quantity
Specifier	

Many possible configurations with T-3535S and T-3536S


Code	Composition includes	Temperature
L73S.2D	<ul style="list-style-type: none"> 1 linear canopy 113535XX1 2 units of T-3535C 2 drivers / Dimmable Triac 	<ul style="list-style-type: none"> T-3535C-W (2700K / 725 lumens) T-3535C-M (3000K / 763 lumens)
Canopy		Head
<ul style="list-style-type: none"> 26 BLK Black 71 WH White 	Body	<ul style="list-style-type: none"> 26 BLK Black 61 S GLD Satin Gold 71 WH White CUSTOM
	Body	Head
	<ul style="list-style-type: none"> 26 BLK Black 71 WH White CUSTOM 	<ul style="list-style-type: none"> 26 BLK Black 61 S GLD Satin Gold 71 WH White CUSTOM



Code	Composition includes	Temperature
L78S.1D1T	<ul style="list-style-type: none"> 1 linear canopy 113535XX2 1 unit of T-3535C 1 unit of T-3536C 2 drivers / Dimmable Triac 	<ul style="list-style-type: none"> T-3535C-W / T-3536C-W (2700K / 725 lumens) T-3535C-M / T-3536C-M (3000K / 763 lumens)
Canopy		Head
<ul style="list-style-type: none"> 26 BLK Black 71 WH White 	Body	<ul style="list-style-type: none"> 26 BLK Black 61 S GLD Satin Gold 71 WH White CUSTOM
	Body	Head
	<ul style="list-style-type: none"> 26 BLK Black 71 WH White CUSTOM 	<ul style="list-style-type: none"> 26 BLK Black 61 S GLD Satin Gold 71 WH White CUSTOM



Code	Composition includes	Temperature
L92S.2T	<ul style="list-style-type: none"> 1 linear canopy 113535XX3 2 units of T-3536C 2 drivers / Dimmable Triac 	<ul style="list-style-type: none"> T-3536C-W (2700K / 725 lumens) T-3536C-M (3000K / 763 lumens)
Canopy		Head
<ul style="list-style-type: none"> 26 BLK Black 71 WH White 	Body	<ul style="list-style-type: none"> 26 BLK Black 61 S GLD Satin Gold 71 WH White CUSTOM
	Body	Head
	<ul style="list-style-type: none"> 26 BLK Black 71 WH White CUSTOM 	<ul style="list-style-type: none"> 26 BLK Black 61 S GLD Satin Gold 71 WH White CUSTOM







VOLTA T-3535R / T-3536R



linear recessed compositions

Date	Type
Project	
Location	
Model #	Quantity
Specifier	

Many possible configurations with T-3535R and T-3536R

Code	Composition includes	Temperature						
L73R.2D	<ul style="list-style-type: none"> 1 linear recessed canopy 113535XX1R 2 units of T-3535C 2 drivers / Dimmable Triac 	<ul style="list-style-type: none"> T-3535C-W (2700K / 725 lumens) T-3535C-M (3000K / 763 lumens) 						
 Ø 50mm drill on dropped ceiling	<table border="1"> <tr> <td>Canopy</td> <td>Body</td> <td>Head</td> </tr> <tr> <td> <ul style="list-style-type: none"> 26 BLK Black 71 WH White </td> <td> <ul style="list-style-type: none"> 26 BLK Black 71 WH White CUSTOM </td> <td> <ul style="list-style-type: none"> 26 BLK Black 61 S GLD Satin Gold 71 WH White CUSTOM </td> </tr> </table>	Canopy	Body	Head	<ul style="list-style-type: none"> 26 BLK Black 71 WH White 	<ul style="list-style-type: none"> 26 BLK Black 71 WH White CUSTOM 	<ul style="list-style-type: none"> 26 BLK Black 61 S GLD Satin Gold 71 WH White CUSTOM 	
Canopy	Body	Head						
<ul style="list-style-type: none"> 26 BLK Black 71 WH White 	<ul style="list-style-type: none"> 26 BLK Black 71 WH White CUSTOM 	<ul style="list-style-type: none"> 26 BLK Black 61 S GLD Satin Gold 71 WH White CUSTOM 						

Code	Composition includes	Temperature						
L78R.1D1T	<ul style="list-style-type: none"> 1 linear recessed canopy 113535XX2R 1 unit of T-3535C 1 unit of T-3536C 2 drivers / Dimmable Triac 	<ul style="list-style-type: none"> T-3535C-W / T-3536C-W (2700K / 725 lumens) T-3535C-M / T-3536C-M (3000K / 763 lumens) 						
 Ø 50mm drill on dropped ceiling	<table border="1"> <tr> <td>Canopy</td> <td>Body</td> <td>Head</td> </tr> <tr> <td> <ul style="list-style-type: none"> 26 BLK Black 71 WH White </td> <td> <ul style="list-style-type: none"> 26 BLK Black 71 WH White CUSTOM </td> <td> <ul style="list-style-type: none"> 26 BLK Black 61 S GLD Satin Gold 71 WH White CUSTOM </td> </tr> </table>	Canopy	Body	Head	<ul style="list-style-type: none"> 26 BLK Black 71 WH White 	<ul style="list-style-type: none"> 26 BLK Black 71 WH White CUSTOM 	<ul style="list-style-type: none"> 26 BLK Black 61 S GLD Satin Gold 71 WH White CUSTOM 	
Canopy	Body	Head						
<ul style="list-style-type: none"> 26 BLK Black 71 WH White 	<ul style="list-style-type: none"> 26 BLK Black 71 WH White CUSTOM 	<ul style="list-style-type: none"> 26 BLK Black 61 S GLD Satin Gold 71 WH White CUSTOM 						


Code	Composition includes	Temperature						
L92R.2T	<ul style="list-style-type: none"> 1 linear recessed canopy 113535XX3R 2 units of T-3536C 2 drivers / Dimmable Triac 	<ul style="list-style-type: none"> T-3536C-W (2700K / 725 lumens) T-3536C-M (3000K / 763 lumens) 						
 Ø 50mm drill on dropped ceiling	<table border="1"> <tr> <td>Canopy</td> <td>Body</td> <td>Head</td> </tr> <tr> <td> <ul style="list-style-type: none"> 26 BLK Black 71 WH White </td> <td> <ul style="list-style-type: none"> 26 BLK Black 71 WH White CUSTOM </td> <td> <ul style="list-style-type: none"> 26 BLK Black 61 S GLD Satin Gold 71 WH White CUSTOM </td> </tr> </table>	Canopy	Body	Head	<ul style="list-style-type: none"> 26 BLK Black 71 WH White 	<ul style="list-style-type: none"> 26 BLK Black 71 WH White CUSTOM 	<ul style="list-style-type: none"> 26 BLK Black 61 S GLD Satin Gold 71 WH White CUSTOM 	
Canopy	Body	Head						
<ul style="list-style-type: none"> 26 BLK Black 71 WH White 	<ul style="list-style-type: none"> 26 BLK Black 71 WH White CUSTOM 	<ul style="list-style-type: none"> 26 BLK Black 61 S GLD Satin Gold 71 WH White CUSTOM 						

VOLTA T-3535S / T-3536S


linear surface compositions

Date	Type
Project	
Location	
Model #	Quantity
Specifier	

Code	Composition includes	Temperature	Canopy	Body	Head
■ L165S.3D	<ul style="list-style-type: none"> ■ 1 linear canopy 113535XX7 ■ 3 units of T-3535C ■ 3 drivers / Dimmable Triac 	<ul style="list-style-type: none"> ■ T-3535C-W (2700K / 725 lumens) ■ T-3535C-M (3000K / 763 lumens) 	<ul style="list-style-type: none"> ■ 26 BLK Black ■ 71 WH White 	<ul style="list-style-type: none"> ■ 26 BLK Black ■ 71 WH White ■ CUSTOM 	<ul style="list-style-type: none"> ■ 26 BLK Black ■ 61 S GLD Satin Gold ■ 71 WH White ■ CUSTOM



Code	Composition includes	Temperature	Canopy	Body	Head
■ L165S.1T1D1T	<ul style="list-style-type: none"> ■ 1 linear canopy 113535XX7 ■ 1 unit of T-3535C ■ 2 units of T-3536C ■ 3 drivers / Dimmable Triac 	<ul style="list-style-type: none"> ■ T-3535C-W / T-3536C-W (2700K / 725 lumens) ■ T-3535C-M / T-3536C-M (3000K / 763 lumens) 	<ul style="list-style-type: none"> ■ 26 BLK Black ■ 71 WH White 	<ul style="list-style-type: none"> ■ 26 BLK Black ■ 71 WH White ■ CUSTOM 	<ul style="list-style-type: none"> ■ 26 BLK Black ■ 61 S GLD Satin Gold ■ 71 WH White ■ CUSTOM




VOLTA T-3535S / T-3536S

linear surface compositions


Date	Type
Project	
Location	
Model #	Quantity
Specifier	

Ordering information

Code	Composition includes	Temperature	Canopy	Body	Head
<ul style="list-style-type: none"> <input type="checkbox"/> L165S.1D2T 	<ul style="list-style-type: none"> <input type="checkbox"/> 1 linear canopy 113535XX7 <input type="checkbox"/> 1 unit of T-3535C <input type="checkbox"/> 2 units of T-3536C <input type="checkbox"/> 3 drivers / Dimmable Triac 	<ul style="list-style-type: none"> <input type="checkbox"/> T-3535C-W / T-3536C-W (2700K / 725 lumens) <input type="checkbox"/> T-3535C-M / T-3536C-M (3000K / 763 lumens) 	<ul style="list-style-type: none"> <input type="checkbox"/> 26 BLK Black <input type="checkbox"/> 71 WH White 	<ul style="list-style-type: none"> <input type="checkbox"/> 26 BLK Black <input type="checkbox"/> 71 WH White <input type="checkbox"/> CUSTOM 	<ul style="list-style-type: none"> <input type="checkbox"/> 26 BLK Black <input type="checkbox"/> 61 S GLD Satin Gold <input type="checkbox"/> 71 WH White <input type="checkbox"/> CUSTOM



Code	Composition includes	Temperature	Canopy	Body	Head
<ul style="list-style-type: none"> <input type="checkbox"/> L165S.3D2T 	<ul style="list-style-type: none"> <input type="checkbox"/> 1 linear canopy 113535XX7 <input type="checkbox"/> 3 units of T-3535C <input type="checkbox"/> 2 units of T-3536C <input type="checkbox"/> 5 drivers / Dimmable Triac 	<ul style="list-style-type: none"> <input type="checkbox"/> T-3535C-W / T-3536C-W (2700K / 725 lumens) <input type="checkbox"/> T-3535C-M / T-3536C-M (3000K / 763 lumens) 	<ul style="list-style-type: none"> <input type="checkbox"/> 26 BLK Black <input type="checkbox"/> 71 WH White 	<ul style="list-style-type: none"> <input type="checkbox"/> 26 BLK Black <input type="checkbox"/> 71 WH White <input type="checkbox"/> CUSTOM 	<ul style="list-style-type: none"> <input type="checkbox"/> 26 BLK Black <input type="checkbox"/> 61 S GLD Satin Gold <input type="checkbox"/> 71 WH White <input type="checkbox"/> CUSTOM




VOLTA T-3535S / T-3536S

round surface compositions

Date	Type
Project	
Location	
Model #	Quantity
Specifier	

Code	Composition includes	Temperature						
■ R70S.3D	<ul style="list-style-type: none"> ■ 1 round canopy 113535XX4 ■ 3 units of T-3535C ■ 3 drivers / Dimmable Triac 	<ul style="list-style-type: none"> ■ T-3535C-W (2700K / 725 lumens) ■ T-3535C-M (3000K / 763 lumens) 						
	<table border="1"> <tr> <td>Canopy</td> <td>Body</td> <td>Head</td> </tr> <tr> <td> <ul style="list-style-type: none"> ■ 26 BLK Black ■ 71 WH White </td> <td> <ul style="list-style-type: none"> ■ 26 BLK Black ■ 71 WH White ■ CUSTOM </td> <td> <ul style="list-style-type: none"> ■ 26 BLK Black ■ 61 S GLD Satin Gold ■ 71 WH White ■ CUSTOM </td> </tr> </table>	Canopy	Body	Head	<ul style="list-style-type: none"> ■ 26 BLK Black ■ 71 WH White 	<ul style="list-style-type: none"> ■ 26 BLK Black ■ 71 WH White ■ CUSTOM 	<ul style="list-style-type: none"> ■ 26 BLK Black ■ 61 S GLD Satin Gold ■ 71 WH White ■ CUSTOM 	
Canopy	Body	Head						
<ul style="list-style-type: none"> ■ 26 BLK Black ■ 71 WH White 	<ul style="list-style-type: none"> ■ 26 BLK Black ■ 71 WH White ■ CUSTOM 	<ul style="list-style-type: none"> ■ 26 BLK Black ■ 61 S GLD Satin Gold ■ 71 WH White ■ CUSTOM 						



Code	Composition includes	Temperature						
■ R100S.5D	<ul style="list-style-type: none"> ■ 1 round canopy 113535XX5 ■ 5 units of T-3535C ■ 5 drivers / Dimmable Triac 	<ul style="list-style-type: none"> ■ T-3535C-W (2700K / 725 lumens) ■ T-3535C-M (3000K / 763 lumens) 						
	<table border="1"> <tr> <td>Canopy</td> <td>Body</td> <td>Head</td> </tr> <tr> <td> <ul style="list-style-type: none"> ■ 26 BLK Black ■ 71 WH White </td> <td> <ul style="list-style-type: none"> ■ 26 BLK Black ■ 71 WH White ■ CUSTOM </td> <td> <ul style="list-style-type: none"> ■ 26 BLK Black ■ 61 S GLD Satin Gold ■ 71 WH White ■ CUSTOM </td> </tr> </table>	Canopy	Body	Head	<ul style="list-style-type: none"> ■ 26 BLK Black ■ 71 WH White 	<ul style="list-style-type: none"> ■ 26 BLK Black ■ 71 WH White ■ CUSTOM 	<ul style="list-style-type: none"> ■ 26 BLK Black ■ 61 S GLD Satin Gold ■ 71 WH White ■ CUSTOM 	
Canopy	Body	Head						
<ul style="list-style-type: none"> ■ 26 BLK Black ■ 71 WH White 	<ul style="list-style-type: none"> ■ 26 BLK Black ■ 71 WH White ■ CUSTOM 	<ul style="list-style-type: none"> ■ 26 BLK Black ■ 61 S GLD Satin Gold ■ 71 WH White ■ CUSTOM 						

