


BlancoWhite R3

Antoni Arola, 2013

Pendant lamp





This rectangular plate combines smart LED technology with the sobriety of lines that have been refined to the essential, ideal for installation above oblong tables.

All models in the BlancoWhite family house a smart LED plate (executed via a dot cutting system) with small incisions of increasing concavity along the bottom of the light surface which become more concave the further they are from the source, thus lending the light beam homogeneity.

GENERAL DESCRIPTION

Graphite metal structure with matte finish. Rectangular metal canopy with power supply incorporated. Suitable for Junction Box (UL market). Electric cable length: 3 m / 118.1"

LIGHT SOURCE

Light source included (adjustable).

Strip of 102 LEDS Power system: 33 W Operating voltaje: 12 VDC Ta Colour: 3.000 K

CRI: 90

Lifetime: 40,000 h Luminous flux: 1.224 lm Built-in adjustable LED. (PWM integrated).

Suitable for dimming 1-10V. (Not included external dimmer switch 1-10V).

Energy efficiency class (E.E.C):

A++... A.

Suitable only for indoor use. Always use this light source. Input voltaje: 90 ~ 305 Vac.

(50 Hz / 60 Hz). According to destination.

APROXIMATE WEIGHT (unpacked)

5 kg / 11 lb



REGULATIONS



CE

IP 20

UNE-EN 60598

UNE-EN 55015

UNE-EN 62031

UNE-EN 61000-3-2

UNE-EN 60529

UNE-EN 61347-2-13

MAINTENANCE


Clean with a smooth cloth. Do not use ammonia, solvents or abrasive cleaning products.

OTHERS

The lamp are delivered in one package.


The assembly instructions are delivered with the product.

MODEL





MODEL



COLLECTION

Table lamps









R1 Rotating

Wall lamps





C1 / R1 wall rotating R1 wall

C1 wall rotating scene

Pendant lamps







R3 ceiling



Golden Gate