

BLOCK


designed by
FERNANDO MARTÍNEZ

BLOCK


BLOCK permite crear y diseñar tu propia composición. Está inspirado en los juegos de bloques para niños, con el objetivo de crear espacios interiores con simetrías y asimetrías. De estructura metálica recubierta de tela blanca elástica, permite configurar espacios y diseños únicos. Las telas son fácilmente desmontables para su lavado o sustitución.

BLOCK

There is nothing nicer than creating, building up and designing your own BLOCK composition for your interior requirements. Every space design you create is unique! BLOCK is inspired by kid's block games. Produced in multisized options in order to create interior spaces playing with symmetries and asymmetries. Make up your own BLOCK design! Removable stretching fabric covering a metal structure.



BLOCK applique / BLOCK wall lamp




REF.
20010/00

APLIQUE / WALL BRACKET
IP20

MATERIAL
Metal y tela elástica
Metal & stretching fabric

ACABADO / FINISH
Blanco óptico
Optical white


INSTALACIÓN / INSTALLATION
- E27 LED 2x15W Ø6cm 
©



© dim Casambi

Bombillas NO incluidas / *Light bulbs NOT included*
Archivos 3D y ficheros fotométricos disponibles / *3D and photometric files available*

BLOCK plafones / BLOCK ceiling lights






REF.
20010/30


PLAFÓN / CEILING LIGHT
IP20

MATERIAL
Metal y tela elástica
Metal & stretching fabric

ACABADO / FINISH
Blanco óptico / *Optical white*

INSTALACIÓN / INSTALLATION
- E27 LED 2x15W Ø6cm  

- PCB-LED 20W 700mA  
CRI>80
Cálida / *Warm* 3000K 1180lm
Neutra / *Neutral* 4000K 1235lm








REF.
20010/50




PLAFÓN / CEILING LIGHT
IP20


MATERIAL
Metal y tela elástica
Metal & stretching fabric

ACABADO / FINISH
Blanco óptico / *Optical white*

INSTALACIÓN / INSTALLATION
- E27 LED 4x15W Ø6cm  

- PCB-LED 40W 700mA    
CRI>80
Cálida / *Warm* 3000K 2400lm
Neutra / *Neutral* 4000K 2510lm

- PCB-LED 55W 500mA   
CRI>90
Cálida / *Warm* 3000K 3115lm
Neutra / *Neutral* 4000K 3258lm







REF.
20010/60




PLAFÓN / CEILING LIGHT
IP20


MATERIAL
Metal y tela elástica
Metal & stretching fabric

ACABADO / FINISH
Blanco óptico / *Optical white*

INSTALACIÓN / INSTALLATION
- E27 LED 4x15W Ø6cm  

- PCB-LED 40W 700mA    
CRI>80
Cálida / *Warm* 3000K 2400lm
Neutra / *Neutral* 4000K 2510lm

- PCB-LED 55W 500mA   
CRI>90
Cálida / *Warm* 3000K 3115lm
Neutra / *Neutral* 4000K 3258lm







REF.
20010/80




PLAFÓN / CEILING LIGHT
IP20


MATERIAL
Metal y tela elástica
Metal & stretching fabric

ACABADO / FINISH
Blanco óptico / *Optical white*

INSTALACIÓN / INSTALLATION
- E27 LED 4x15W Ø6cm  

- PCB-LED 40W 700mA    
CRI>80
Cálida / *Warm* 3000K 2400lm
Neutra / *Neutral* 4000K 2510lm

- PCB-LED 70W 500mA   
CRI>90
Cálida / *Warm* 3000K 4492lm
Neutra / *Neutral* 4000K 4698lm


- PCB-LED 72W 300mA 
Regulable en temp./ brillo
Dimmable temp./ brightness
3000K - 6000K max. 3911lm

 dim DALI

 dim PUSH

 REMOTE


 dim L,C

 dim Casambi

Bombillas NO incluidas / *Light bulbs NOT included*
Archivos 3D y ficheros fotométricos disponibles / *3D and photometric files available*



BLOCK plafones / BLOCK ceiling lights



REF.
22010/60


PLAFÓN / CEILING LIGHT
IP20

MATERIAL
Metal y tela elástica
Metal & stretching fabric

ACABADO / FINISH
Blanco óptico / *Optical white*

INSTALACIÓN / INSTALLATION
- PCB-LED 40W 700mA (D) (P) (LC) (C)
CRI>80
Cálida / *Warm* 3000K 2400lm
Neutra / *Neutral* 4000K 2510lm

- PCB-LED 55W 500mA (D) (P) (C)
CRI>90
Cálida / *Warm* 3000K 3115lm
Neutra / *Neutral* 4000K 3258lm



REF.
22010/80

PLAFÓN / CEILING LIGHT
IP20

MATERIAL
Metal y tela elástica
Metal & stretching fabric

ACABADO / FINISH
Blanco óptico / *Optical white*

INSTALACIÓN / INSTALLATION
- PCB-LED 40W 700mA (D) (P) (LC) (C)
CRI>80
Cálida / *Warm* 3000K 2400lm
Neutra / *Neutral* 4000K 2510lm

- PCB-LED 70W 500mA (D) (P) (C)
CRI>90
Cálida / *Warm* 3000K 4492lm
Neutra / *Neutral* 4000K 4698lm



(D) dim DALI

(P) dim PUSH

(LC) dim L,C

(C) dim Casambi

Bombillas NO incluidas / *Light bulbs NOT included*
Archivos 3D y ficheros fotométricos disponibles / *3D and photometric files available*