

TECHNICAL CHARACTERISTICS

SSILRB

Silu


chair

A fusion of traditional wood bending techniques and traditional know-how with the most contemporary design. The sinuous profile and stackability of the Silu chair turn this family into an architectural masterpiece.

DESIGNED BY BEN VAN BERKEL/ UNSTUDIO



ondarreta



DIMENSIONS

53 cm x 53 cm x 76 cm x 46 cm
(20,9" x 20,9" x 29,9" x 18,1")
[width x depth x height x seat
height]

WEIGHT

6 kg (13,2 lb)

PACKAGING

Two chairs per box, box dimensions:
62,5 cm x 58 cm x 99,5 cm (24.6" x
22.8" x 39.2")

CERTIFICATION

Product tested under the European
standard EN 16139:2013, category of
extreme use L2.

ACCESORIES

Felt glides

Trolley

ORIGIN

100% Made in Europe

DESIGN

Ben Van Berkel/ UNStudio



COMPONENTS

FRAME AND SHELL

Oak

Structure made of solid oak wood bowed with a singular method and CNC machined.

Seat of oak plywood of variable thickness between 16 mm and 22 mm formed of multiple files previously treated to optimize the bending especially treated, glued, pressed and CNC machined.

Technical characteristics:

Medium density: 710 kg/m³; Flex Strength: 1070 kg/cm²;
Tensile Strength: 1070 kg/cm²

Ash

Structure made of solid ash wood bowed with a singular method and CNC machined.

Seat of ash plywood of variable thickness between 16 mm and 22 mm formed of multiple files previously treated to optimize the bending especially treated, glued, pressed and CNC machined.

Technical characteristics:

Medium density: 690 kg/m³; Flex Strength: 1130 kg/cm²;
Tensile Strength: 1450 kg/cm²

Finish

Stained



STACKING PIECE

Piece made of polypropylene that adjusts with the form of curved the back that can be upholstered.

SEAT PAD (optional)

Plywood seat upholstered and assembled to board shell with a medium density polyether stuffing foam.

WOOD FINISH

STAIN

Pigmented enamel with a transparent stain coating. Reactive drying paints: excellent adherence between layers and better mechanical resistance.

Technical characteristics:

Satisfying UNE-EN 71-3 normative; Formaldehyde free compounds.

COM REQUIEREMENTS

Seat pad: 45 cm (17,7")

