


# REVOLTA T-3635

suspension

Date	Type
Project	
Location	
Model #	Quantity
Specifier	

## Description

Suspension lamp with a circular body, cylindrical aluminium heads and acrylic (PMMA) lens diffusers. Adjustable height. Optional 50° angle acrylic optic lens conversion kit and decorative sound absorbing panel.



Pictures above might not show the specified dimensions or material. They are for illustration purposes only.

## Ordering information

Code	Lamp	Canopy	Finish body	Finish head
T-3635-W	LED 6,1W (2700K / Ang 120° / >80 CRI / 350mA) Universal Voltage (included) Typ* 665 lumens <b>A++</b>	26 BLK Black 71 WH White	26 BLK Black  71 WH White  CUSTOM	26 BLK Black 61 S GLD Satin Gold  71 WH White  CUSTOM
T-3635-M	LED 6,1W (3000K / Ang 120° / >80 CRI / 350mA) Universal Voltage (included) Typ* 703 lumens <b>A++</b>			

## Product includes


Code	Description
113535XX0	1 canopy for 1 single pendant
T-3635C	1 Revolta pendant
6710000XX	1 driver / Dimmable Triac

## Accessories

Code	Description
E67353001	50° angle acrylic optic lens conversion kit
123635XX0	Acoustic Panel Ø380mm

### Finish Panel

82 BL	Blue
83 EGP	Eggplant
84 SLM	Salmon
CUSTOM	



## SPECIAL REQUIREMENTS

### Custom versions

We offer custom plated or RAL finishes. Alternate lamping and sizes available for projects. Consult our offices.

### Special instructions



ESTILUZ, S.A.  
Carretera d'Ogassa, s/n  
17860 Sant Joan de les Abadesses  
T+34 972 720 125  
F+34 972 720 796

estiluz@estiluz.com  
www.estiluz.com


# REVOLTA T-3636

suspension

Date	Type
Project	
Location	
Model #	Quantity
Specifier	

## Description

Suspension lamp with a circular body, cylindrical aluminium heads and acrylic (PMMA) lens diffusers. Adjustable height. Optional 50° angle acrylic optic lens conversion kit and decorative sound absorbing panel.



Pictures above might not show the specified dimensions or material. They are for illustration purposes only.

## Ordering information

Code	Lamp	Canopy	Finish body	Finish head
T-3636-W	LED 2x6,1W (2700K / Ang 120° / >80 CRI / 350mA) Universal Voltage (included) Typ* 2x665 lumens <b>A+</b>	26 BLK Black 71 WH White	26 BLK Black 71 WH White CUSTOM	26 BLK Black 61 S GLD Satin Gold 71 WH White CUSTOM
T-3636-M	LED 2x6,1W (3000K / Ang 120° / >80 CRI / 350mA) Universal Voltage (included) Typ* 2x703 lumens <b>A+</b>			

## Product includes


Code	Description
113535XX0	1 canopy for 1 single pendant
T-3636C	1 Revolta pendant
6710000XX	1 driver / Dimmable Triac

## Accessories

Code	Description
E67353001	50° angle acrylic optic lens conversion kit
123636XX0	Acoustic Panel Ø600mm

### Finish Panel

82 BL	Blue
83 EGP	Eggplant
84 SLM	Salmon
CUSTOM	



## SPECIAL REQUIREMENTS

### Custom versions

We offer custom plated or RAL finishes. Alternate lamping and sizes available for projects. Consult our offices.

### Special instructions

# REVOLTA

T-3635C / T-3636C  
suspension

Date	Type
Project	
Location	
Model #	Quantity
Specifier	

## Ordering information


Code	Lamp	Finish body	Finish head	Finish Panel
T-3635C-W	LED 6,1W (2700K / Ang 120° / >80 CRI / 350mA) Universal Voltage (included) Typ* 665 lumens <b>A++</b>	26 BLK Black 71 WH White CUSTOM	26 BLK Black 61 S GLD Satin Gold 71 WH White CUSTOM	82 BL Blue 83 EGP Eggplant 84 SLM Salmon CUSTOM
T-3635C-M	LED 6,1W (3000K / Ang 120° / >80 CRI / 350mA) Universal Voltage (included) Typ* 703 lumens <b>A++</b>			

## Product includes

Code	Description
T-3635C	1 Revolta pendant
6710000XX	1 driver / Dimmable Triac

## Accessories

Code	Description
E67353001	50° angle acrylic optic lens conversion kit
123635XX0	Acoustic Panel Ø 380mm



## Ordering information


Code	Lamp	Finish body	Finish head	Finish Panel
T-3636-W	LED 2x6,1W (2700K / Ang 120° / >80 CRI / 350mA) Universal Voltage (included) Typ* 2x665 lumens <b>A++</b>	26 BLK Black 71 WH White CUSTOM	26 BLK Black 61 S GLD Satin Gold 71 WH White CUSTOM	82 BL Blue 83 EGP Eggplant 84 SLM Salmon CUSTOM
T-3636-M	LED 2x6,1W (3000K / Ang 120° / >80 CRI / 350mA) Universal Voltage (included) Typ* 2x703 lumens			

## Product includes

Code	Description
T-3636C	1 Revolta pendant
6710000XX	1 driver / Dimmable Triac

## Accessories

Code	Description
E67353001	50° angle acrylic optic lens conversion kit
123636XX0	Acoustic Panel Ø 600mm



# REVOLTA


T-3635 / T-3636

suspension


Date	Type
Project	
Location	
Model #	Quantity
Specifier	

## Many possible configurations with T-3635C and T-3636C

<b>Code</b> L173.2D revolta	<b>Composition includes</b> 1 linear canopy 113535XX1 2 units of T-3636C 2 drivers / Dimmable Triac	<b>Temperature</b> T-3636C-W (2700K / 665 lumens) T-3636C-M (3000K / 703 lumens)	
	<b>Canopy</b> 26 BLK Black 71 WH White	<b>Body</b> 26 BLK Black 71 WH White CUSTOM	<b>Head</b> 26 BLK Black 61 S GLD Satin Gold 71 WH White CUSTOM
	<b>Optional</b> Add up to 2 acoustic panels 123636XX0	<b>Finish Panel</b> 82 BL Blue 83 EGP Eggplant 84 SLM Salmon CUSTOM	



<b>Code</b> L73.1S1D revolta	<b>Composition includes</b> 1 linear canopy 113535XX1 1 unit of T-3635C 1 unit of T-3636C 2 drivers / Dimmable Triac	<b>Temperature</b> T-3635C-W / T-3636C-W (2700K / 665 lumens) T-3635C-M / T-3636C-M (3000K / 703 lumens)	
	<b>Canopy</b> 26 BLK Black 71 WH White	<b>Body</b> 26 BLK Black 71 WH White CUSTOM	<b>Head</b> 26 BLK Black 61 S GLD Satin Gold 71 WH White CUSTOM
	<b>Optional</b> 1 acoustic panel 123635XX0 1 acoustic panel 123636XX0	<b>Finish Panel</b> 82 BL Blue 83 EGP Eggplant 84 SLM Salmon CUSTOM	



# REVOLTA


T-3635 / T-3636

suspension


Date	Type
Project	
Location	
Model #	Quantity
Specifier	

## Many possible configurations with T-3635C and T-3636C

<b>Code</b> L92.1S1D revolta	<b>Composition includes</b> 1 linear canopy 113535XX3 1 unit of T-3635C 1 unit of T-3636C 2 drivers / Dimmable Triac	<b>Temperature</b> T-3635C-W / T-3636C-W (2700K / 665 lumens) T-3635C-M / T-3636C-M (3000K / 703 lumens)	
	<b>Canopy</b> 26 BLK Black 71 WH White	<b>Body</b> 26 BLK Black 71 WH White CUSTOM	<b>Head</b> 26 BLK Black 61 S GLD Satin Gold 71 WH White CUSTOM
	<b>Optional</b> 1 acoustic panel 123635XX0 1 acoustic panel 123636XX0	<b>Finish Panel</b> 82 BL Blue 83 EGP Eggplant 84 SLM Salmon CUSTOM	



<b>Code</b> L165.5D revolta	<b>Composition includes</b> 1 linear canopy 113535XX7 5 units of T-3636C 5 drivers / Dimmable Triac	<b>Temperature</b> T-3636C-W (2700K / 665 lumens) T-3636C-M (3000K / 703 lumens)	
	<b>Canopy</b> 26 BLK Black 71 WH White	<b>Body</b> 26 BLK Black 71 WH White CUSTOM	<b>Head</b> 26 BLK Black 61 S GLD Satin Gold 71 WH White CUSTOM
	<b>Optional</b> Add up to 5 acoustic panels 123636XX0	<b>Finish Panel</b> 82 BL Blue 83 EGP Eggplant 84 SLM Salmon CUSTOM	




# REVOLTA

T-3635 / T-3636  
suspension


<b>Date</b>	<b>Type</b>
<b>Project</b>	
<b>Location</b>	
<b>Model #</b>	<b>Quantity</b>
<b>Specifier</b>	

## Many possible configurations with T-3635C and T-3636C

<b>Code</b> <input type="checkbox"/> R40.1S1D revolta	<b>Composition includes</b> <input type="checkbox"/> 1 round canopy 113635XX1 <input type="checkbox"/> 1 unit of T-3635C <input type="checkbox"/> 1 unit of T-3636C <input type="checkbox"/> 2 drivers / Dimmable Triac	<b>Temperature</b> <input type="checkbox"/> T-3635C-W / T-3636C-W (2700K / 665 lumens) <input type="checkbox"/> T-3635C-M / T-3636C-M (3000K / 703 lumens)	
	<b>Canopy</b> <input type="checkbox"/> 26 BLK Black 71 WH White	<b>Body</b> <input type="checkbox"/> 26 BLK Black  <input type="checkbox"/> 71 WH White <input type="checkbox"/> CUSTOM	<b>Head</b> <input type="checkbox"/> 26 BLK Black <input type="checkbox"/> 61 S GLD Satin Gold <input type="checkbox"/> 71 WH White <input type="checkbox"/> CUSTOM
	<b>Optional</b> <input type="checkbox"/> 1 acoustic panel 123635XX0 <input type="checkbox"/> 1 acoustic panel 123636XX0	<b>Finish Panel</b> <input type="checkbox"/> 82 BL Blue <input type="checkbox"/> 83 EGP Eggplant <input type="checkbox"/> 84 SLM Salmon <input type="checkbox"/> CUSTOM	



<b>Code</b> <input type="checkbox"/> R70.3S revolta	<b>Composition includes</b> <input type="checkbox"/> 1 round canopy 113535XX4 <input type="checkbox"/> 3 units of T-3635C <input type="checkbox"/> 3 drivers / Dimmable Triac	<b>Temperature</b> <input type="checkbox"/> T-3635C-W (2700K / 665 lumens) <input type="checkbox"/> T-3635C-M (3000K / 703 lumens)	
	<b>Canopy</b> <input type="checkbox"/> 26 BLK Black 71 WH White	<b>Body</b> <input type="checkbox"/> 26 BLK Black  <input type="checkbox"/> 71 WH White <input type="checkbox"/> CUSTOM	<b>Head</b> <input type="checkbox"/> 26 BLK Black <input type="checkbox"/> 61 S GLD Satin Gold <input type="checkbox"/> 71 WH White <input type="checkbox"/> CUSTOM
	<b>Optional</b> <input type="checkbox"/> Add up to 3 acoustic panels 123635XX0	<b>Finish Panel</b> <input type="checkbox"/> 82 BL Blue <input type="checkbox"/> 83 EGP Eggplant <input type="checkbox"/> 84 SLM Salmon <input type="checkbox"/> CUSTOM	



# REVOLTA

T-3635 / T-3636  
suspension

Date	Type
Project	
Location	
Model #	Quantity
Specifier	

## Many possible configurations with T-3635C

<b>Code</b> <input type="checkbox"/> R100.5S revolta	<b>Composition includes</b>		<b>Temperature</b>	
	<input type="checkbox"/> 1 round canopy 113535XX5 <input type="checkbox"/> 5 units of T-3635C <input type="checkbox"/> 5 drivers / Dimmable Triac		<input type="checkbox"/> T-3635C-W (2700K / 665 lumens) <input type="checkbox"/> T-3635C-M (3000K / 703 lumens)	
	<b>Canopy</b>	<b>Body</b>	<b>Head</b>	
	<input type="checkbox"/> 26 BLK Black <input type="checkbox"/> 71 WH White	<input type="checkbox"/> 26 BLK Black  <input type="checkbox"/> 71 WH White <input type="checkbox"/> CUSTOM	<input type="checkbox"/> 26 BLK Black <input type="checkbox"/> 61 S GLD Satin Gold <input type="checkbox"/> 71 WH White <input type="checkbox"/> CUSTOM	
<b>Optional</b>	<b>Finish Panel</b>			
<input type="checkbox"/> Add up to 5 acoustic panels 123635XX0	<input type="checkbox"/> 82 BL Blue <input type="checkbox"/> 83 EGP Eggplant <input type="checkbox"/> 84 SLM Salmon <input type="checkbox"/> CUSTOM			

