



## Pérgolas Basic. Basic Pergolas

José A. Gandía-Blasco Canales & Gensler



GANDIABLASCO presenta su gama de pérgolas, caracterizadas por un diseño fino y elegante. Estos módulos personalizables ofrecen la posibilidad de escoger entre una amplia variedad de techos, suelos y cerramientos.

Cree su proyecto de pérgola GANDIABLASCO con nuestra oficina técnica.

Consulte con el departamento comercial [info@gandiabrasco.com](mailto:info@gandiabrasco.com) o al T. +34 96 291 13 20.

GANDIABLASCO presents its range of pergolas, characterized by their fine and elegant design. These customizable modules offer a wide variety of roofs, floors, and sidewalls options.

Create your GANDIABLASCO pergola project with our technical office.

Consult our sales department at [info@gandiabrasco.com](mailto:info@gandiabrasco.com) or call +34 96 291 13 20.

\* Optional electrical accessories. Opcional complementos eléctricos.

[www.gandiabrasco.com](http://www.gandiabrasco.com)

# GANDIABLASCO

## Estructura. Frame

### Módulo 1. Module 1



Módulo 254x254 sin suelo.  
Module 254x254 without floor  
⚖ 81,7 Kg - 180.21 lbs 2 📦 1,21 m<sup>3</sup> - 42.88 ft<sup>3</sup>



Módulo 254x377 sin suelo.  
Module 254x377 without floor  
⚖ 92,49 Kg - 203.89 lbs 2 📦 1,26 m<sup>3</sup> - 44.42 ft<sup>3</sup>



Módulo 254x254 con suelo.  
Module 254x254 with floor  
⚖ 313 Kg - 690 lbs 4 📦 1,21 m<sup>3</sup> - 42.88 ft<sup>3</sup>




Módulo 254x377 con suelo.  
Module 254x377 with floor  
⚖ 463 Kg - 1020 lbs 4 📦 1,65 m<sup>3</sup> - 58.26 ft<sup>3</sup>

Aluminio termolacado. Powder-coated aluminium.  
Suelo Nowood. Nowood floor

Aluminio termolacado. Powder-coated aluminium.  
Suelo Nowood. Nowood floor



Módulo 377x377 sin suelo.  
Module 377x377 without floor  
⚖ 103,23 Kg - 227.58 lbs 2 📦 1,26 m<sup>3</sup> - 44.42 ft<sup>3</sup>



Módulo 377x377 con suelo.  
Module 377x377 with floor  
⚖ 492 Kg - 1085 lbs 4 📦 1,65 m<sup>3</sup> - 58.26 ft<sup>3</sup>

Aluminio termolacado. Powder-coated aluminium.  
Suelo Nowood. Nowood floor

### Módulo 2. Module 2




Módulo 254x500 sin suelo.  
Module 254x500 without floor  
⚖ 102,9 Kg - 226.86 lbs 4 📦 1,2 m<sup>3</sup> - 42.37 ft<sup>3</sup>



Módulo 254x746 sin suelo.  
Module 254x746 without floor  
⚖ 116,5 Kg - 256.8 lbs 5 📦 1,6 m<sup>3</sup> - 56.5 ft<sup>3</sup>



Módulo 254x500 con suelo.  
Module 254x500 with floor  
⚖ 504 Kg - 1110 lbs 4 📦 2,4 m<sup>3</sup> - 84.74 ft<sup>3</sup>



Módulo 254x746 con suelo.  
Module 254x746 with floor  
⚖ 746 Kg - 1645 lbs 4 📦 3 m<sup>3</sup> - 102.75 ft<sup>3</sup>

Aluminio termolacado. Powder-coated aluminium.  
Suelo Nowood. Nowood floor

Aluminio termolacado. Powder-coated aluminium.  
Suelo Nowood. Nowood floor




Módulo 377x746 sin suelo.  
Module 377x746 without floor  
⚖ 130 Kg - 286.6 lbs 5 📦 1,6 m<sup>3</sup> - 56.5 ft<sup>3</sup>



Módulo 377x746 con suelo.  
Module 377x746 with floor  
⚖ 933 Kg - 2057 lbs 4 📦 3 m<sup>3</sup> - 102.75 ft<sup>3</sup>

Aluminio termolacado. Powder-coated aluminium.  
Suelo Nowood. Nowood floor

## Techos. Ceilings



### Techo lamas fijas cuadradas. Square fixed blades ceiling.

254x254

⚖️ 42,3 Kg - 93.18 lbs 2 📦 0,49 m<sup>3</sup> - 17.16 ft<sup>3</sup>

254x377


⚖️ 72,3 Kg - 159.47 lbs 2 📦 0,82 m<sup>3</sup> - 28.92 ft<sup>3</sup>

377x377

⚖️ 110,4 Kg - 243.33 lbs 3 📦 0,82 m<sup>3</sup> - 28.92 ft<sup>3</sup>

Aluminio termolacado.  
Aluminio madera.

Powder-coated aluminium.  
Faux wood aluminium.



### Techo lamas fijas circulares. Circular fixed blades ceiling.

254x254

⚖️ 46,6 Kg - 102.83 lbs 2 📦 0,49 m<sup>3</sup> - 17.16 ft<sup>3</sup>

254x377

⚖️ 68,5 Kg - 150.96 lbs 2 📦 0,82 m<sup>3</sup> - 28.92 ft<sup>3</sup>

377x377

⚖️ 118,1 Kg - 260.29 lbs 3 📦 0,82 m<sup>3</sup> - 28.92 ft<sup>3</sup>

Aluminio termolacado.  
Aluminio madera.

Powder-coated aluminium.  
Faux wood aluminium.



### Techo lamas móviles. Mobile blades ceiling

254x254

⚖️ 75,6 Kg - 166.70 lbs 3 📦 0,26 m<sup>3</sup> - 09.19 ft<sup>3</sup>


254x377

⚖️ 112,23 Kg - 247.42 lbs 3 📦 0,37 m<sup>3</sup> - 13.17 ft<sup>3</sup>

377x377

⚖️ 166,58 Kg - 367.23 lbs 5 📦 0,37 m<sup>3</sup> - 13.17 ft<sup>3</sup>

Aluminio termolacado.  
Powder-coated aluminium.



### Techo lona fija. Fixed canvas ceiling.

254x254

⚖️ 10,4 Kg - 22.97 lbs 📦 \*

254x377

⚖️ 13,9 Kg - 30.63 lbs 📦 \*

377x377

⚖️ 18,1 Kg - 39.83 lbs 📦 \*

Tela disponible en todos los colores Soltis.  
Fabric available in all Soltis color options.



### Techo plegable. Folding ceiling

254x254 2ud Tiras LED

⚖️ 20,2 Kg - 44.43 lbs 📦 \*

254x377 3ud Tiras LED

⚖️ 28,4 Kg - 62.56 lbs 📦 \*

377x377 3ud Tiras LED


⚖️ 37,8 Kg - 83.23 lbs 📦 \*

Aluminio termolacado.  
Powder-coated aluminium.

Tela disponible en todos los colores Soltis.  
Fabric available in all Soltis color options.

Tira LED 24V. cc 3000°K/4000°K.15W/m. IP 67. CE UL.  
LED strip 24V. cc 3000°K/4000°K.15W/m. IP 67. CE UL.

\* Incluido junto a la estructura.  
Included with the structure.



### Techo lamas fijas tipo 2. Fixed blades ceiling type 2.

254x254 2ud Tiras LED

⚖️ 72,7 Kg - 160.36 lbs 2 📦 0,49 m<sup>3</sup> - 17.16 ft<sup>3</sup>

254x377 3ud Tiras LED

⚖️ 108,1 Kg - 238.23 lbs 2 📦 0,82 m<sup>3</sup> - 28.92 ft<sup>3</sup>


377x377 3ud Tiras LED

⚖️ 164,0 Kg - 361.45 lbs 3 📦 0,82 m<sup>3</sup> - 28.92 ft<sup>3</sup>

Aluminio termolacado.  
Aluminio madera.

Powder-coated aluminium.  
Faux wood aluminium.

Tira LED 24V. cc 3000°K/4000°K.15W/m. IP 67. CE UL.  
LED strip 24V. cc 3000°K/4000°K.15W/m. IP 67. CE UL.




## Colores y acabados. Colours and finishes


### Aluminium frame




### Faux wood aluminum



### Soltis



### Air



### Wind

























## Cuadro compatibilidad

Compatibility chart

### SIDEWALLS CERRAMIENTOS



### SIDE MEASURES MEDIDAS LATERALES

131x234h Sidewall 3/3		1 ud.	1 ud.	1 ud.	1 ud.	1 ud.	1 ud.	1 ud.	1 ud.	1 ud.	1 ud.	
131x169h Sidewall 2/3 131x62h Sidewall 1/3		1 ud.	1 ud.	1 ud.	1 ud.	1 ud.	1 ud.	1 ud.	1 ud.	1 ud.	1 ud.	
254x234h Sidewall 3/3		2 ud.	2 ud.	2 ud.	2 ud.					1 ud.	1 ud.	
254x169h Sidewall 2/3 254x62h Sidewall 1/3		2 ud.	2 ud.	2 ud.	2 ud.							
254x234h x2 Sidewalls 3/3						2 ud.	2 ud.	2 ud.	2 ud.			
254x169h x2 Sidewalls 2/3 254x62h x2 Sidewalls 1/3						2 ud.	2 ud.	2 ud.	2 ud.			
377x234h Sidewall 3/3		3 ud.	3 ud.	3 ud.	3 ud.					1 ud.	1 ud.	
377x169h Sidewall 2/3 377x62h Sidewall 1/3		3 ud.	3 ud.	3 ud.	3 ud.							
377x234h x3 Sidewalls 3/3						3 ud.	3 ud.	3 ud.	3 ud.			
377x169h x3 Sidewalls 2/3 377x62h x3 Sidewalls 1/3						3 ud.	3 ud.	3 ud.	3 ud.			

## Cerramientos. Sidewalls



**Lamas fijas circular vertical.**  
**Vertical circular fixed blades.**

SIDEWALL [1 unit]. CERRAMIENTO [1 unidad]

Aluminium. Aluminio

Faux wood aluminium. Aluminio madera

⚖️ 23,3 Kg - 51.47 lbs 1 📦 0,49 m³ - 17.16 ft³

Side 254  
2 units



Side 377  
3 units



**Lamas fijas cuadrada vertical.**  
**Vertical square fixed blades.**

SIDEWALL [1 unit]. CERRAMIENTO [1 unidad]

Aluminium. Aluminio


Faux wood aluminium. Aluminio madera

⚖️ 20,1 Kg - 44.51 lbs 1 📦 0,49 m³ - 17.16 ft³

Side 254  
2 units



Side 377  
3 units



**Lamas fijas vertical tipo 1**  
**Vertical fixed blades type 1**

SIDEWALL [1 unit]. CERRAMIENTO [1 unidad]

Aluminium. Aluminio


Faux wood aluminium. Aluminio madera

⚖️ 24,8 Kg - 54.70 lbs 1 📦 0,49 m³ - 17.16 ft³

Side 254  
2 units



Side 377  
3 units



**Lamas fijas vertical tipo 2**  
**Vertical fixed blades type 2**

SIDEWALL [1 unit]. CERRAMIENTO [1 unidad]

Aluminium. Aluminio

Faux wood aluminium. Aluminio madera

⚖️ 36,4 Kg - 80.30 lbs 1 📦 0,49 m³ - 17.16 ft³

Side 254  
2 units



Side 377  
3 units



## Cerramientos. Sidewalls



**Lamas fijas circular horizontal.**  
**Horizontal circular fixed blades.**

SIDEWALL [1 unit]. CERRAMIENTO [1 unidad]

Aluminium. Aluminio

Faux wood aluminium. Aluminio madera

⚖️ 25 Kg - 55.12 lbs 1 📦 0,49 m³ - 17.16 ft³

Side 254  
2 units



Side 377  
3 units



**Lamas fijas cuadrada horizontal.**  
**Horizontal square fixed blades.**

SIDEWALL [1 unit]. CERRAMIENTO [1 unidad]

Aluminium. Aluminio

Faux wood aluminium. Aluminio madera

⚖️ 23 Kg - 50.62 lbs 1 📦 0,49 m³ - 17.16 ft³

Side 254  
2 units



Side 377  
3 units



**Lamas fijas horizontal tipo 1**  
**Horizontal fixed blades type 1**

SIDEWALL [1 unit]. CERRAMIENTO [1 unidad]

Aluminium. Aluminio

Faux wood aluminium. Aluminio madera

⚖️ 22,9 Kg - 50,56 lbs 1 📦 0,49 m³ - 17.16 ft³

Side 254  
2 units



Side 377  
3 units



**Lamas fijas horizontal tipo 2**  
**Horizontal fixed blades type 2**

SIDEWALL [1 unit]. CERRAMIENTO [1 unidad]

Aluminium. Aluminio


Faux wood aluminium. Aluminio madera

⚖️ 35,8 Kg - 78,95 lbs 1 📦 0,49 m³ - 17.16 ft³

Side 254  
2 units



Side 377  
3 units



## Cerramientos. Sidewalls

---



### Estor. Roller.

#### Side 254

📦 9,6 Kg - 21.22 lbs 📦\*

#### Side 377

📦 14,6 Kg - 32.18 lbs 📦\*

Tela disponible en Soft Panama, Natté y Solids.  
Fabric available in Soft Panama, Natté and Solids.

\* Incluido junto a la estructura.  
Included with the structure.



### Cortina. Curtain.

#### Side 254

📦 2,4 Kg - 05.25 lbs 📦\*

#### Side 377


📦 3,6 Kg - 07.96 lbs 📦\*

Tela disponible en todos los colores Air y Wind.  
Fabric available in all Air and Wind color options.

\* Incluido junto a la estructura.  
Included with the structure.

## Suelo. Floor

---



### Suelo Nowood. Nowood floor

#### 254x254

📦 161,3 Kg - 355.58 lbs 3 📦 0,26 m<sup>3</sup> - 09.12 ft<sup>3</sup>

#### 254x377

📦 239,4 Kg - 527.78 lbs 3 📦 0,37 m<sup>3</sup> - 13.17 ft<sup>3</sup>

#### 377x377

📦 355,3 Kg - 783.35 lbs 4 📦 0,37 m<sup>3</sup> - 13.17 ft<sup>3</sup>


Suelo disponible en todos los colores Nowood.  
Floor available in all Nowood color options.

## Colores y acabados. Colours and finishes

### Aluminium frame



9016 White    7038 Agate grey    1019 Sand    1005 Honey    7006 Bronze    6013 Leaf    7033 Cement grey



6007 Bottle green    Cuprum    3005 Wine red    7043 Anthracite    5008 Grey blue    Night blue    9011 Black


### Faux wood aluminum



White    Silver

Material para lamas cerramientos.  
Material for blades sidewalls.

### Soltis



White    Light grey    Sand    Bronze    Anthracite


Tejido para techo y estores.  
Textile for ceiling and roller blinds.

### Air



White    Sand    Graphite

### Wind



White    Mineral

Tejido para cortina.  
Textile for curtains.

### Nowood



Moka    Cement

Material para el suelo.  
Material for floor.



## Complementos eléctricos. Electrical accessories



### Iluminación integrada estructura.\* Structure integrated lighting.\*

LED structure 254x254  
LED structure 254x377  
LED structure 377x377

Tira LED 24Vcc 3000°k/4000°K. 15W/m. IP67. CE UL.  
LED strip 24Vcc 3000°k/4000°K. 15W/m. IP67. CE UL.

Iluminación perimetral (4 lados)  
Full perimeter lighting (4 sides)

Disponible para travesaños sin cerramientos.  
Available for crossbars with no sidewalls.




### Punto de luz.\* Light point.\*

No incluye luminaria.  
Does not include a light fixture.

Línea de luz de 230Vac max 100W.  
230Vac max 100W light line.

En el caso de luz central, se añade travesaño central sin aporte de luminaria de Gandia Blasco.  
In the case of central lighting option, a middle crossbar is added without a Gandia Blasco luminaire.



### Foco enrasado.\* Flush light.\*



LED Structure 254x254.  
LED Estructura 254x254



LED Structure 254x377.  
LED Estructura 254x377




LED Structure 377x377.  
LED Estructura 377x377

Iluminación perimetral (4 lados)  
Full perimeter lighting (4 sides)

Otras configuraciones bajo consulta.  
Other configurations upon request.

Foco LED 24Vcc 3000°k 3.5W IP65. CE. Iluminación ambiental.  
LED spotlight 24Vcc 3000°k 3.5W IP65. CE. Ambient lighting.

Disponible para travesaños sin cerramientos.  
Available for crossbars with no sidewalls.



### Enchufe pilar. Pillar power outlet.

Pillar power outlet

Disponible en color blanco y antracita.  
Available in anthracite and white color.

Disponible para Europa, América, Reino Unido. IP55.  
Available for Europe, America, UK. IP55.



EUROPEAN  
CE



UK/IRELAND  
CE



USA  
UL



### Control remoto. Remote control.

Control remoto fijo. Fixed remote control

Control remoto móvil. Mobile remote control