

# Puck wall art

VIBIA

5485

Design By Jordi Vilardell

Wall sconce formed by two circular bodies with a single electrical connection. Available in different lacquered aluminium and felt finishes.

## Model Sheet

Finish	 71 Grey Felt L1 & Grey Felt D1
	 72 Grey D1 & Grey L2 NCS S 7000-N & NCS S 2500-N

LED temperature color 2700 K / 3500 K

Dimming Casambi / Push / DALI-2 / TRIAC

Installation type Surface Canopy

Materials Shade: ABS  
Wall support: Aluminum  
Ring: Steel  
Diffuser: PC- Polycarbonate

Light source 1x LED STRIP 12,6W 700mA  
1x LED STRIP 8,4W 700mA



LED CRI>90 2388.4 lm 91.3  
2700 K / 3500 K

Driver Constant Current 700 110~240  
V V 50~60 Hz HZ

Remarks A maximum of 8 modules can be  
connected to a single connection  
point. For bigger compositions,  
check connection system.



Dimmable

IP20

Bi-volt

50-60Hz

TRIAC

1-10V

Application Wall Lamps

Packaging 1 Box  
0.68 m x 0.68 m x 0.2 m  
Gross weight 5.9  
Net weight 4.22  
Vol. 0.0924

### Lighting effect

#### Reflected

Creation of visual hierarchies within the luminaire  
itself, emphasising the materiality and texture of  
the product

#### Photometric Data

Efficiency	37.02 lm/W
Coordinate System	CG
Total Flux	947.03 lm
Maximum Value	207.68 cd

All of our products come with a five-year warranty. Check our legal terms at [www.vibia.com/warranty](http://www.vibia.com/warranty)

Vibia Lighting, S.L.U.

Office / Oficina  
Progrés 4-6. 08850 Gavà. Barcelona, Spain.

International T +34 934 796 971  
Spain / Portugal T +34 934 796 970

customer.service@vibia.com  
vibia.com