



Blokinline LEDtube S 2400

By
Sin Diseñador

Arquitectural
Lighting

Suspension
lamps


Description

Collection of linear luminaires measuring 900, 1200, 1800 and 2400 mm in length and 30 mm in diameter. Their slenderness and the absence of mechanical suspension cables make Blokinline LEDtube a tremendously light luminaire in visual terms, but one which also offers high lighting power. Finishes: matte white, matte black and brass.


Technical Description			Packaging		
Degree of Protection	IP20	Regulation	PUSH/DALI	Net Weight per Item	--
Class	⏚	Light type		Box Sizes	0
Adjustable	DIM	Light source included	Yes	Gross Weight	--
Certifications	ERC	Energy classification	-		

Finishes

SHADE



Black (matte)



Brass (matte)



White (matte)

Collection



Blokinline



Blokinline Module



Blokinline LEDtube

Codes

Luminaire

Light Source

768830T	BLOKINLINE LEDTUBE S 2400 BLACK	LED 46W 7871lm 2700K CRI=90 48V DIM PUSH/DALI
768831T	BLOKINLINE LEDTUBE S 2400 WHITE	LED 46W 7871lm 2700K CRI=90 48V DIM PUSH/DALI
768832T	BLOKINLINE LEDTUBE S 2400 BRASS	LED 46W 7871lm 2700K CRI=90 48V DIM PUSH/DALI

DOWNLOADS

