

marset

Working Catalogue



10 Ambrosia



19 Atlas



31 Bohemia



42 Cluster



55 Dipping Light



60 Discocó



66 Djembé



87 Ginger



112 Hazy Day



114 Ihana



120 Jaima



140 Maranga



145 Mercer



148 Milana



152 MVV



154 Nénúfar



161 Neón de Luz



165 Piola



172 Pleat Box



181 Pu-erh



184 Santorini



193 Scotch Club



197 Soho



207 Tam Tam



217 Vetra



221 Zenc



36 Cala



49 Copérnica



82 Funiculí



83 Funiculí Textil



94 Ginger



113 Highline



122 Jaima



132 LaFlaca



142 Maranga



178 Polo



190 Scantling



210 Tam Tam



214 Theia



219 Vetra



34 Bolita



48 Copérnica



51 Dipping Light



84 Funiculí



85 Funiculí Fabric



92 Ginger



142 Maranga



143 Mercer



177 Polo



191 Scantling

Table



213 Theia



219 Vetra

Portable



28 Bicoca



40 Chispa



51 Dipping Light



79 FollowMe



92 Ginger

Wall



14 Ambrosia



18 Atlas



21 Aura



46 Concentric



54 Dipping Light



63 Discocó



83 Funiculí



84 Funiculí Fabric



95 Ginger



135 Ledtube

Wall



139 Manhattan



146 Mercer



159 Neón de Luz



164 N°8



167 Plaff-on!



179 Polo



183 Roc



192 Scantling



195 Scotch Club



211 Tam Tam

Ceiling



18 Atlas



26 Bar



60 Discocó



70 Djembé



95 Ginger



141 Maranga



147 Mercer



167 Plaff-on!



179 Polo



196 Scotch Club



199 Soho



205 Sun



24 Babila



38 Cala



76 Elipse



105 Ginger



120 Jaima



126 Lab



132 LaFlaca



166 Plaff-on!



183 Roc



184 Santorini



200 Soho



215 TXL



Ambrosia, Ciszak Dalmas

The starting point for the Ambrosia was to bring back the traditional Linestra lamp to update it and show that a technical, resolute design can also be poetic.

The Linestra was initially a line of light, which transitioned into a modular system that can be extended to adapt to any space.



Discover more at marset.com

Ambrosia 120

Code	Finish	CCT
A704-001-15-22K	● Matt Gold	22K
A704-001-15-27K	● Matt Gold	27K
A704-001-15-30K	● Matt Gold	30K
A704-001-16-22K	● Black	22K
A704-001-16-27K	● Black	27K
A704-001-16-30K	● Black	30K

Materials: Aluminium
 Structure: Aluminium
 Diffuser: Methacrylate
 Canopy: Aluminium / Steel

Dimmable: Yes
 Integrated dimmer: No
 Dimming protocols: It depends on the purchased power supply.

Product type: Pendant / Ceiling

Light source Ambrosia 22K: LED SMD 24Vdc 19,2W 2200K CRI80 2116lm
 Luminaire Ambrosia 22K: (Power supply not included) 1885lm


Light source Ambrosia 27K: LED SMD 24Vdc 19,2W 2700K CRI90 2028lm
 Luminaire Ambrosia 27K: (Power supply not included) 1891lm

Light source Ambrosia 30K: LED SMD 24Vdc 19,2W 3000K CRI90 2256lm
 Luminaire Ambrosia 30K: (Power supply not included) 1927lm

Weight: Net 2,4 kg – Gross 3 kg

Package: 29 x 10 x 135 cm - 2 kg - VOL - 0,04 m³
 8 x 8 x 128 cm - 1 kg - VOL - 0,01 m³

Product notes: 24V remote power supply to be ordered separately.
 LED included




Dimmable



(1) The height can be increased by means of the 40 or 60 cm poles (max. 3 units.) They can be combined.

Wire installation: Hardwired / Recessed



Ambrosia 180

Code	Finish	CCT
A704-002-15-22K	● Matt Gold	22K
A704-002-15-27K	● Matt Gold	27K
A704-002-15-30K	● Matt Gold	30K
A704-002-16-22K	● Black	22K
A704-002-16-27K	● Black	27K
A704-002-16-30K	● Black	30K

Materials
 Structure: Aluminium
 Diffuser: Methacrylate
 Canopy: Aluminium / Steel

Dimmable: Yes
 Integrated dimmer: No
 Dimming protocols: It depends on the purchased power supply.

Product type: Pendant / Ceiling

Light source Ambrosia 22K: LED SMD 24Vdc 28,8W 2200K CRI80 3174lm
 Luminaire Ambrosia 22K: (Power supply not included) 2823lm

Light source Ambrosia 27K: LED SMD 24Vdc 28,8W 2700K CRI90 3042lm
 Luminaire Ambrosia 27K: (Power supply not included) 2833lm


Light source Ambrosia 30K: LED SMD 24Vdc 28,8W 3000K CRI90 3384lm
 Luminaire Ambrosia 30K: (Power supply not included) 2886lm

Weight: 3,1 kg – Gross 3,6 kg

Package: 29 x 10 x 135 cm - 2 kg – VOL - 0,04 m³

8 x 8 x 188 cm - 1,6 kg – VOL - 0,01 m³

Product notes: 24V remote power supply to be ordered separately.
 LED included



(1) The height can be increased by means of the 40 or 60 cm poles (max. 3 units.) They can be combined..

Wire installation: Hardwired / Recessed

Ambrosia 210

Code	Finish	CCT
A704-003-15-22K	● Matt Gold	22K
A704-003-15-27K	● Matt Gold	27K
A704-003-15-30K	● Matt Gold	30K
A704-003-16-22K	● Black	22K
A704-003-16-27K	● Black	27K
A704-003-16-30K	● Black	30K

Materials
 Structure: Aluminium
 Diffuser: Methacrylate
 Canopy: Aluminium / Steel

Dimmable: Yes
 Integrated dimmer: No
 Dimming protocols: It depends on the purchased power supply.

Product type: Pendant / Ceiling

Light source Ambrosia 22K: LED SMD 24Vdc 28,8W 2200K CRI80 3174lm
 Luminaire Ambrosia 22K: (Power supply not included) 2802lm

Light source Ambrosia 27K: LED SMD 24Vdc 28,8W 2700K CRI90 3042lm
 Luminaire Ambrosia 27K: (Power supply not included) 2812lm

Light source Ambrosia 30K: LED SMD 24Vdc 28,8W 3000K CRI90 3384lm
 Luminaire Ambrosia 30K: (Power supply not included) 2865lm


Weight: Net 3,1 kg – Gross 3,6 kg

Package: 29 x 10 x 135 cm - 2 kg – VOL - 0,04 m³

8 x 8 x 68 cm - 0,6 kg – VOL - 0,004 m³



8 x 8 x 128 cm - 1 kg – VOL - 0,01 m³

Product notes: 24V remote power supply to be ordered separately.
 LED included



(1) The height can be increased by means of the 40 or 60 cm poles (max. 3 units per each side). They can be combined.

Wire installation: Hardwired / Recessed



Ambrosia 315

Code	Finish	CCT
A704-004-15-22K	● Matt Gold	22K
A704-004-15-27K	● Matt Gold	27K
A704-004-15-30K	● Matt Gold	30K
A704-004-16-22K	● Black	22K
A704-004-16-27K	● Black	27K
A704-004-16-30K	● Black	30K

Materials
 Structure: Aluminium
 Diffuser: Methacrylate
 Canopy: Aluminium / Steel

Dimmable: Yes
 Integrated dimmer: No
 Dimming protocols: It depends on the purchased power supply.


Product type: Pendant / Ceiling
 Light source Ambrosia 22K: LED SMD 24Vdc 43,2W 2200K CRI80 4761lm
 Luminaire Ambrosia 22K: (Power supply not included) 4220lm

Light source Ambrosia 27K: LED SMD 24Vdc 43,2W 2700K CRI90 4563lm
 Luminaire Ambrosia 27K: (Power supply not included) 4235lm

Light source Ambrosia 30K: LED SMD 24Vdc 43,2W 3000K CRI90 5076lm
 Luminaire Ambrosia 30K: (Power supply not included) 4314lm

Weight: Net 5,1 kg – Gross 5,9 kg
 Package: 29 x 10 x 225 cm - 3,5 kg – VOL - 0,065 m³
 8 x 8 x 98 cm - 0,8 kg – VOL - 0,006 m³
 8 x 8 x 188 cm - 1,6 kg – VOL - 0,01 m³

Product notes: 24V remote power supply to be ordered separately.
 LED included



(1) The height can be increased by means of the 40 or 60 cm poles (max. 3 units per each side). They can be combined.

Wire installation: Hardwired / Recessed

Ambrosia 315 + 2 Pole 60




Pole Ambrosia 40

Code	Finish
A704-005-15	● Matt Gold
A704-005-16	● Black

Materials
 Structure: Metal

Product type: Accessory



Pole Ambrosia 60

Code	Finish
A704-006-15	● Matt Gold
A704-006-16	● Black



Materials
 Structure: Metal

Product type: Accessory



Ambrosia canopy

Code	Finish	Dimming	Class
A666-214-15	● Matt Gold - 20W 24V	Triac	II
A666-214-16	● Black - 20W 24V	Triac	II
A666-216-15	● Matt Gold - 50W 24V	Triac	II
A666-216-16	● Black - 50W 24V	Triac	II
A666-217-15	● Matt Gold - 35W 24V	DALI	I
A666-217-16	● Black - 35W 24V	DALI	I
A666-218-15	● Matt Gold - 60W 24V	DALI	I
A666-218-16	● Black - 60W 24V	DALI	I



Product type: Ceiling
 Weight: Weight 0,7 kg – Gross 1 kg
 Package: 34 x 21 x 7 cm - 1 kg - VOL - 0,01 m³

Materials
 Structure: Metal

Dimmable



Product notes: Take into account the total power in watts and the power of the driver. The wattage of the selected lamps cannot exceed the max wattage of the canopy's driver. Therefore, you must choose your canopy/driver by the power required.

Ambrosia recessed power supply

Code	Description	Dimming	Class
968-223-23	20W - 24V	Triac	II
968-262	50W - 24V	Triac	II
968-227	35W - 24V	DALI	II
968-206	60W - 24V	DALI	II

Dimmable



Product notes: Take into account the total power in watts and the power of the driver. The wattage of the selected lamps cannot exceed the max wattage of the canopy's driver. Therefore, you must choose your canopy/driver by the power required.

Product type: Power supply



Ambrosia A 60 left NEW

Code	Finish	CCT
A704-015-15-22K	● Matt Gold	22K
A704-015-15-27K	● Matt Gold	27K
A704-015-15-30K	● Matt Gold	30K
A704-015-16-22K	● Black	22K
A704-015-16-27K	● Black	27K
A704-015-16-30K	● Black	30K

Materials
 Structure: Aluminium
 Diffuser: Methacrylate
 Canopy: Aluminium / Steel


Dimmable: Yes
 Integrated dimmer: No
 Dimming protocols: It depends on the purchased power supply.

Product type: Wall
 Light source Ambrosia 22K: LED SMD 24Vdc 9,6W 2200K CRI80 1058lm
 Luminaire Ambrosia 22K: (Power supply not included)

Light source Ambrosia 27K: LED SMD 24Vdc 9,6W 2700K CRI90 1014lm
 Luminaire Ambrosia 27K: (Power supply not included)

Light source Ambrosia 30K: LED SMD 24Vdc 9,6W 3000K CRI90 1028lm
 Luminaire Ambrosia 30K: (Power supply not included)

Product notes: 24V remote power supply to be ordered separately.
 LED included



Dimmable



CE

ERC

UK
CA



Wire installation: Hardwired / Recessed

Ambrosia A 60 right NEW

Code	Finish	CCT
A704-016-15-22K	● Matt Gold	22K
A704-016-15-27K	● Matt Gold	27K
A704-016-15-30K	● Matt Gold	30K
A704-016-16-22K	● Black	22K
A704-016-16-27K	● Black	27K
A704-016-16-30K	● Black	30K

Materials
 Structure: Aluminium
 Diffuser: Methacrylate
 Canopy: Aluminium / Steel


Dimmable: Yes
 Integrated dimmer: No
 Dimming protocols: It depends on the purchased power supply.

Product type: Wall
 Light source Ambrosia 22K: LED SMD 24Vdc 9,6W 2200K CRI80 1058lm
 Luminaire Ambrosia 22K: (Power supply not included)

Light source Ambrosia 27K: LED SMD 24Vdc 9,6W 2700K CRI90 1014lm
 Luminaire Ambrosia 27K: (Power supply not included)

Light source Ambrosia 30K: LED SMD 24Vdc 9,6W 3000K CRI90 1028lm
 Luminaire Ambrosia 30K: (Power supply not included)

Product notes: 24V remote power supply to be ordered separately.
 LED included



Dimmable



CE

ERC

UK
CA



Wire installation: Hardwired / Recessed

Ambrosia A 90 left NEW

Code	Finish	CCT
A704-017-15-22K	● Matt Gold	22K
A704-017-15-27K	● Matt Gold	27K
A704-017-15-30K	● Matt Gold	30K
A704-017-16-22K	● Black	22K
A704-017-16-27K	● Black	27K
A704-017-16-30K	● Black	30K

Materials
 Structure: Aluminium
 Diffuser: Methacrylate
 Canopy: Aluminium / Steel


Dimmable: Yes
 Integrated dimmer: No
 Dimming protocols: It depends on the purchased power supply.

Product type: Wall
 Light source Ambrosia 22K: LED SMD 24Vdc 14,4W 2200K CRI80 1587lm
 Luminaire Ambrosia 22K: (Power supply not included)

Light source Ambrosia 27K: LED SMD 24Vdc 14,4W 2700K CRI90 1521lm
 Luminaire Ambrosia 27K: (Power supply not included)

Light source Ambrosia 30K: LED SMD 24Vdc 14,4W 3000K CRI90 1692lm
 Luminaire Ambrosia 30K: (Power supply not included)

Product notes: 24V remote power supply to be ordered separately.
 LED included



Dimmable



Wire installation: Hardwired / Recessed

Ambrosia A 90 right NEW

Code	Finish	CCT
A704-018-15-22K	● Matt Gold	22K
A704-018-15-27K	● Matt Gold	27K
A704-018-15-30K	● Matt Gold	30K
A704-018-16-22K	● Black	22K
A704-018-16-27K	● Black	27K
A704-018-16-30K	● Black	30K

Materials
 Structure: Aluminium
 Diffuser: Methacrylate
 Canopy: Aluminium / Steel


Dimmable: Yes
 Integrated dimmer: No
 Dimming protocols: It depends on the purchased power supply.

Product type: Wall
 Light source Ambrosia 22K: LED SMD 24Vdc 14,4W 2200K CRI80 1587lm
 Luminaire Ambrosia 22K: (Power supply not included)


Light source Ambrosia 27K: LED SMD 24Vdc 14,4W 2700K CRI90 1521lm
 Luminaire Ambrosia 27K: (Power supply not included)

Light source Ambrosia 30K: LED SMD 24Vdc 14,4W 3000K CRI90 1692lm
 Luminaire Ambrosia 30K: (Power supply not included)

Product notes: 24V remote power supply to be ordered separately.
 LED included



Dimmable



Wire installation: Hardwired / Recessed

Ambrosia A 210 NEW

Code	Finish	CCT
A704-021-15-22K	● Matt Gold	22K
A704-021-15-27K	● Matt Gold	27K
A704-021-15-30K	● Matt Gold	30K
A704-021-16-22K	● Black	22K
A704-021-16-27K	● Black	27K
A704-021-16-30K	● Black	30K

Materials
 Structure: Aluminium
 Diffuser: Methacrylate
 Canopy: Aluminium / Steel


Dimmable: Yes
 Integrated dimmer: No
 Dimming protocols: It depends on the purchased power supply.

Product type: Wall
 Light source Ambrosia 22K: LED SMD 24Vdc 28,8W 2200K CRI80 3174lm
 Luminaire Ambrosia 22K: (Power supply not included) 2802lm

Light source Ambrosia 27K: LED SMD 24Vdc 28,8W 2700K CRI90 3042lm
 Luminaire Ambrosia 27K: (Power supply not included) 2812lm

Light source Ambrosia 30K: LED SMD 24Vdc 28,8W 3000K CRI90 3384lm
 Luminaire Ambrosia 30K: (Power supply not included) 2865lm

Product notes: 24V remote power supply to be ordered separately.
 LED included



Dimmable




Wire installation: Hardwired / Recessed

Disk accessory NEW

Code	Finish
A704-022-15	● Matt Gold
A704-022-16	● Black

Materials
 Structure: Metal

Product type: Accessory
 Accessory used to hide the driver behind the canopy.
 Two units are required for Ambrosia A 210, one for each canopy.



Power supply Dimmable

Code	Description	Dimming	Class
968-223-23	20W - 24V	Triac	II
968-262	50W - 24V	Triac	II
968-227	35W - 24V	DALI	II
968-206	60W - 24V	DALI	II

Dimmable



Product notes: Take into account the total power in watts and the power of the driver. The wattage of the selected lamps cannot exceed the max wattage of the canopy's driver. Therefore, you must choose your canopy/driver by the power required.

Product type: Power supply






Atlas

Code: A34-001
Finish: Translucent

Materials
Shade: Polycarbonate
Canopy: White Polyamide
Structure: Stainless steel

Product type: Wall / Ceiling
Light source: E27 LED PAR30 10W 40° 3000K
Weight: Net 0,3 kg – Gross 0,55 kg
Package: 18 x 21 x 24 cm - 0,55 kg – VOL - 0,008 m³




Wire installation: Hardwired
Canopy color: White
Color cord: Transparent

Atlas Ad.

Code A34-002
Finish
○ Translucent

Materials
Shade: Polycarbonate
Adaptor: White Polycarbonate
Structure: Stainless steel

Product type: Ceiling
Light source: E27 LED PAR30 10W 40° 3000K
Weight: Net 0,25 kg – Gross 0,5 kg
Package: 18 x 21 x 24 cm - 0,5 kg – VOL - 0,008 m³



CE

ERC

UK

0,6m




Wire installation: Trac
Color cord: Transparent

Atlas Susp.

Code A34-012
Finish
○ Translucent

Materials
Shade: Polycarbonate
Canopy: White Polyamide

Product type: Pendant
Light source: E27 LED PAR30 10W 40° 3000K
Weight: Net 0,25 kg – Gross 0,67 kg
Package: 18 x 21 x 24 cm - 0,67 kg – VOL - 0,008 m³




CE

ERC

UK


0,6m



Cable length: 3 m
Wire installation: Hardwired
Color cord: Transparent
Canopy color: White

Base Atlas 2

Code A34-026 Finish
○ White




Materials
Structure: White Polyamide

Product type: Accessory
Weight: Net 0,45 kg – Gross 0,66 kg
Package: 50 x 17 x 7 cm - 0,66 kg – VOL - 0,006 m³




Canopy color: White



Base Atlas 3

Code A34-027 Finish
○ White



Materials
Structure: White Polyamide

Product type: Accessory
Weight: Net 0,65 kg – Gross 0,9 kg
Package: 45 x 12 x 18 cm - 0,9 kg – VOL - 0,001 m³



Canopy color: White






Aura

Code	Finish
A676-001	○ Translucent
A676-002	● Opal
A676-003	● Transparent smoked
A676-004	● Blue
A676-005	● Copper
A676-007	● Violet

Materials
 Shade: Blown Glass
 Structure: Polycarbonate
 Dissipater: Aluminium

Dimmable: Yes
 Integrated dimmer: No
 Dimming protocols: Phase cut (Triac)

Product type: Wall
 Light source: LED SMD 230 VAC 10W 2700K CRI90 1150lm
 Luminaire: 230 VAC Triac 10W 489lm
 Weight: Net 0,52 kg – Gross 1 kg
 Package: 26 x 26 x 20 cm - 1 kg – VOL - 0,013 m3
 LED included



Dimmable



CE

ERC

UK
CA



Wire installation: Hardwired


Aura Plus

Code	Finish
A676-015	○ Translucent
A676-016	● Opal
A676-017	● Transparent smoked
A676-018	● Copper

Materials
 Shade: Blown Glass
 Structure: Polycarbonate
 Dissipater: Aluminium

Dimmable: Yes
 Integrated dimmer: No
 Dimming protocols: Phase cut (Triac)

Product type: Wall / Ceiling
 Light source: LED SMD 230 VAC 10W 2700K CRI90 1150lm
 Luminaire: 230 VAC Triac 10W 524lm
 Weight: Net 0,89 kg – Gross 1,4 kg
 Package: 33 x 22 x 21 cm - 1,4 kg – VOL - 0,015 m³
 LED included



Dimmable



CE

ERC

UK
CA



Wire installation: Hardwired

Spare parts


Code	Product	Finish	Spare part
A676-105	Aura	Translucent	Glass
A676-104	Aura	Opal	Glass
A676-102	Aura	Transparent smoked	Glass
A676-101	Aura	Blue	Glass
A676-103	Aura	Copper	Glass
A676-106	Aura	Green	Glass
A676-107	Aura	Violet	Glass
A676-111	Aura Plus	Translucent	Glass
A676-110	Aura Plus	Opal	Glass
A676-108	Aura Plus	Transparent smoked	Glass
A676-109	Aura Plus	Copper	Glass



Babila, Marco Zanuso Jr.

Babila demonstrates that, when it comes to a design, the material can be as important as the shape. This new outdoor wall sconce is of polished stainless steel, a circular object that produces a panoramic effect, reflecting its surroundings. It is

not designed to be an architectural element, but rather a simple and beautiful design that draws attention, whether on or off, as it allows us to catch a glimpse of the daily life occurring around it.




Babila 18

Code	Finish
A706-001	● Polished stainless steel
A706-003-35	● White (RAL 9010)
A706-003-47	● Brown (RAL 8019)

Materials	Dimmable: Yes
Diffuser: Polished stainless steel	Integrated dimmer: No
AISI 316 or lacquered aluminium	Dimming protocols: Phase cut (Triac)

Product type: Wall / Ceiling
Light source: LED COB 230 VAC 8W 2700K CRI90 571lm
Luminaire: 230 VAC TRIAC 8,47W 89lm
Weight: Net 0,8 kg – Gross 1,2 kg
Package: 29 x 30,5 x 12,5 cm - 1,2 kg – VOL - 0,01 m³
LED included



Dimmable


CE

ERC

UK
CA



IP65



Wire installation: Hardwired

Babila 28

Code

A706-002
A706-004-35
A706-004-47

Finish

● Polished stainless steel
● White (RAL 9010)
● Brown (RAL 8019)

Materials

Diffuser: Polished stainless steel
AISI 316 or lacquered aluminium

Dimmable: Yes

Integrated dimmer: No

Dimming protocols: Phase cut (Triac)

Product type: Wall / Ceiling


Light source: LED COB 230 VAC 8W 2700K CRI90 571lm

Luminaire: 230 VAC TRIAC 8,47W 185lm

Weight: Net 1,4 kg – Gross 2,1 kg

Package: 39 x 40 x 12,5 cm - 2,1 kg – VOL - 0,02 m³

LED included



Dimmable




CE

IP65

ERC

UK
CA



Wire installation: Hardwired



Bar accessory

This simple accessory lets you easily move suspension lamps from side to side. So for hospitality spaces such as restaurants, where tables may be moved to adapt


them to different layouts, the lamps can always be placed in the perfect position. Compatible with most of the Marset lamps.

Bar 100

Code A692-001 Finish ● Black

Materials
Structure: Iron

Product type: Ceiling
Weight: Net 0,71 kg – Gross 1,1 kg
Package: 110 x 8 x 8 cm - 1,1 kg – VOL - 0,007 m³




Bar 150

Code A692-002 Finish ● Black

Materials
Structure: Iron

Product type: Ceiling
Weight: Net 0,82 kg – Gross 1,5 kg
Package: 160 x 8 x 8 cm - 1,5 kg – VOL - 0,01 m³




Clip Bar 1

Code A692-003 Finish ● Black

Materials
Structure: Iron

Weight: Net 0,04 kg – Gross 0,07 kg
Package: 8 x 8 x 5 cm - 0,07 kg – VOL - 0,0003 m³
Product notes: Clip for luminaires with electrical cable of Ø3mm.: Dipping Light 13, Ginger 20, Milana.




Clip Bar 2

Code A692-004 Finish ● Black

Materials
Structure: Iron

Weight: Net 0,04 kg – Gross 0,07 kg
Package: 8 x 8 x 5 cm - 0,07 kg – VOL - 0,0003 m³
Product notes: Clip for luminaires with one steel cable and with electric cable of Ø4mm.: Atlas, Discocó 35, Djembé 42, Ginger 60 metal, Nenúfar, Nolita, Piola, Pleat Box 47, Vetra 20/32.




Clip Bar 3

Code A692-005 Finish ● Black

Materials
Structure: Iron

Weight: Net 0,04 kg – Gross 0,07 kg
Package: 8 x 8 x 5 cm - 0,07 kg – VOL - 0,0003 m³
Product notes: Clip for luminaires with electric cable of Ø4mm.: Dipping Light 20/30, Ginger 32/ 42/ 60, Jaima, MVV, Pleat Box 13/ 24/ 36, Pu-erh, Soho 38, Zenc.





The Bicoca is born with the optimism of brightening life and accompanying the good times, wherever you go. This new colorful, lightweight portable lamp projects an intimate light that adds warmth to all your personal spaces.

Made of polycarbonate, Bicoca begins with an overlay of basic geometric figures, with a tiltable shade to direct the light. Three separate accessories increase the applicability and versatility of the lamp.



Discover more at marset.com


DESIGN PLUS
powered by: light+building

Bicoca

Code	Finish
A680-055	● Off-white (RAL 9001)
A680-056	● Anthracite (RAL 7026)
A680-057	● Red wine (RAL 3005)
A680-058	● Yellow (RAL 1032)
A680-059	● Light blue (PANTONE 7542C)
A680-060	● Pale pink (PANTONE 5015C)

Materials	Dimmable: Yes
Shade: Color Polycarbonate	Integrated dimmer: Yes
Body: Color Polycarbonate	Dimmer Type: 3 positions dimmer
Diffuser: Opal Polycarbonate	

Product type: Table / Portable
 Light source: LED SMD 1A 3,5W 2700K CRI90 398lm
 Luminaire: in 5 Vdc 1,5A 241lm
 Weight: Net 0,46 kg – Gross 1,2 kg
 Package: Ø16 x 30 cm – 1,2 kg Vol – 0,006 m³ (1U)
 51 x 30 x 34 cm – 6,8 kg Vol – 0,05 m³ (6U)
 Product notes: Multiple order of 6 units
 Charging cable included (USB to USB-C). Power adapter not included.
 LED included



Dimmer



CE

ERC

UK

Switch location: Body
 Charging time 10 h

Battery life time
 5 hours in peak power
 10 hours in half power
 20 hours in a quarter power




Magnet accessory

Code A680-008 Finish ● Inox

Materials
Structure: Neodymium magnet

Product type: Accessory
Weight: Net 0,01 kg – Gross 0,02 kg
Package: 12 x 17,5 x 1 cm - 0,02 kg – VOL - 0,001 m³




Disk accessory + magnet

Code A680-009 Finish ● Black

Materials
Structure: Metal

Product type: Accessory
Weight: Net 0,12 kg – Gross 0,23 kg
Package: 16 x 9 x 15 cm - 0,23 kg – VOL - 0,002 m³




Armrest accessory + magnet

Code A680-007 Finish ● Grey

Materials
Structure: Fabric with metal counterweight

Product type: Accessory
Weight: Net 0,93 kg – Gross 1kg
Package: 16 x 9 x 15 cm - 1 kg – VOL - 0,002 m³



Spare parts

Code	Product
R680-014	Bicoca
R968-001-EU	Bicoca
R968-002-USA	Bicoca
R968-003-AU	Bicoca
R968-004-UK	Bicoca
R961-057	Bicoca

Spare part
Battery
Black power adapter
Black power adapter
Black power adapter
Black power adapter
Usb type C cable black

At first glance, the Bohemia appears to be made of blown glass. In fact, however, the lamp's large size ruled out that material. Instead, the designer settled on polycarbonate to create an exciting, organic, translucent profile that integrates two

volumes into a single shape. The design allows for a large shade in different colors that does not interfere with the white interior.



Discover more at marset.com




Bohemia 84

Code	Finish	Dimming	Class
A698-001	● Green	Triac	II
A698-002	● Violet	Triac	II
A698-003	● Amber	Triac	II
A698-004	● Green	DALI	I
A698-005	● Violet	DALI	I
A698-006	● Amber	DALI	I

Materials
 Shade: Rotomoulded Polycarbonate
 Diffuser: Opal methacrylate

Dimmable: Yes
 Integrated dimmer: No
 Dimming protocols: Phase cut (Triac)
 DALI

Product type: Pendant
 Light source: LED SMD 700mA 22,4W 2700K CRI90 2933lm
 Luminaire: 180 - 295 VAC TRIAC 26W 1619lm
 220 - 240 VAC DALI 26,37W 1619lm
 Weight: Net 12,7 kg – Gross 20 kg
 Package: 93 x 93 x 53 cm – 20 kg Vol – 0,5 m³
 LED included




Dimmable



* 5,7cm (DALI)

Cable length: 2,5 m
 Wire installation: Hardwired
 Color cord: Black
 Canopy color: Black




Bohemia 84 E27

Code	Finish
A698-007	● Green
A698-008	● Violet
A698-009	● Amber

Materials
Shade: Rotomoulded Polycarbonate

Product type: Pendant
Light source: E27 LED GLOBE (Ø120) 11W 2800K 1055lm
Weight: Net 12,7 kg – Gross 20 kg
Package: 93 x 93 x 53 cm – 20 kg Vol – 0,5 m³



CE

UK
CB

EAC



Cable length: 2,5 m
Wire installation: Hardwired
Color cord: Black
Canopy color: Black





Bolita, kaschkasch

The Bolita lamp beckons you to touch it to adjust it. Its structure is as simple as it is magical: a rounded surface that houses an LED located on a central axis, and an overlapping glass sphere that when moved, creates an eclipse effect.

Moving the Bolita dims or boosts the light, an interplay that captivates with its beautiful visual effect.



Discover more at marset.com

Bolita


Code
A695-001
A695-002

Finish
○ White (RAL 9011)
● Umbra grey (RAL 7022)

Materials
Base: Steel
Diffuser: Opal blown glass

Dimmable: No

Product type: Table
Light source: LED SMD 24Vdc 6,5W 2700K CRI90 579lm
Luminaire: 100 - 240 VAC 7,2W 157lm
Weight: Net 0,39 kg – Gross 1,22 kg
Package: 22 x 19 x 13 cm – 1,22 kg Vol – 0,005 m³ (1u)
39 x 17 x 45 cm – 5,4 kg Vol – 0,03 m³ (4u)
Product note: Multiple order of 4 units
LED included



Cable length: 1,5 m
Wire installation: Plug-in
Color cord: Black
Switch location: Base



Spare parts

Code
R695-001

Product
Bolita

Finish
-

Spare part
Glass



The beauty exuded by the Cala stems from its simple, synthetic and essential form: a shade that embraces the light without containing it, letting it escape to yield very warm lighting.

Its structure has always been made of wood, and now it's also available in a black lacquered metal. An iconic Marset design defined by that most valuable pairing: form and function.




Cala P140

Code A645-007 Finish ● Oak - Pearl White

Materials
Shade: White polyester PET, textilene
Diffuser: Methacrylate
Structure: Varnished Oak

Product type: Floor
Light source: 3x E27 LED Standard 8W
Weight: Net 5,34 kg – Gross 10 kg
Package: 60 x 60 x 30 cm - 4,5 kg – VOL - 0,108 m³
50 x 13 x 132 cm - 5,5 kg – VOL - 0,09 m³




Cable length: 2 m
Wire installation: Plug-in
Color cord: Black
Switch location: In-line

Cala P165

Code A645-009 Finish ● Oak - Pearl White

Materials
Shade: White polyester PET, textile
Diffuser: Methacrylate
Structure: Varnished Oak

Product type: Floor
Light source: 3x E27 LED Standard 8W
Weight: Net 5,02 kg – Gross 10,3 kg
Package: 69 x 69 x 37 cm - 5,3 kg – VOL - 0,18 m³
50 x 13 x 155 cm - 5 kg – VOL - 0,02 m³



CE

ERC



Cable length: 2 m
Wire installation: Plug-in
Color cord: Black
Switch location: In-line




Cala P180

Code A645-008 Finish ● Oak - Pearl White

Materials
Shade: White polyester PET, textile
Diffuser: Methacrylate
Structure: Varnished Oak

Product type: Floor
Light source: 3x E27 LED Standard 8W
Weight: Net 5,25 kg – Gross 10,3 kg
Package: 69 x 69 x 37 cm - 5,3 kg – VOL - 0,18 m³
50 x 13 x 155 cm - 5 kg – VOL - 0,02 m³



CE

ERC



Cable length: 2 m
Wire installation: Plug-in
Color cord: Black
Switch location: In-line




Cala Metal P145

Code A645-056-39 Finish ● Black

Materials
Shade: White polyester PET, textilene
Diffuser: Methacrylate
Structure: Iron

Product type: Floor
Light source: E27 LED Globe (ø95) 12W
Weight: Net 5,8 kg – Gross 9,3 kg
Package: 60 x 60 x 30 cm - 4,1 kg – VOL - 0,108 m³
50 x 13 x 132 cm - 5,2 kg – VOL - 0,09 m³




Cable length: 2 m
Wire installation: Plug-in
Color cord: Black
Switch location: In-line

Cala 140 IP65

Code A645-003 Finish ● Iroko - Brown

Materials
Shade: Polyethilene , Textilene
Structure: Iroko wood

Product type: Floor
Light source: 2x E27 LED Standard 8W
Weight: Net 10,6 kg – Gross 10,3 kg
Package: 56 x 56 x 29 cm - 5,2 kg – VOL - 0,091 m³
47 x 12 x 126 cm - 6 kg – VOL - 0,071 m³




Cable length: 2,5 m
Wire installation: Plug-in
Color cord: Black
Switch location: Built in the shade

Base kit

Code A645-213
Finish ● Grey

Materials
Structure: Metallic structure with stainless anti-oxidant cataphoresis

Product type: Accessory
Weight: Net 5,4 kg – Gross 6,3 kg
Package: 53 x 53 x 12 cm - 6,3 kg – VOL - 0,03 m³



Floor bracket kit

Code A645-212
Finish ● Stainless steel

Materials
Structure: Stainless steel

Product type: Accessory
Weight: Net 0,04 kg – Gross 0,04 kg
Package: 8 x 12 x 20 cm - 0,04 kg – VOL - 0,002 m³




Cala Susp IP65

Code A645-005
Finish ● Brown

Materials
Shade: Polyethylene, Textilene

Product type: Pendant
Light source: 2x E27 LED Standard 8W
Weight: Net 3,5 kg – Gross 7,7 kg
Package: 67 x 66 x 25 cm - 7,7 kg – VOL - 0,1 m³



CE
EAC
UK
IP65

Cable length: 2,5 m
Wire installation: Hardwired
Color cord: Black
Canopy color: White



Its design evokes a garage lamp, but a high quality one, lighter and eminently useful, with three setting for illumination. It is sophisticated and conveys a warm light, decidedly designed to serve as an accompaniment. Its structure is protected by a

grate that revolves the Light source, a touch rendering it truly original. It also comes with an accessory that allows one to hang it.



Discover more at marset.com


Chispa

Code	Finish
A703-001	● Black (RAL 9004)
A703-002	● Blue (RAL DESIGN 230 20 20)
A703-003	● Green (RAL 6009)
A703-004	● Orange (RAL 2010)

Materials: Base: Polycarbonate
 Diffuser: Opal Polyethylene
 Accessory: Black cord, metal piece

Dimmable: Yes
 Integrated dimmer: Yes
 Dimmer Type: 3 positions dimmer

Product type: Table / Portable
 Light source: LED SMD 0,7A 2,7W 2700K CRI90 216lm
 Luminaire: in 5 Vdc 1,5A 110lm
 Weight: Net 0,5 kg – Gross 0,8 kg
 Package: 14 x 14 x 28 cm – 0,8 kg Vol – 0,005 m³ (1u)
 30 x 30 x 24 cm – 3,2 kg Vol – 0,02 m³ (4u)
 Product notes: Multiple order of 4 units
 Charging cable included (USB to USB-C). Power adapter not included.
 LED included



Dimmer

IP44

CE

ERC

⚡

Switch location: Body
 Charging time 10 h

Battery life time:
 7 hours in peak power
 14 hours in half power
 28 hours in a quarter power



Spare parts

Code	Product
R703-001	Chispa
R968-001-EU	Chispa
R968-002-USA	Chispa
R968-003-AU	Chispa
R968-004-UK	Chispa
R961-057	Chispa

Spare part
Battery
Black power adapter
Black power adapter
Black power adapter
Black power adapter
Usb type C cable black





Cluster, Accessory

Take into account the total power in watts, the power of the driver, and the wire entry points of the canopy. The total wattage of the selected lamps cannot exceed the max wattage of the canopy's driver.

Therefore, you must choose your canopy/driver by the power required. Finally, the number of lamps installed in a single canopy cannot exceed the number of wire entry points of that canopy.



Discover more at marset.com

Circular Canopy 20W

Code	Finish	Dimming	Class
A693-008	● Black	Triac	II
A693-009	● Black	DALI (max. 16W)	II


Materials
Structure: Painted iron

Product type: Accessory
Luminaire: 220 - 240 VAC TRIAC 20W (max.)
220 - 240 VAC DALI 16W (max.)

Weight: Net 0,78 kg – Gross 1 kg
Package: 23 x 21 x 9 cm - 1 kg – VOL - 0,004 m³
Product notes: Canopy for 24V luminaires.

Wire installation: Hardwired
Canopy color: Black - Entry points: 3

Dimmable: Yes
Integrated dimmer: No
Dimming protocols: Phase cut (Triac)
DALI



Circular Canopy 50W

Code	Finish	Dimming	Class
A693-010	● Black	Triac	II
A693-011	● Black	DALI (max. 35W)	II


Materials
Structure: Painted iron

Product type: Accessory
Luminaire: 220 - 240 VAC TRIAC 50W (max.)
220 - 240 VAC DALI 35W (max.)

Weight: Net 1,15 kg – Gross 1,4 kg
Package: 23 x 21 x 9 cm - 1,4 kg – VOL - 0,004 m³
Product notes: Canopy for 24V luminaires.

Wire installation: Hardwired
Canopy color: Black - Entry points: 5

Dimmable: Yes
Integrated dimmer: No
Dimming protocols: Phase cut (Triac)
DALI



Rectangular Canopy 50W


Code	Finish	Dimming	Class
A693-001	● Black	Triac	II
A693-002	● Black	DALI	II

Materials
Structure: Painted iron

Dimmable: Yes
Integrated dimmer: No
Dimming protocols: Phase cut (Triac)
DALI

Product type: Accessory
Luminaire: 220 - 240 VAC TRIAC 50W (max.)
220 - 240 VAC DALI 60W (max.)

Weight: Net 2,11 kg – Gross 2,5 kg
Package: 41,5 x 21 x 7 cm - 2,5 kg – VOL - 0,006 m³
Product notes: Canopy for 24V luminaires.



Wire installation: Hardwired
Canopy color: Black - Entry points: 9

Circular Canopy 50W


Code	Finish	Dimming	Class
A693-003	● Black	Triac	II
A693-004	● Black	DALI	II

Materials
Structure: Painted iron

Dimmable: Yes
Integrated dimmer: No
Dimming protocols: Phase cut (Triac)
DALI

Product type: Accessory
Luminaire: 220 - 240 VAC TRIAC 50W (max.)
220 - 240 VAC DALI 60W (max.)

Weight: Net 1,15 kg – Gross 1,36 kg
Package: 41 x 40 x 8 cm - 1,36 kg – VOL - 0,01 m³
Product notes: Canopy for 24V luminaires.



Wire installation: Hardwired
Canopy color: Black - Entry points: 9

Circular Canopy 100W


Code	Finish	Dimming	Class
A693-005	● Black	Triac	II
A693-006	● Black	DALI	II

Materials
Structure: Painted iron

Dimmable: Yes
Integrated dimmer: No
Dimming protocols: Phase cut (Triac)
DALI

Product type: Accessory
Luminaire: 220 - 240 VAC TRIAC 100W (max.)
220 - 240 VAC DALI 100W (max.)

Weight: Net 3,33 kg – Gross 3,8 kg
Package: 42 x 42 x 8 cm - 3,8 kg – VOL - 0,013 m³
Product notes: Canopy for 24V luminaires.




Wire installation: Hardwired
Canopy color: Black - Entry points: 19

Hook Accessory

Code	Finish
A693-007	● Black

Materials
Structure: Painted iron

Product type: Accessory
Weight: Net 0,01 kg – Gross 0,01 kg
Package: 2 x 2 x 5 cm - 0,01 kg – VOL - 0,002 m³





Concentric, Rob Zinn

Concentric is a visually striking lamp whether it's on or off, though turned on in the dark is when it becomes the most impressive and dynamic. The effect it promotes is almost hypnotic, because of the way the light vibrates when we view it. The

Concentric collection is based on an artistic endeavour to highlight this interaction between light and the reflection of colour, as each white circular panel plays with a different colour on its back.



IC Editor's Awards
FF 2016




Concentric S


Code	Finish
A678-001	● Corona (Fluor colors)
A678-002	● Minor (Cold colors)
A678-003	● Major (Warm colors)

Materials: Lacquered white metal, backed with colored vinyl.
 Dimmable: Yes
 Integrated dimmer: No
 Dimming protocols: Phase cut (Triac)

Product type: Wall / Ceiling
 Light source: LED SMD 700mA 8,2W 2700K CRI90 913lm
 Luminaire: 220 - 240 VAC TRIAC 9W
 Weight: Net 5 kg – Gross 7,7 kg
 Package: 67 x 66 x 25 cm – 7,7 kg Vol – 0,1 m³
 LED included



Dimmable
 CE
 UK
 CA
 ENEC



Wire installation: Hardwired


Concentric M

Code	Finish
A678-004	● Corona (Fluor colors)
A678-005	● Minor (Cold colors)
A678-006	● Major (Warm colors)

Materials
Structure: Lacquered white metal,
backed with colored vinyl.

Dimmable: Yes
Integrated dimmer: No
Dimming protocols: Phase cut (Triac)

Product type: Wall / Ceiling
Light source: LED SMD 700mA 8,2W 2700K CRI90 913lm
Luminaire: 220 - 240 VAC TRIAC 9W
Weight: Net 8 kg – Gross 12 kg
Package: 107 x 107 x 23 cm – 12 kg Vol – 0,26 m³
LED included



Wire installation: Hardwired




Concentric L

Code	Finish
A678-007	● Corona (Fluor colors)
A678-008	● Minor (Cold colors)
A678-009	● Major (Warm colors)

Materials
Structure: Lacquered white metal,
backed with colored vinyl.

Dimmable: Yes
Integrated dimmer: No
Dimming protocols: Phase cut (Triac)

Product type: Wall / Ceiling
Light source: LED SMD 700mA 8,2W 2700K CRI90 913lm
Luminaire: 220 - 240 VAC TRIAC 9W
Weight: Net 11 kg – Gross 17 kg
Package: 107 x 107 x 23 cm – 17 kg Vol – 0,26 m³
LED included



Wire installation: Hardwired



This collection consists of a table and floor lamp, as well as a separate torchier-style floor lamp, all of which use mixed materials of different densities, such as aluminum and steel, to create a unique counterweight system.

This structure affords great precision when moving the lamp, reaching different heights and distances to adjust the position and direction of the light beam.



Discover more at marset.com




Copérnica M

Code	Finish
A686-001	● Satin Nickel-Golden-White
A686-002	● Satin Nickel-Graphite-White
A686-003	● Satin Nickel-Red-White
A686-004	● Graphite-Golden-Black
A686-005	● Graphite-Satin Nickel-Black
A686-006	● Graphite-Red-Black

Materials: Satin nickel or graphite
 Structure: Satin nickel or graphite
 Base: Steel
 Counterweight: Steel
 Diffuser: Aluminium

Dimmable: Yes
 Integrated dimmer: Yes
 Dimming protocols: 3 positions dimmer

Product type: Table
 Light source: LED SMD 24Vdc 4,7W 2700K CRI90 491lm
 Luminaire: 85 - 264 VAC 5,94W 416lm
 Weight: Net 3,5 kg – Gross 6,1 kg
 Package: 114 x 24 x 17 cm – 3,1 kg Vol – 0,046 m³
 36 x 36 x 3 cm – 3 kg Vol – 0,004 m³
 LED included



Cable length: 2 m
 Wire installation: Plug-in
 Color cord: Black
 Switch location: Tilttable diffuser




Copérnica P

Code	Finish
A686-007	● Satin Nickel-Golden-White
A686-008	● Satin Nickel-Graphite-White
A686-009	● Satin Nickel-Red-White
A686-010	● Graphite-Golden-Black
A686-011	● Graphite-Satin Nickel-Black
A686-012	● Graphite-Red-Black

Materials
Structure: Satin nickel or graphite
Base: Steel
Counterweight: Steel
Diffuser: Aluminium

Dimmable: Yes
Integrated dimmer: Yes
Dimming protocols: 3 positions dimmer

Product type: Floor
Light source: LED SMD 24Vdc 4,7W 2700K CRI90 491lm
Luminaire: 85 - 264 VAC 5,94W 416lm
Weight: Net 4,8 kg – Gross 6,8 kg
Package: 165 x 24 x 17 cm – 4,1 kg Vol – 0,067 m³
36 x 36 x 3 cm – 2,7 kg Vol – 0,004 m³
LED included



Cable length: 2 m
Wire installation: Plug-in
Color cord: Black
Switch location: Tilttable diffuser




Copérnica P190

Code	Finish
A686-013	● Satin Nickel-White
A686-014	● Graphite-Black

Materials
Structure: Satin nickel or graphite
Base: Steel
Diffuser: Aluminium

Dimmable: Yes
Integrated dimmer: Yes
Dimming protocols: Progressive dimmer from 0 to 100

Product type: Floor
Light source: LED SMD 700mA 25,8W 2700K CRI90 3064lm
Luminaire: 220 - 240 VAC 28,9W 2302lm
Weight: Net 7,6 kg – Gross 13,4 kg
Package: 203 x 26 x 33 cm – 4,4 kg Vol – 0,174 m³
36 x 36 x 3 cm – 9 kg Vol – 0,004 m³
LED included



Cable length: 2 m
Wire installation: Plug-in
Color cord: Black
Switch location: In-line






Dipping Light, Jordi Canudas

Beyond its function as a lamp, the Dipping Light seeks to excite. When it's turned on, its different shades of paint sift the light, creating a magical ambient effect. When it's off, its colored glass sphere is an object charged with beauty, and eye-

catching design piece for a shelf, bedside, or table. The various layers of paint draw concentric circles and capture the light, moderating its intensity. The paint becomes the shade, colouring and texturizing the light.



Discover more at marset.com




Dipping Light

Code	Finish
A691-001	White - Brushed Brass
A691-060	White - Graphite
A691-002	Blue - Brushed Brass
A691-061	Blue - Graphite
A691-003	Green - Brushed Brass
A691-062	Green - Graphite
A691-004	Amber - Brushed Brass
A691-063	Amber - Graphite
A691-005	Pink - Brushed Brass
A691-064	Pink - Graphite

Materials Dimmable: No
Body: Metal
Diffuser: Brilliant white blown glass
globe with layered paint

Product type: Table
Light source: LED SMD 700mA 2,2W 2700K CRI90 216lm
Luminaire: 90 - 264 VAC 3,72W 123lm
Weight: Net 1,2 kg - Gross 1,8 kg
Package: 35 x 35 x 18 cm - 1,8 kg Vol - 0,011 m³



Cable length: 2 m
Wire installation: Plug-in
Color cord: Black
Switch location: In-line




Dipping Light S

Code	Finish
A691-066	White - Brushed Brass
A691-067	White - Graphite
A691-068	Blue - Brushed Brass
A691-069	Blue - Graphite
A691-070	Green - Brushed Brass
A691-071	Green - Graphite
A691-072	Amber - Brushed Brass
A691-073	Amber - Graphite
A691-074	Pink - Brushed Brass
A691-075	Pink - Graphite

Materials
 Body: Metal
 Diffuser: Brilliant white blown glass globe with layered paint

Dimmable: Yes
 Integrated dimmer: Yes
 Dimming protocols: Progressive dimmer from 0 to 100

Product type: Table
 Light source: LED SMD 700mA 8,6W 2700K CRI90 765lm
 Luminaire: 85 - 264 VAC 11,56W
 Weight: Net 1,4 kg – Gross 2,5 kg
 Package: 17 x 35 x 17 cm – 1,4 kg Vol – 0,009 m³
 25 x 25 x 31 cm – 1,1 kg Vol – 0,02 m³
 LED included



Cable length: 2 m
 Wire installation: Plug-in
 Color cord: Black
 Switch location: In-line




Dipping Light M

Code	Finish
A691-007	White - Brushed Brass
A691-078	White - Graphite
A691-008	Blue - Brushed Brass
A691-079	Blue - Graphite
A691-009	Green - Brushed Brass
A691-080	Green - Graphite
A691-010	Amber - Brushed Brass
A691-081	Amber - Graphite
A691-011	Pink - Brushed Brass
A691-082	Pink - Graphite

Materials
 Body: Metal
 Diffuser: Brilliant white blown glass globe with layered paint

Dimmable: Yes
 Integrated dimmer: Yes
 Dimming protocols: Progressive dimmer from 0 to 100

Product type: Table
 Light source: LED SMD 700mA 8,6W 2700K CRI90 765lm
 Luminaire: 85 - 264 VAC 11,56W 312lm
 Weight: Net 3,3 kg – Gross 5,3 kg
 Package: 34 x 26 x 26 cm – 2,9 kg Vol – 0,022 m³
 41 x 41 x 41 cm – 2,4 kg Vol – 0,068 m³
 LED included



Cable length: 1,75 m
 Wire installation: Plug-in
 Color cord: Black
 Switch location: In-line




Dipping Light Portable

Code	Finish
A691-530	● White - Brushed Brass
A691-531	● White - Graphite
A691-532	● Blue - Brushed Brass
A691-533	● Blue - Graphite
A691-534	● Green - Brushed Brass
A691-535	● Green - Graphite
A691-536	● Amber - Brushed Brass
A691-537	● Amber - Graphite
A691-538	● Pink - Brushed Brass
A691-539	● Pink - Graphite

Materials
 Body: Metal
 Diffuser: Brilliant white blown glass globe with layered paint

Dimmable: Yes
 Integrated dimmer: Yes
 Dimmer Type: 3 positions dimmer

Product type: Table
 Light source: LED SMD 1A 3,5W 2700K CRI90 216lm
 Luminaire: in 5 Vdc 1,5A 123lm
 Weight: Net 1,2 kg – Gross 1,5 kg
 Package: 18 x 18 x 35 cm – 1,5 kg Vol – 0,011 m³
 LED included



Switch location: Body
 Charging time: 10 h

Battery life time:
 5 hours in peak power
 10 hours in half power
 20 hours in a quarter power




Disk accessory + magnet

Code	Finish
A691-097	● Negro

Materials
 Structure: Metal counterweight

Product type: Accessory
 Weight: Net 0,5 kg – Gross 0,6 kg
 Package: 16 x 14 x 9 cm - 0,6 kg – VOL - 0,002 m³




Magnet accessory

Code	Finish
A680-008	● Inox

Materials
 Structure: Neodymium magnet

Product type: Accessory
 Weight: Net 0,01 kg – Gross 0,02 kg
 Package: 12 x 17,5 x 1 cm - 0,02 kg – VOL - 0,001 m³




Dipping Light A1-13

Code	Finish
A691-200	White - Brushed Brass
A691-201	White - Graphite
A691-202	Blue - Brushed Brass
A691-203	Blue - Graphite
A691-204	Green - Brushed Brass
A691-205	Green - Graphite
A691-206	Amber - Brushed Brass
A691-207	Amber - Graphite
A691-208	Pink - Brushed Brass
A691-209	Pink - Graphite

Materials: Body: Metal
 Diffuser: Brilliant white blown glass globe with layered paint

Dimmable: Yes
 Integrated dimmer: No
 Dimming protocols: Phase cut (Triac)

Product type: Wall
 Light source: LED COB 700mA 5,68W 2700K CRI90 645lm
 Luminaire: 220 - 240 VAC TRIAC 9,3W
 Weight: Net 0,9 kg – Gross 1,5 kg
 Package: 18 x 18 x 28 cm – 1,5 kg Vol – 0,001 m³
 LED included



Wire installation: Hardwired




Dipping Light A2-13

Code	Finish
A691-220	White - Brushed Brass
A691-221	White - Graphite
A691-222	Blue - Brushed Brass
A691-223	Blue - Graphite
A691-224	Green - Brushed Brass
A691-225	Green - Graphite
A691-226	Amber - Brushed Brass
A691-227	Amber - Graphite
A691-228	Pink - Brushed Brass
A691-229	Pink - Graphite

Materials: Body: Metal
 Diffuser: Brilliant white blown glass globe with layered paint

Dimmable: Yes
 Integrated dimmer: No
 Dimming protocols: Phase cut (Triac)

Product type: Wall
 Light source: LED SMD 700mA 8,6W 2700K CRI90 765lm
 Luminaire: 220 - 240 VAC TRIAC 7,96W
 Weight: Net 0,7 kg – Gross 1,4 kg
 Package: 18 x 18 x 35 cm – 1,4 kg Vol – 0,001 m³
 LED included



Wire installation: Hardwired




Dipping Light 13

Code	Finish
A691-240	● White
A691-241	● Blue
A691-242	● Green
A691-243	● Amber
A691-244	● Pink

Materials
 Diffuser: Brilliant white blown glass globe with layered paint
 Cover: Polycarbonate
 Canopy: Metal

Dimmable: Yes
 Integrated dimmer: No
 Dimming protocols: Phase cut (Triac)

Product type: Pendant
 Light source: LED SMD 350mA 4,05W 2700K CRI90 463lm
 Luminaire: 220 - 240 VAC TRIAC 5,72W 203lm
 Weight: Net 0,8 kg – Gross 1,3 kg
 Package: 21 x 22 x 23 cm – 1,3 kg Vol – 0,01 m³
 LED included



Dimmable



CE

ERC

UK
CA

Cable length: 2 m
 Wire installation: Hardwired
 Color cord: Black
 Canopy color: Black - Entry points: 1




Dipping Light 13 - 24V

Code	Finish
A691-250	● White
A691-251	● Blue
A691-252	● Green
A691-253	● Amber
A691-254	● Pink

Materials
 Diffuser: Brilliant white blown glass globe with layered paint
 Cover: Polycarbonate

Dimmable: Yes
 Integrated dimmer: No
 Dimming protocols: It depends on the purchased power supply.
 Phase cut (Triac)
 DALI

Product type: Pendant
 Light source: LED SMD 24Vdc 5W 2700K CRI90 495lm
 Luminaire: (Power supply not included) 203lm
 Weight: Net 0,6 kg – Gross 1 kg
 Package: 21 x 22 x 23 cm – 1 kg Vol – 0,01 m³
 Product notes: Use with Cluster. 1 pc. hook accessory included
 LED included



Dimmable




CE

ERC

UK
CA

Cable length: 4 m
 Wire installation: Hardwired
 Color cord: Black




Dipping Light 20

Code	Finish
A691-260	White
A691-261	Blue
A691-262	Green
A691-263	Amber
A691-264	Pink

Materials
 Diffuser: Brilliant white blown glass globe with layered paint
 Cover: Polycarbonate
 Canopy: Metal

Dimmable: Yes
 Integrated dimmer: No
 Dimming protocols: Phase cut (Triac)

Product type: Pendant
 Light source: LED SMD 350mA 4,05W 2700K CRI90 463lm
 Luminaire: 220 - 240 VAC TRIAC 5,72W 231lm
 Weight: Net 1,3 kg – Gross 1,9 kg
 Package: 33 x 26 x 26 cm – 1,9 kg Vol – 0,02 m³
 LED included




Dimmable

CE

ERC

UK
CR



Cable length: 2 m
 Wire installation: Hardwired
 Color cord: Black
 Canopy color: Black - Entry points: 1


Dipping Light 20 - 24V

Code	Finish
A691-270	White
A691-271	Blue
A691-272	Green
A691-273	Amber
A691-274	Pink

Materials
 Diffuser: Brilliant white blown glass globe with layered paint
 Cover: Polycarbonate

Dimmable: Yes
 Integrated dimmer: No
 Dimming protocols: It depends on the purchased power supply.
 Phase cut (Triac)
 DALI

Product type: Pendant
 Light source: LED SMD 24Vdc 5W 2700K CRI90 495lm
 Luminaire: (Power supply not included) 231lm
 Weight: Net 1,06 kg – Gross 1,7 kg
 Package: 36 x 26 x 26 cm – 1,7 kg Vol – 0,02 m³
 Product notes: Use with Cluster. 1 pc. hook accessory included
 LED included




Dimmable

CE

ERC

UK
CR



Cable length: 4 m
 Wire installation: Hardwired
 Color cord: Black


Dipping Light 30

Code	Finish
A691-280	● White
A691-281	● Blue
A691-282	● Green
A691-283	● Amber
A691-284	● Pink

Materials
 Diffuser: Brilliant white blown glass globe with layered paint
 Cover: Polycarbonate
 Canopy: Metal

Dimmable: Yes
 Integrated dimmer: No
 Dimming protocols: Phase cut (Triac)

Product type: Pendant
 Light source: LED SMD 700mA 8,2W 2700K CRI90 913lm
 Luminaire: 220 - 240 VAC TRIAC 10,87W 379lm
 Weight: Net 2,4 kg – Gross 3,6 kg
 Package: 41 x 40 x 41 cm – 3,6 kg Vol – 0,07 m³
 LED included



Dimmable



CE

ERC

UK
CA

Cable length: 2 m
 Wire installation: Hardwired
 Color cord: Black
 Canopy color: Black - Entry points: 1




Dipping Light 30 - 24V

Code	Finish
A691-290	● White
A691-291	● Blue
A691-292	● Green
A691-293	● Amber
A691-294	● Pink

Materials
 Diffuser: Brilliant white blown glass globe with layered paint
 Cover: Polycarbonate

Dimmable: Yes
 Integrated dimmer: No
 Dimming protocols: It depends on the purchased power supply.
 Phase cut (Triac)
 DALI

Product type: Pendant
 Light source: LED SMD 24Vdc 11,5W 2700K CRI90 1024lm
 Luminaire: (Power supply not included) 379lm
 Weight: Net 2 kg – Gross 3,3 kg
 Package: 41 x 40 x 41 cm – 3,3 kg Vol – 0,07 m³
 Product notes: Use with Cluster. 1 pc. hook accessory included
 LED included



Dimmable




CE

ERC

UK
CA

Cable length: 4 m
 Wire installation: Hardwired
 Color cord: Black



Spare parts

Code	Product	Finish	Spare part
A691-402	Dipping light	White	Glass
A691-401	Dipping light	Blue	Glass
A691-405	Dipping light	Green	Glass
R691-005	Dipping light	Amber	Glass
A691-404	Dipping light	Pink	Glass
A691-509	Dipping light S	White	Glass
A691-510	Dipping light S	Blue	Glass
A691-511	Dipping light S	Green	Glass
A691-512	Dipping light S	Amber	Glass
A691-514	Dipping light S	Pink	Glass
A691-101	Dipping light M	White	Glass
A691-102	Dipping light M	Blue	Glass
A691-103	Dipping light M	Green	Glass
A691-104	Dipping light M	Amber	Glass
A691-105	Dipping light M	Pink	Glass
R691-012	Dipping light A	White	Glass
R691-013	Dipping light A	Blue	Glass
R691-014	Dipping light A	Green	Glass
R691-015	Dipping light A	Amber	Glass
R691-016	Dipping light A	Pink	Glass
R691-018	Dipping Light 13	White	Glass
R691-019	Dipping Light 13	Blue	Glass
R691-020	Dipping Light 13	Green	Glass
R691-021	Dipping Light 13	Amber	Glass
R691-022	Dipping Light 13	Pink	Glass
R691-024	Dipping Light 20	White	Glass
R691-025	Dipping Light 20	Blue	Glass
R691-026	Dipping Light 20	Green	Glass
R691-027	Dipping Light 20	Amber	Glass
R691-028	Dipping Light 20	Pink	Glass
R691-030	Dipping Light 30	White	Glass
R691-031	Dipping Light 30	Blue	Glass
R691-032	Dipping Light 30	Green	Glass
R691-033	Dipping Light 30	Amber	Glass
R691-034	Dipping Light 30	Pink	Glass
R680-014	Dipping Light portable		Battery
R968-001-EU	Dipping Light portable		Black power adapter
R968-002-USA	Dipping Light portable		Black power adapter
R968-003-AU	Dipping Light portable		Black power adapter
R968-004-UK	Dipping Light portable		Black power adapter
R961-057	Dipping Light portable		Usb type C cable black






Discocó 35

Code	Finish
A620-036	● White (RAL 9003)
A620-098	● Matte Grey (RAL 7037)
A620-111	● Matte Beige (RAL 1001)
A620-045	● Black - Gold (RAL 9004 - Gold)

Materials
Discs: ABS
Sphere: Chromed metal
Canopy: Metal

Product type: Pendant
Light source: E14 LED 5W
Weight: Net 1,5 kg – Gross 2,6 kg
Package: 86 x 18 x 19 cm - 2,6 kg – VOL - 0,03 m³



CE

ERC

CBK





Cable length: 2 m
Wire installation: Hardwired
Color cord: White
Canopy color: White

Discocó 53

Code	Finish
A620-001	● White (RAL 9003)
A620-099	● Matte Grey (RAL 7037)
A620-114	● Matte Beige (RAL 1001)
A620-044	● Black - Gold (RAL 9004 - Gold)
A620-003	● White (Susp. Wire 5m)

Materials
 Discs: ABS
 Sphere: Chromed metal
 Canopy: Metal

Product type: Pendant
 Light source: E27 LED Globe (ø120) 14W
 Weight: Net 2,8 kg – Gross 4,7 kg
 Package: 108 x 26 x 27 cm - 4,7 kg – VOL - 0,08 m³




Cable length: 2 m
 Wire installation: Hardwired
 Color cord: White
 Canopy color: White

Discocó 68

Code	Finish
A620-110	● White (RAL 9003)
A620-120	● Matte Grey (RAL 7037)
A620-119	● Matte Beige (RAL 1001)
A620-121	● Black - Gold (RAL 9004 - Gold)
A620-148	● White (Susp. Wire 5m)
A620-161	● American oak-Black chrome

Materials
 Discs: ABS
 Sphere: Chromed metal
 Canopy: Metal

Product type: Pendant
 Light source: 3x E27 LED Globe (ø120) 14W
 Weight: Net 4,6 kg – Gross 7,5 kg
 Package: 125 x 33 x 28 cm - 7,5 kg – VOL - 0,115 m³
 Product notes: For the wood version, the discs are made of pressed American oak of 4 mm. Black chrome sphere.




Cable length: 2 m
 Wire installation: Hardwired
 Color cord: Black (American Oak version), White (all the rest)
 Canopy Color: Black (American Oak version), White (all the rest)

Discocó 88

Code	Finish
A620-002	● White (RAL 9003)
A620-107	● Matte Grey (RAL 7037)
A620-106	● Matte Beige (RAL 1001)
A620-048	● Black - Gold (RAL 9004 - Gold)
A620-004	● White (Susp. Wire 5m)

Materials
 Discs: ABS
 Sphere: Chromed metal
 Canopy: Metal

Product type: Pendant
 Light source: 3x E27 LED Globe (ø120) 14W
 Weight: Net 6,7 kg – Gross 10,6 kg
 Package: 134 x 31 x 42 cm – VOL - 0,17 m³



Cable length: 2 m
 Wire installation: Hardwired
 Color cord: White
 Canopy color: White




Discocó 132


Code	Finish
A620-012	● White (RAL 9003)
A620-118	● Matte Grey (RAL 7037)
A620-117	● Matte Beige (RAL 1001)
A620-049	● Black - Gold (RAL 9004 - Gold)

Materials
 Discs: ABS
 Sphere: Chromed metal
 Canopy: Metal

Product type: Pendant
 Light source: 6x E27 LED Globe (ø120) 14W
 Weight: Net 18,5 kg – Gross 24 kg
 Package: 121 x 41 x 41 cm - 14 kg – VOL - 0,2 m³
 45 x 42 x 42 cm - 10 kg – VOL - 0,08 m³



Cable length: 2 m
 Wire installation: Hardwired
 Color cord: White
 Canopy color: White




Discocó C53


Code	Finish
A620-010	White (RAL 9003)
A620-116	Matte Grey (RAL 7037)
A620-115	Matte Beige (RAL 1001)
A620-081	Black - Gold (RAL 9004 - Gold)

Materials
Discs: ABS
Semi-sphere: Chromed metal

Product type: Ceiling
Light source: E27 LED Globe (ø120) 14W
Weight: Net 2,2 kg – Gross 3,7 kg
Package: 86 x 27 x 22 cm - 3,7 kg – VOL - 0,05 m³



Wire installation: Hardwired




Discocó C68

Code	Finish
A620-123	White (RAL 9003)
A620-125	Matte Grey (RAL 7037)
A620-124	Matte Beige (RAL 1001)
A620-126	Black - Gold (RAL 9004 - Gold)

Materials
Discs: ABS
Semi-sphere: Chromed metal

Product type: Ceiling
Light source: 3x E27 LED Globe (ø120) 14W
Weight: Net 4,2 kg – Gross 7 kg
Package: 109 x 33 x 27 cm - 7 kg – VOL - 0,097 m³



Wire installation: Hardwired




Discocó C88


Code	Finish
A620-011	● White (RAL 9003)
A620-109	● Matte Grey (RAL 7037)
A620-108	● Matte Beige (RAL 1001)
A620-082	● Black - Gold (RAL 9004 - Gold)

Materials
Discs: ABS
Semi-sphere: Chromed metal

Product type: Ceiling
Light source: 3x E27 LED Globe (ø120) 14W
Weight: Net 5,9 kg – Gross 9,5 kg
Package: 121 x 31 x 41 cm - 9,5 kg – VOL - 0,15 m³



Wire installation: Hardwired




Discocó A

Code	Finish
A620-100	● White (RAL 9003)
A620-113	● Matte Grey (RAL 7037)
A620-112	● Matte Beige (RAL 1001)
A620-104	● Black - Gold (RAL 9004 - Gold)

Materials
Discs: ABS
Semi-sphere: Chromed metal

Product type: Wall
Light source: 2x E14 LED 5W
Weight: Net XXX kg – Gross 1,5 kg
Package: 59 x 19 x 15 cm - 1,5 kg – VOL - 0,02 m³



Wire installation: Hardwired





Djembé, Joan Gaspar

Using a rotomolding technique allowed the designer, Joan Gaspar, to design a fixture with vastly different interiors and exteriors: its outside recalls the texture of a stone, giving off a perception of great weight, emphasized by its volume. In the

spacious interior you'll find a smooth, white space perfect for the reflection of light. Djembé is a lamp designed for use in public spaces that seeks to bring beauty and an unbeatable quality of light.



Discover more at marset.com


Djembé 42.21

Code	Finish	Dimming	Class
A681-244	White (RAL 1013)	Triac	II
A681-245	Grey (RAL 7022)	Triac	II
A681-246	Red (RAL 3011)	Triac	II
A681-247	Sky Blue (PANTONE 7542C)	Triac	II
A681-248	White (RAL 1013)	DALI	I
A681-249	Grey (RAL 7022)	DALI	I
A681-250	Red (RAL 3011)	DALI	I
A681-251	Sky Blue (PANTONE 7542C)	DALI	I

Materials: Shade: Bi-injected rotary moulded polyethylene (stone texture on the outer part and smooth satin white on the inner part of the fixture)
 Diffuser: Aluminium

Dimmable: Yes
 Integrated dimmer: No
 Dimming protocols: Phase cut (Triac)
 DALI

Product type: Pendant
 Light source: LED SMD 700mA 16,28W 2700K CRI90 1873lm
 Luminaire: 180 - 295 VAC TRIAC 19,71W 955lm
 220 - 240 VAC DALI 20,32W 955lm
 Weight: Net 3 kg - Gross 4,4 kg
 Package: 44 x 44 x 32 cm - 4,4 kg Vol - 0,06 m³
 Product notes: 3000K available upon request
 LED included



Cable length: 2 m
 Wire installation: Hardwired
 Color cord: Black
 Canopy color: Black

Djembé 42.28

Code	Finish	Dimming	Class
A681-252	White (RAL 1013)	Triac	II
A681-253	Grey (RAL 7022)	Triac	II
A681-254	Red (RAL 3011)	Triac	II
A681-255	Sky Blue (PANTONE 7542C)	Triac	II
A681-256	White (RAL 1013)	DALI	I
A681-257	Grey (RAL 7022)	DALI	I
A681-258	Red (RAL 3011)	DALI	I
A681-259	Sky Blue (PANTONE 7542C)	DALI	I

Materials

Shade: Bi-injected rotary moulded polyethylene (stone texture on the outer part and smooth satin white on the inner part of the fixture)

Diffuser: Aluminium

Dimmable: Yes

Integrated dimmer: No

Dimming protocols: Phase cut (Triac)
DALI

Product type: Pendant

Light source: LED SMD 700mA 16,28W 2700K CRI90 1873lm

Luminaire: 180 - 295 VAC TRIAC 19,71W 925lm


220 - 240 VAC DALI 20,32W 925lm

Weight: Net 3 kg – Gross 4,4 kg

Package: 44 x 44 x 32 cm – 4,4 kg Vol – 0,06 m³

Product notes: 3000K available upon request

LED included



Dimmable

CE

ERC

UK
CA

Cable length: 2 m

Wire installation: Hardwired

Color cord: Black

Canopy color: Black



Djembé 65.23

Code	Finish	Dimming	Class
A681-260	White (RAL 1013)	Triac	II
A681-261	Grey (RAL 7022)	Triac	II
A681-262	Red (RAL 3011)	Triac	II
A681-263	Sky Blue (PANTONE 7542C)	Triac	II
A681-264	White (RAL 1013)	DALI	I
A681-265	Grey (RAL 7022)	DALI	I
A681-266	Red (RAL 3011)	DALI	I
A681-267	Sky Blue (PANTONE 7542C)	DALI	I

Materials

Shade: Bi-injected rotary moulded polyethylene (stone texture on the outer part and smooth satin white on the inner part of the fixture)

Diffuser: Aluminium

Dimmable: Yes

Integrated dimmer: No

Dimming protocols: Phase cut (Triac)
DALI

Product type: Pendant

Light source: LED SMD 700mA 22,4W 2700K CRI90 2933lm

Luminaire: 180 - 295 VAC TRIAC 26,09W 1843lm


220 - 240 VAC DALI 26,37W 1843lm

Weight: Net 5,3 kg – Gross 7,4 kg

Package: 65 x 65 x 28 cm – 7,4 kg Vol – 0,12 m³

Product notes: 3000K available upon request

LED included



Dimmable

CE

ERC

UK
CA

Cable length: 2 m

Wire installation: Hardwired

Color cord: Black

Canopy color: Black



Djembé 65.35

Code	Finish	Dimming	Class
A681-268	White (RAL 1013)	Triac	II
A681-269	Grey (RAL 7022)	Triac	II
A681-270	Red (RAL 3011)	Triac	II
A681-271	Sky Blue (PANTONE 7542C)	Triac	II
A681-272	White (RAL 1013)	DALI	I
A681-273	Grey (RAL 7022)	DALI	I
A681-274	Red (RAL 3011)	DALI	I
A681-275	Sky Blue (PANTONE 7542C)	DALI	I

Materials

Shade: Bi-injected rotary moulded polyethylene (stone texture on the outer part and smooth satin white on the inner part of the fixture)

Diffuser: Aluminium

Dimmable: Yes

Integrated dimmer: No

Dimming protocols: Phase cut (Triac)
DALI

Product type: Pendant

Light source: LED SMD 700mA 22,4W 2700K CRI90 2933lm

Luminaire: 180 - 295 VAC TRIAC 26,09W 1845lm


220 - 240 VAC DALI 26,37W 1845lm

Weight: Net 6,1 kg – Gross 8,5 kg

Package: 65 x 65 x 42 cm – 8,5 kg Vol – 0,18 m³

Product notes: 3000K available upon request

LED included



Dimmable



Cable length: 2 m

Wire installation: Hardwired

Color cord: Black

Canopy color: Black



Djembé 65.45

Code	Finish	Dimming	Class
A681-276	White (RAL 1013)	Triac	II
A681-277	Grey (RAL 7022)	Triac	II
A681-278	Red (RAL 3011)	Triac	II
A681-279	Sky Blue (PANTONE 7542C)	Triac	II
A681-280	White (RAL 1013)	DALI	I
A681-281	Grey (RAL 7022)	DALI	I
A681-282	Red (RAL 3011)	DALI	I
A681-283	Sky Blue (PANTONE 7542C)	DALI	I

Materials

Shade: Bi-injected rotary moulded polyethylene (stone texture on the outer part and smooth satin white on the inner part of the fixture)

Diffuser: Aluminium

Dimmable: Yes

Integrated dimmer: No

Dimming protocols: Phase cut (Triac)
DALI

Product type: Pendant

Light source: LED SMD 700mA 22,4W 2700K CRI90 2933lm

Luminaire: 180 - 295 VAC TRIAC 26,09W 1770lm


220 - 240 VAC DALI 26,37W 1770lm

Weight: Net 6,9 kg – Gross 9,3 kg

Package: 65 x 65 x 49 cm – 9,3 kg Vol – 0,2 m³

Product notes: 3000K available upon request

LED included



Dimmable



Cable length: 2 m

Wire installation: Hardwired

Color cord: Black

Canopy color: Black



Djembé 100.38

Code	Finish	Dimming	Class
A681-473	White (RAL 1013)	Triac	II
A681-474	Grey (RAL 7022)	Triac	II
A681-475	Red (RAL 3011)	Triac	II
A681-476	Sky Blue (PANTONE 7542C)	Triac	II
A681-477	White (RAL 1013)	DALI	I
A681-478	Grey (RAL 7022)	DALI	I
A681-479	Red (RAL 3011)	DALI	I
A681-480	Sky Blue (PANTONE 7542C)	DALI	I

Materials

Shade: Bi-injected rotary moulded polyethylene (stone texture on the outer part and smooth satin white on the inner part of the fixture)

Diffuser: Aluminium

Dimmable: Yes

Integrated dimmer: No

Dimming protocols: Phase cut (Triac)
DALI

Product type: Pendant

Light source: LED SMD 1050mA 33,8W 2700K CRI90 4037lm

Luminaire: 220 - 240 VAC TRIAC 38,36W 2519lm


220 - 240 VAC DALI 38,6W 2519lm

Weight: Net 10 kg – Gross 19 kg

Package: 115 x 115 x 51 cm – 19 kg Vol – 0,7 m³

Product notes: 3000K available upon request

LED included



Dimmable

CE

ERC

UK
CA

Cable length: 2 m

Wire installation: Hardwired

Color cord: Black

Canopy color: Black

Accessory Djembé Sound

Code	Finish
A681-553	White

Materials

Structure: PET accessory for the sound damping of a space.

Product type: Accessory


Weight: Net 2,1 kg – Gross 2,5 kg

Package: 10 x 85 x 85 cm - 2,5 kg – VOL - 0,07 m³

Product notes: Only available for Djembé 100.38 and

Djembe C100.38.

1 2,5cm



Ø80cm




Djembé C42.13

Code	Finish	Dimming	Class
A681-100	White (RAL 1013)	Triac	II
A681-101	Grey (RAL 7022)	Triac	II
A681-102	Red (RAL 3011)	Triac	II
A681-103	Sky Blue (PANTONE 7542C)	Triac	II
A681-200	White (RAL 1013)	DALI	I
A681-201	Grey (RAL 7022)	DALI	I
A681-202	Red (RAL 3011)	DALI	I
A681-203	Sky Blue (PANTONE 7542C)	DALI	I

Materials
 Shade: Bi-injected rotary moulded polyethylene (stone texture on the outer part and smooth satin white on the inner part of the fixture)
 Diffuser: Aluminium

Dimmable: Yes
 Integrated dimmer: No
 Dimming protocols: Phase cut (Triac)
 DALI

Product type: Ceiling
 Light source: LED SMD 700mA 16,28W 2700K CRI90 1873lm
 Luminaire: 180 - 295 VAC TRIAC 19,71W 846lm
 220 - 240 VAC DALI 20,32W 846lm
 Weight: Net 2,4 kg – Gross 3,5 kg
 Package: 44 x 44 x 19 cm – 3,5 kg Vol – 0,4 m³
 Product notes: 3000K available upon request
 LED included



Wire installation: Hardwired



Djembé C42.21

Code	Finish	Dimming	Class
A681-104	White (RAL 1013)	Triac	II
A681-105	Grey (RAL 7022)	Triac	II
A681-106	Red (RAL 3011)	Triac	II
A681-107	Sky Blue (PANTONE 7542C)	Triac	II
A681-204	White (RAL 1013)	DALI	I
A681-205	Grey (RAL 7022)	DALI	I
A681-206	Red (RAL 3011)	DALI	I
A681-207	Sky Blue (PANTONE 7542C)	DALI	I

Materials
 Shade: Bi-injected rotary moulded polyethylene (stone texture on the outer part and smooth satin white on the inner part of the fixture)
 Diffuser: Aluminium

Dimmable: Yes
 Integrated dimmer: No
 Dimming protocols: Phase cut (Triac)
 DALI

Product type: Ceiling
 Light source: LED SMD 700mA 16,28W 2700K CRI90 1873lm
 Luminaire: 180 - 295 VAC TRIAC 19,71W 955lm
 220 - 240 VAC DALI 20,32W 955lm
 Weight: Net 3 kg – Gross 4,3 kg
 Package: 44 x 44 x 25 cm – 4,3 kg Vol – 0,05 m³
 Product notes: 3000K available upon request
 LED included



Wire installation: Hardwired



Djembé C 42.28

Code	Finish	Dimming	Class
A681-108	White (RAL 1013)	Triac	II
A681-109	Grey (RAL 7022)	Triac	II
A681-110	Red (RAL 3011)	Triac	II
A681-111	Sky Blue (PANTONE 7542C)	Triac	II
A681-208	White (RAL 1013)	DALI	I
A681-209	Grey (RAL 7022)	DALI	I
A681-210	Red (RAL 3011)	DALI	I
A681-211	Sky Blue (PANTONE 7542C)	DALI	I

Materials

Shade: Bi-injected rotary moulded polyethylene (stone texture on the outer part and smooth satin white on the inner part of the fixture)

Diffuser: Aluminium

Dimmable: Yes

Integrated dimmer: No

Dimming protocols: Phase cut (Triac)
DALI

Product type: Ceiling

Light source: LED SMD 700mA 16,28W 2700K CRI90 1873lm

Luminaire: 180 - 295 VAC TRIAC 19,71W 925lm


220 - 240 VAC DALI 20,32W 925lm

Weight: Net 3 kg – Gross 4,3 kg

Package: 44 x 44 x 32 cm – 4,3 kg Vol – 0,06 m³

Product notes: 3000K available upon request

LED included



Dimmable

CE

ERC

UK
CA

Wire installation: Hardwired



Djembé C 65.23

Code	Finish	Dimming	Class
A681-112	White (RAL 1013)	Triac	II
A681-113	Grey (RAL 7022)	Triac	II
A681-114	Red (RAL 3011)	Triac	II
A681-115	Sky Blue (PANTONE 7542C)	Triac	II
A681-212	White (RAL 1013)	DALI	I
A681-213	Grey (RAL 7022)	DALI	I
A681-214	Red (RAL 3011)	DALI	I
A681-215	Sky Blue (PANTONE 7542C)	DALI	I

Materials

Shade: Bi-injected rotary moulded polyethylene (stone texture on the outer part and smooth satin white on the inner part of the fixture)

Diffuser: Aluminium

Dimmable: Yes

Integrated dimmer: No

Dimming protocols: Phase cut (Triac)
DALI

Product type: Ceiling

Light source: LED SMD 700mA 22,4W 2700K CRI90 2933lm

Luminaire: 180 - 295 VAC TRIAC 26,09W 1843lm


220 - 240 VAC DALI 26,37W 1843lm

Weight: Net 4,9 kg – Gross 7 kg

Package: 65 x 65 x 30 cm – 7 kg Vol – 0,13 m³

Product notes: 3000K available upon request

LED included



Dimmable

CE

ERC

UK
CA

Wire installation: Hardwired



Djembé C 65.35

Code	Finish	Dimming	Class
A681-116	White (RAL 1013)	Triac	II
A681-117	Grey (RAL 7022)	Triac	II
A681-118	Red (RAL 3011)	Triac	II
A681-119	Sky Blue (PANTONE 7542C)	Triac	II
A681-216	White (RAL 1013)	DALI	I
A681-217	Grey (RAL 7022)	DALI	I
A681-218	Red (RAL 3011)	DALI	I
A681-219	Sky Blue (PANTONE 7542C)	DALI	I

Materials

Shade: Bi-injected rotary moulded polyethylene (stone texture on the outer part and smooth satin white on the inner part of the fixture)

Diffuser: Aluminium

Dimmable: Yes

Integrated dimmer: No

Dimming protocols: Phase cut (Triac)
DALI

Product type: Ceiling

Light source: LED SMD 700mA 22,4W 2700K CRI90 2933lm

Luminaire: 180 - 295 VAC TRIAC 26,09W 1845lm

220 - 240 VAC DALI 26,37W 1845lm


Weight: Net 6,7 kg – Gross 9 kg

Package: 65 x 65 x 42 cm – 9 kg Vol – 0,18 m³

Product notes: 3000K available upon request

LED included

ø64,6cm



Dimmable



Wire installation: Hardwired



Djembé C 65.45

Code	Finish	Dimming	Class
A681-120	White (RAL 1013)	Triac	II
A681-121	Grey (RAL 7022)	Triac	II
A681-122	Red (RAL 3011)	Triac	II
A681-123	Sky Blue (PANTONE 7542C)	Triac	II
A681-220	White (RAL 1013)	DALI	I
A681-221	Grey (RAL 7022)	DALI	I
A681-222	Red (RAL 3011)	DALI	I
A681-223	Sky Blue (PANTONE 7542C)	DALI	I

Materials

Shade: Bi-injected rotary moulded polyethylene (stone texture on the outer part and smooth satin white on the inner part of the fixture)

Diffuser: Aluminium

Dimmable: Yes

Integrated dimmer: No

Dimming protocols: Phase cut (Triac)
DALI

Product type: Ceiling

Light source: LED SMD 700mA 22,4W 2700K CRI90 2933lm

Luminaire: 180 - 295 VAC TRIAC 26,09W 1770lm

220 - 240 VAC DALI 26,37W 1770lm


Weight: Net 7,5 kg – Gross 10 kg

Package: 65 x 65 x 49 cm – 10 kg Vol – 0,2 m³

Product notes: 3000K available upon request

LED included

ø65cm



Dimmable



Wire installation: Hardwired



Djembé C 100.38

Code	Finish	Dimming	Class
A681-481	White (RAL 1013)	Triac	II
A681-482	Grey (RAL 7022)	Triac	II
A681-483	Red (RAL 3011)	Triac	II
A681-484	Sky Blue (PANTONE 7542C)	Triac	II
A681-485	White (RAL 1013)	DALI	I
A681-486	Grey (RAL 7022)	DALI	I
A681-487	Red (RAL 3011)	DALI	I
A681-488	Sky Blue (PANTONE 7542C)	DALI	I

Materials

Shade: Bi-injected rotary moulded polyethylene (stone texture on the outer part and smooth satin white on the inner part of the fixture)

Diffuser: Aluminium

Dimmable: Yes

Integrated dimmer: No

Dimming protocols: Phase cut (Triac)
DALI

Product type: Ceiling

Light source: LED SMD 1050mA 33,8W 2700K CRI90 4037lm

Luminaire: 220 - 240 VAC TRIAC 38,36W 2519lm
220 - 240 VAC DALI 38,6W 2519lm

Weight: Net 10 kg – Gross 19 kg

Package: 115 x 115 x 51 cm – 19 kg Vol – 0,7 m³


Product notes: 3000K available upon request

Dynamic white (2700K- 4000K) available upon request (DALI)

LED included



ø100cm



38cm

Dimmable

CE

ERC

UK
CA

Wire installation: Hardwired

Accessory Djembé Sound

Code	Finish
A681-553	White

Materials

Structure: PET accessory for the sound damping of a space.


Product type: Accessory

Weight: Net 2,1 kg – Gross 2,5 kg

Package: 10 x 85 x 85 cm - 2,5 kg – VOL - 0,07 m³

Product notes: Only available for Djembé 100.38 and Djembe C100.38.

1 2,5cm



Ø80cm





Accessory C2 Djembé 42

Code A681-017
Finish ● Black (RAL 9005)

Materials
Structure: Painted iron

Product type: Accessory
Weight: Net 0,91 kg – Gross 1,35 kg
Package: 62 x 20 x 9 cm - 1,35 kg – VOL - 0,01 m³
Product notes: Accessory to combine 2 Djembé 42 models for a single junction box.




Accessory C3 Djembé 42

Code A681-018
Finish ● Black (RAL 9005)

Materials
Structure: Painted iron

Product type: Accessory
Weight: Net 1,6 kg – Gross 2 kg
Package: 64 x 40 x 9 cm - 2 kg – VOL - 0,02 m³
Product notes: Accessory to combine 3 Djembé 42 models for a single junction box.




Accessory C2 Djembé 65

Code A681-019
Finish ● Black (RAL 9005)

Materials
Structure: Painted iron

Product type: Accessory
Weight: Net 1,13 kg – Gross 1,55 kg
Package: 85 x 20 x 9 cm - 1,55 kg – VOL - 0,015 m³
Product notes: Accessory to combine 2 Djembé 65 models for a single junction box.





Accessory C3 Djembé 65

Code A681-020
Finish ● Black (RAL 9005)

Materials
Structure: Painted iron

Product type: Accessory
Weight: Net 1,8 kg – Gross 2,2 kg
Package: 85 x 20 x 9 cm - 2,2 kg – VOL - 0,015 m³
Product notes: Accessory to combine 3 Djembé 65 models for a single junction box.







Elipse P48

Code
A707-001-47
A707-001-38


Finish
● Brown (RAL 8019)
● Graphite Grey (RAL 7024)

Materials
Body: Aluminium
Base: Aluminium

Dimmable: Yes
Integrated dimmer: No
Dimmer Casambi IP65 (optional)

Product type: Floor
Light source: LED COB 230VAC 15W 2700K CRI90 1022lm
Luminaire: 230VAC TRIAC 15W 515lm
Weight: Net 3,3 kg – Gross 4,3 kg
Package: 27,5 x 26 x 21 cm – 2,3 kg Vol – 0,015 m³
Ø17,8 x 58 cm – 2 kg Vol – 0,017 m³

LED included



CE

ERL



IP65

Cable length: 2,5 m
Wire installation: Plug-in
Color cord: Black



Elipse P79


Code
A707-002-47
A707-002-38

Finish
● Brown (RAL 8019)
● Graphite Grey (RAL 7024)

Materials
Body: Aluminium
Base: Aluminium

Dimmable: Yes
Integrated dimmer: No
Dimmer Casambi IP65 (optional)

Product type: Floor
Light source: LED COB 230VAC 15W 2700K CRI90 1022lm
Luminaire: 230 VAC TRIAC 15W 281lm
Weight: Net 4,2 kg – Gross 6,1 kg
Package: 27,5 x 26 x 21 cm – 2,3 kg Vol – 0,015 m³
Ø17,8 x 88 cm – 3,8 kg Vol – 0,03 m³
LED included



CE
EAC
⊕
IP65

Cable length: 2,5 m
Wire installation: Plug-in
Color cord: Black



Elipse A


Code
A707-003-47
A707-003-38

Finish
● Brown (RAL 8019)
● Graphite Grey (RAL 7024)

Materials
Body: Aluminium

Dimmable: Yes
Integrated dimmer: No

Product type: Floor
Light source: LED COB 230VAC 10W(x2) 2700K CRI90 1426lm
Luminaire: 230 VAC TRIAC 20,56W 483lm
Weight: Net 2,4 kg – Gross 2,8 kg
Package: 21,5 x 23 x 52 cm – 2,8 kg Vol – 0,026 m³
LED included



CE
EAC
⊕
IP65

Wire installation: Hardwired
Color cord: Black
Canopy color: Black




Dimmer Casambi IP65

Code A712-001 Finish ● Black

Materials
Case: ABS
Trim: Aluminium

Product type: Accessory
85 - 240 VAC max. 50W
Weight: Net 2 kg – Gross 3 kg
Package: 20 x 12 x 8 cm - 3 kg – VOL - 0,002 m³
Product notes: Bluetooth smart wireless trailing edge dimmer that adjusts light intensity or switches the lamp ON/OFF. Available in Android or iOS with the app Casambi.



CE
EAC
UK
IP65



Few lamps have had as strong an impact as the FollowMe. A pioneer in portable lighting, this bold lantern has become a design icon in just a few short years.

Its simple and lightweight shapes, tiltable lampshade and technological rigor have cemented its position as a practical and beautiful trendsetter.



Discover more at marset.com




reddot award 2016
winner lighting design

FollowMe

Code	Finish
A657-080	● White
A657-082	● Green (RAL 120 40 20)
A657-083	● Pink (RAL 050 80 20)
A657-084	● Terracotta (RAL 040 50 30)
A657-085	● Blue (RAL 190 80 10)

Materials: Polycarbonate
 Diffuser: Opal Polycarbonate
 Body: Polycarbonate
 Handle: Plywood with natural oak varnish
 Integrated dimmer: Yes
 Dimmer Type: 3 positions dimmer

Product type: Table / Portable
 Light source: LED SMD 1A 3,5W 2700K CRI90 216lm
 Luminaire: in 5 Vdc 1,5A 135lm
 Weight: Net 0,7 kg – Gross 1,8 kg
 Package: 35 x 24 x 36 cm – 1,8 kg Vol – 0,03 m³ (1u)
 51 x 35 x 36 cm – 8 kg Vol – 0,064 m³ (6u)
 Product notes: Multiple order of 6 units. Power outlet not included.
 Charging cable included (USB to USB-C). Power adapter not included.
 LED included



Dimmer



Switch location: Body
 Charging time 10 h

Battery life time:
 5 hours in peak power
 10 hours in half power
 20 hours in a quarter power



FollowMe Plus


Code A657-081 Finish  White

Materials
 Diffuser: Opal Polycarbonate
 Body: Polycarbonate
 Diffuser: Opal Polycarbonate
 Handle: Plywood with natural oak veneer

Dimmer
 Integrated dimmer: Yes
 Dimmer Type: 3 positions dimmer

Product type: Table / Portable
 Light source: LED SMD 1A 3,5W 2700K CRI90 395lm
 Luminaire: in 5 Vdc 1,5A 290lm
 Weight: Net 1,15 kg – Gross 3,56 kg
 Package: Ø23 x 51 cm – 3,56 kg Vol – 0,02 m³ (1u)
 24 x 53 x 52 cm – 6 kg Vol – 0,07 m³ (6u)

Product notes: Multiple order of 2 units. Power outlet not included.
 Charging cable included (USB to USB-C). Power adapter not included.
 LED included



Dimmer



Switch location: Body
 Charging time 10 h

Battery life time:
 5 hours in peak power
 10 hours in half power
 20 hours in a quarter power



Spare parts

Code	Product	Spare part
A657-101	FollowMe / FollowMe Plus	Battery
R968-001-EU	FollowMe colors	Black power adapter
R968-002-USA	FollowMe colors	Black power adapter
R968-003-AU	FollowMe colors	Black power adapter
R968-004-UK	FollowMe colors	Black power adapter
R968-005-EU	FollowMe / FollowMe Plus	White power adapter
R968-006-USA	FollowMe / FollowMe Plus	White power adapter
R968-007-AU	FollowMe / FollowMe Plus	White power adapter
R968-008-UK	FollowMe / FollowMe Plus	White power adapter
R961-057	FollowMe colors	Usb type C cable black
R961-062	FollowMe / FollowMe Plus	Usb type C cable white



Funiculí, Lluís Porqueras

Funiculí is a new edition of a lamp designed in 1979. Lluís Porqueras has always sought an absolute simplicity in his designs, doing away with everything superfluous to leave the essence of the useful, simple object.

Using the same double-clip mechanism of the original, this scaled-down model allows easy height adjustment and 360° shade rotation to fit the needs of any room or user.




Discover more at marset.com

Funiculí

Code	Finish
A641-001	● Moss grey (RAL 7003)
A641-002	● Off-white (RAL 9001)
A641-003	● Black (RAL 9005)
A641-443	● Green (RAL 110 40 30) (NEW)
A641-444	● Terracotta (RAL 050 40 50) (NEW)
A641-445	● Mustard (RAL 075 60 70) (NEW)

Materials
Base: Iron wapped with black rubber
Stem: Iron
Shade: Aluminium

Product type: Floor
Light source: E27 LED Standard 8W
Weight: Net 3,1 kg – Gross 5 kg
Package: 38 x 54 x 12 cm – 4,2 kg Vol – 0,024 m³
5 x 5 x 143 cm – 0,8 kg Vol – 0,004 m³



Cable length: 2 m
Wire installation: Plug-In
Color cord: Black
Switch location: In-line



Funiculí Fabric

Code	Finish
A641-401	● Black / White
A641-402	● Black / Sand

Materials


Base: Iron wapped with black rubber
 Stem: Iron
 Shade: White or sand polyester shade, made of a PVC-PET laminated film

Product type: Floor

Light source: E27 LED Standard 8W

Weight: Net 5,2 kg – Gross 7,5 kg

Package: 52 x 42 x 13 cm – 6,3 kg Vol – 0,03 m³
 35 x 35 x 23 cm – 0,6 kg Vol – 0,03 m³
 120 x 4 x 4 cm – 0,6 kg Vol – 0,002 m³



CE

ERIC



Cable length: 2 m
 Wire installation: Plug-In
 Color cord: Black
 Switch location: In-line

Funiculí A

Code	Finish
A641-025	● Moss grey (RAL 7003)
A641-026	● Off-white (RAL 9001)
A641-027	● Black (RAL 9005)
A641-446	● Green (RAL 110 40 30) NEW
A641-447	● Terracotta (RAL 050 40 50) NEW
A641-448	● Mustard (RAL 075 60 70) NEW

Materials


Stem: Iron
 Shade: Aluminium

Product type: Wall

Light source: E14 LED 5W

Weight: Net 0,8 kg – Gross 1,5 kg

Package: 46 x 34 x 11 cm – 1,5 kg Vol – 0,017 m³



CE

ERIC




Cable length: 2 m
 Wire installation: Plug-In
 Color cord: Black
 Canopy color: Same color as chosen shade
 Switch location: In-line

Funiculí A Fabric

Code	Finish
A641-403	● Black / White
A641-404	● Black / Sand

Materials
 Stem: Iron
 Shade: White or sand polyester shade, made of a PVC-PET laminated film

Product type: Wall
 Light source: E14 LED 5W
 Weight: Net 0,7 kg – Gross 1,7 kg
 Package: 65 x 29 x 10 cm – 1,4 kg Vol – 0,02 m³
 26 x 26 x 18 cm – 0,3 kg Vol – 0,012 m³



CE

ERC




Cable length: 2 m
 Wire installation: Plug-In / Hardwired
 Color cord: Black
 Canopy color: Black
 Switch location: In-line

Funiculí S

Code	Finish
A641-020	● Moss grey (RAL 7003)
A641-021	● Off-white (RAL 9001)
A641-022	● Black (RAL 9005)
A641-449	● Green (RAL 110 40 30) (NEW)
A641-450	● Terracotta (RAL 050 40 50) (NEW)
A641-451	● Mustard (RAL 075 60 70) (NEW)

Materials
 Base: Iron wapped with black rubber
 Stem: Iron
 Shade: Aluminium

Product type: Table
 Light source: E14 LED 5W
 Weight: Net 1,8 kg – Gross 3 kg
 Package: 47 x 34 x 11 cm – 3 kg Vol – 0,017 m³



CE

ERC



Cable length: 2 m
 Wire installation: Plug-In
 Color cord: Black
 Switch location: In-line

Funiculí S Fabric

Code	Finish
A641-405	● Black / White
A641-406	● Black / Sand

Materials

Base: Iron wapped with black rubber

Stem: Iron


Shade: White or sand polyester shade, made of a PVC-PET laminated film

Product type: Wall

Light source: E14 LED 5W

Weight: Net 1,7 kg – Gross 2,7 kg

Package: 65 x 31 x 10 cm – 2,4 kg Vol – 0,02 m³
26 x 26 x 18 cm – 0,3 kg Vol – 0,012 m³



CE

ERC



Cable length: 2 m

Wire installation: Plug-In

Color cord: Black

Switch location: In-line





Wood is a great ally of cozy lighting. It is a material that is hard to mold, a challenge that the Ginger collection neatly resolves. The combination of sheets of wood, paper and resins pressed together under high pressure achieves a laminate that appears

almost entirely flat, which discreetly lights up spaces with indirect light. The Ginger collection has been expanded over time to provide solutions to different lighting needs



Discover more at marset.com


Ginger 20

Code	Finish
A662-180	● Oak-White
A662-181	● Wenge-White
A662-182	● Oak-Oak
A662-183	● Wenge-Wenge
A662-340	● Brushed brass-Brushed brass
A662-341	● Brushed brass-White
A662-342	● Black-White

Materials: Pressed wood or brushed aluminium
 Diffuser: Aluminium
 Dissipater: Aluminium

Dimmable: Yes
 Integrated dimmer: No
 Dimming protocols: Phase cut (Triac)

Product type: Pendant
 Light source: LED SMD 350mA 4,05W 2700K CRI90 463lm
 Luminaire: 220 - 240 VAC TRIAC 5,72W 161lm
 Weight: Net 0,6 kg – Gross 0,8 kg
 Package: 23 x 21 x 10 cm – 0,8 kg Vol – 0,01 m³



Dimmable

CE

ERC

UK

□

Cable length: 3 m
 Wire installation: Hardwired
 Color cord: Black
 Canopy color: Black




Ginger 20 - 24V

Code	Finish
A662-392	● Oak-White
A662-393	● Wenge-White
A662-394	● Oak-Oak
A662-395	● Wenge-Wenge
A662-344	● Brushed brass-Brushed brass
A662-345	● Brushed brass-White
A662-346	● Black-White

Materials
 Diffuser: Pressed wood or brushed aluminium
 Dissipater: Aluminium

Dimmable: Yes
 Integrated dimmer: No
 Dimming protocols: It depends on the purchased power supply.
 Phase cut (Triac)
 DALI

Product type: Pendant
 Light source: LED SMD 24Vdc 5W 2700K CRI90 495lm
 Luminaire: (Power supply not included) 161lm
 Weight: Net 0,3 kg – Gross 0,5 kg
 Package: 23 x 21 x 10 cm – 0,5 kg Vol – 0,01 m³
 Product notes: Use with Cluster. 1 pc. hook accessory included
 LED included



Dimmable



Cable length: 4 m
 Wire installation: Hardwired
 Color cord: Black




Ginger 20x3

Code	Finish
A662-184	● Oak-White
A662-185	● Wenge-White
A662-186	● Oak-Oak
A662-187	● Wenge-Wenge
A662-348	● Brushed brass-Brushed brass
A662-349	● Brushed brass-White
A662-350	● Black-White

Materials
 Diffuser: Pressed wood or brushed aluminium
 Dissipater: Aluminium

Dimmable: Yes
 Integrated dimmer: No
 Dimming protocols: Phase cut (Triac)

Product type: Pendant
 Light source: LED SMD 350mA 4,1W(x3) 2700K CRI90 463lm(x3)
 Luminaire: 220 - 240 VAC TRIAC 15,13W 161lm(x3)
 Weight: Net 1,5 kg – Gross 2 kg
 Package: 42 x 42 x 7 cm – 2 kg Vol – 0,01 m³
 LED included



Dimmable



Cable length: 3 m
 Wire installation: Hardwired
 Color cord: Black
 Canopy color: Black - Entry point: 3




Ginger accessory 20x3

Code A662-188
 Finish ● Black

Materials
 Disc: Iron

Product type: Accessory
 Weight: Net 0,75 kg – Gross 0,8 kg
 Package: 41 x 41 x 1 cm - 0,8 kg – VOL - 0,001 m³




Ginger 32

Code	Finish	Dimming	Class
A662-019	● Oak-White	Triac	II
A662-020	● Wenge-White	Triac	II
A662-021	● Oak-White	DALI	I
A662-022	● Wenge-White	DALI	I
A662-023	● Oak-White	1-10V	I
A662-024	● Wenge-White	1-10V	I
A662-352	● Brushed brass-Brushed brass	Triac	II
A662-353	● Brushed brass-White	Triac	II
A662-354	● Black-White	Triac	II
A662-356	● Brushed brass-Brushed brass	DALI	I
A662-357	● Brushed brass-White	DALI	I
A662-358	● Black-White	DALI	I

Materials
 Diffuser: Pressed wood or brushed aluminium
 Dissipater: Aluminium

Dimmable: Yes
 Integrated dimmer: No
 Dimming protocols: Phase cut (Triac)
 DALI
 1-10V

Product type: Pendant
 Light source: LED SMD 700mA 8,2W 2700K CRI90 913lm
 Luminaire: 220 - 240 VAC TRIAC 10,87W 350lm
 220 - 240 VAC DALI 11,59W 350lm
 220 - 240 VAC 1-10V 10,36W 350lm
 Weight: Net 1,4 kg – Gross 2,5 kg
 Package: 48 x 48 x 17 cm – 2,5 kg Vol – 0,04 m³
 LED included



Dimmable

CE

ERC

UK
CA

* 6,5cm (DALI)

Cable length: 2 m
 Wire installation: Hardwired
 Color cord: Black
 Canopy color: Black


Ginger 42

Code	Finish	Dimming	Class
A662-025	● Oak-White	Triac	II
A662-026	● Wenge-White	Triac	II
A662-027	● Oak-White	DALI	I
A662-028	● Wenge-White	DALI	I
A662-029	● Oak-White	1-10V	I
A662-030	● Wenge-White	1-10V	I
A662-360	● Brushed brass-Brushed brass	Triac	II
A662-361	● Brushed brass-White	Triac	II
A662-362	● Black-White	Triac	II
A662-364	● Brushed brass-Brushed brass	DALI	I
A662-365	● Brushed brass-White	DALI	I
A662-366	● Black-White	DALI	I

Materials
 Diffuser: Pressed wood or brushed aluminium
 Dissipater: Aluminium

Dimmable: Yes
 Integrated dimmer: No
 Dimming protocols: Phase cut (Triac)
 DALI
 1-10V

Product type: Pendant
 Light source: LED SMD 700mA 16,28W 2700K CRI90 1873lm
 Luminaire: 180 - 295 VAC TRIAC 19,71W 698lm
 220 - 240 VAC DALI 20,32W 698lm
 220 - 240 VAC 1-10V 20,85W 698lm
 Weight: Net 2 kg – Gross 3,5 kg
 Package: 57 x 53 x 17 cm – 3,5 kg Vol – 0,051 m³
 LED included



Dimmable

CE

ERAC

UK
CA



* 6.5cm (DALI)

Cable length: 2 m
 Wire installation: Hardwired
 Color cord: Black
 Canopy color: Black

Ginger 60

Code	Finish	Dimming	Class
A662-056	● Oak-White	Triac	II
A662-057	● Wenge-White	Triac	II
A662-058	● Oak-White	DALI	I
A662-059	● Wenge-White	DALI	I
A662-060	● Oak-White	1-10V	I
A662-061	● Wenge-White	1-10V	I
A662-368	● Brushed brass-Brushed brass	Triac	II
A662-369	● Brushed brass-White	Triac	II
A662-370	● Black-White	Triac	II
A662-372	● Brushed brass-Brushed brass	DALI	I
A662-373	● Brushed brass-White	DALI	I
A662-374	● Black-White	DALI	I

Materials
 Diffuser: Pressed wood or brushed aluminium
 Dissipater: Aluminium

Dimmable: Yes
 Integrated dimmer: No
 Dimming protocols: Phase cut (Triac)
 DALI
 1-10V

Product type: Pendant

Light source: LED SMD 700mA 22,4W 2700K CRI90 2933lm

Luminaire: 180 - 295 VAC TRIAC 26,09W 1165lm


220 - 240 VAC DALI 26,37W 1165lm

220 - 240 VAC 1-10V 27,15W 1165lm

Weight: Net 3,5 kg – Gross 6,2 kg

Package: 67 x 67 x 24 cm – 6,2 kg Vol – 0,1 m³

LED included



Dimmable

CE

ERC

UK
CA



* 6,5cm (DALI)

Cable length: 2 m

Wire installation: Hardwired

Color cord: Black

Canopy color: Black



Ginger 20 M

Code	Finish
A662-560	● Oak-White
A662-561	● Wenge-White
A662-562	● Brushed brass-Brushed brass
A662-563	● Brushed brass-White

Materials
Diffuser and base: Pressed wood or brushed aluminium
Dissipater: Aluminium
Stem: Aluminium

Integrated dimmer: Yes
Dimmer Type: 3 positions dimmer

Product type: Table / Portable
Light source: LED SMD 1A 3,5W 2700K CRI90 395lm
Luminaire: in 5 Vdc 1,5A 290lm
Weight: Net 0,8 kg – Gross 1 kg
Package: 40 x 21 x 17 cm – 1 kg Vol – 0,01 m³ (1u)
39 x 22 x 41 cm – 2,4 kg Vol – 0,04 m³ (2u)
Product notes: Multiple order of 2 units
Charging cable included (USB to USB-C). Power adapter not included.



Switch location: Base
Charging time 10 h

Battery life time:
5 hours in peak power
10 hours in half power
20 hours in a quarter power




Ginger S

Code	Finish
A662-031	● Oak-White
A662-032	● Wenge-White

Materials
Diffuser and base: Pressed wood
Dissipater: Aluminium
Stem: Aluminium

Integrated dimmer: Yes
Dimmer Type: Progressive from 0 to 100

Product type: Table
Light source: LED SMD 700mA 8,2W 2700K CRI90 913lm
Luminaire: 85 - 264 VAC 10,56W 350lm
Weight: Net 2,6 kg – Gross 4,5 kg
Package: 58 x 53 x 17 cm – 4,5 kg Vol – 0,05 m³
LED included



Cable length: 2 m
Wire installation: Plug-in
Color cord: Black
Switch location: In-line



Ginger XL 42

Code A662-070
A662-071


Finish
● Oak-White
● Wenge-White

Materials
Diffuser: Pressed wood
Dissipater: Aluminium
Stem: Metal
Arm: Carbon fiber

Integrated dimmer: Yes
Dimmer Type: Foot-operated progressive in-line dimmer

Product type: Floor
Light source: LED SMD 700mA 16,28W 2700K CRI90 1873lm
Luminaire: 85 - 264 VAC 17W 698lm
Weight: Net 23,8 kg – Gross 27,8 kg
Package: 57 x 53 x 17 cm – 2,8 kg Vol – 0,051 m³
191 x 20 x 11 cm – 10 kg Vol – 0,04 m³
63 x 63 x 4 cm – 15 kg Vol – 0,02 m³

LED included



Dimmer

CE

ERC



Cable length: 2,5 m
Wire installation: Plug-in
Color cord: Black
Switch location: In-line

Ginger XXL 60


Code A662-072
A662-073

Finish
● Oak-White
● Wenge-White

Materials
Diffuser: Pressed wood
Dissipater: Aluminium
Stem: Metal
Arm: Carbon fiber

Integrated dimmer: Yes
Dimmer Type: Foot-operated progressive in-line dimmer

Product type: Floor
Light source: LED SMD 700mA 22,4W 2700K CRI90 2933lm
Luminaire: 220 - 240 VAC 25,45W 1165lm
Weight: Net 31,5 kg – Gross 38,5 kg
Package: 67 x 67 x 24 cm – 5,5 kg Vol – 0,1 m³
215 x 22 x 11 cm – 12 kg Vol – 0,05 m³
72 x 72 x 4 cm – 21 kg Vol – 0,02 m³



Dimmer

CE



ERC



Cable length: 2,5 m
Wire installation: Plug-in
Color cord: Black
Switch location: In-line

Ginger 20 A

Code Finish Dimmer


Plug-in
 A662-142  Oak-White Yes
 A662-143  Wenge-White Yes

Hardwired
 A662-144  Oak-White -
 A662-145  Wenge-White -

Materials Integrated dimmer: Yes
 Diffuser: Pressed wood Dimmer Type: Progressive in-line dimmer
 Dissipater: Aluminium from 0 to 100.
 Structure: Metal

Product type: Wall
 Light source: LED SMD 350mA 4,05W 2700K CRI90 463lm
 Luminaire: 85 - 264 VAC 5,7W 161lm
 Weight: Net 0,6 kg – Gross 1,5 kg
 Package: 46 x 28 x 24 cm – 1,5 kg Vol – 0,03 m³
 Product notes: Plug in: Progressive dimmer from 0 to 100.
 Hardwired: Canopy with switch on/off.



LED included





Color cord: Black
 Wire installation: Plug-in / Hardwired



Ginger A


Code Finish Dimmer
 Plug-in
 A662-074  Oak-White Progressive
 A662-075  Wenge-White Progressive

Hardwired (Canopy)
 A662-081  Oak-White Triac / on-off
 A662-082  Wenge-White Triac / on-off

RSC (Recessed canopy)
 A662-130  Oak-White Triac
 A662-131  Wenge-White Triac

Materials Integrated dimmer: Yes
 Diffuser: Pressed wood Dimmer Type: Progressive dimmer from
 Dissipater: Aluminium 0 to 100
 Structure: Metal Dimming protocols: Phase cut (Triac)

Product type: Wall
 Light source: LED SMD 700mA 8,2W 2700K CRI90 913lm
 Luminaire: 220 - 240 VAC TRIAC 9,89W 350lm
 Weight: Net 1,5 kg – Gross 3 kg
 Package: 57 x 53 x 17 cm – 3 kg Vol – 0,051 m³
 LED included



Color cord: Black
 Wire installation: Plug-in / Hardwired





Ginger A XL 42


Code	Finish	Dimmer
Plug-in		
A662-076	● Oak-White	Progressive
A662-077	● Wenge-White	Progressive
Hardwired		
A662-079	● Oak-White	Triac
A662-080	● Wenge-White	Triac
RSC (Recessed canopy)		
A662-132	● Oak-White	Triac
A662-133	● Wenge-White	Triac

Materials
 Diffuser: Pressed wood
 Dissipater: Aluminium
 Structure: Metal
 Arm: Carbon fiber

Integrated dimmer: Yes
 Dimmer Type: Foot-operated progressive in-line dimmer
 Dimming protocols: Phase cut (Triac)

Product type: Wall
 Light source: LED SMD 700mA 16,28W 2700K CRI90 1873lm
 Luminaire: 85 - 264 VAC 11W 698lm
 Weight: Net 3,4 kg – Gross 5,7 kg
 Package: 60 x 60 x 22 cm – 5 kg Vol – 0,079 m³
 138 x 5 x 5 cm – 0,7 kg Vol – 0,003 m³

LED included



Dimmer / Dimmable



Color cord: Black
 Wire installation: Plug-in / Hardwired




Ginger 20C

Code	Finish	
A662-376	● Oak-White	
A662-377	● Wenge-White	
A662-378	● Oak-Oak	
A662-379	● Wenge-Wenge	
A662-380	● Brushed brass-Brushed brass	
A662-381	● Black-White	
A662-569-36-27K	● Mauve (RAL 010 70 10)	NEW
A662-569-37-27K	● Sand (RAL 050 85 10)	NEW
A662-569-38-27K	● Stone Grey (RAL 000 65 00)	NEW

Materials
 Diffuser: Pressed wood or brushed aluminium
 Dissipater: Aluminium
 Canopy: Metal

Dimmable: Yes
 Integrated dimmer: No
 Dimming protocols: Phase cut (Triac)

Product type: Wall / Ceiling
 Light source: LED SMD 350mA 4,05W 2700K CRI90 463lm
 Luminaire: 220 - 240 VAC TRIAC 5,72W 161lm
 Weight: Net 0,4 kg – Gross 0,7 kg
 Package: 24 x 21 x 10 cm – 0,7 kg Vol – 0,01 m³
 LED included



Dimmable



Canopy color: Black
 Wire installation: Hardwired




Ginger 32C

Code	Finish
A662-146	● Oak-White
A662-147	● Wenge-White
A662-148	● Oak-Oak
A662-149	● Wenge-Wenge
A662-382	● Brushed brass-Brushed brass
A662-383	● Black-White
A662-570-36-27K	● Mauve (RAL 010 70 10) NEW
A662-570-37-27K	● Sand (RAL 050 85 10) NEW
A662-570-38-27K	● Stone Grey (RAL 000 65 00) NEW


Materials
 Diffuser: Pressed wood or brushed aluminium
 Dissipater: Aluminium
 Canopy: Metal

Dimmable: Yes
 Integrated dimmer: No
 Dimming protocols: Phase cut (Triac)

Product type: Wall / Ceiling
 Light source: LED SMD 700mA 8,2W 2700K CRI90 913lm
 Luminaire: 220 - 240 VAC TRIAC 9W 350lm
 Weight: Net 1 kg – Gross 2 kg
 Package: 43 x 48 x 17 cm – 2 kg Vol – 0,04 m³
 LED included



Canopy color: Black
 Wire installation: Hardwired




Ginger 42C

Code	Finish
A662-150	● Oak-White
A662-151	● Wenge-White
A662-152	● Oak-Oak
A662-153	● Wenge-Wenge
A662-384	● Brushed brass-Brushed brass
A662-385	● Black-White
A662-571-36-27K	● Mauve (RAL 010 70 10) NEW
A662-571-37-27K	● Sand (RAL 050 85 10) NEW
A662-571-38-27K	● Stone Grey (RAL 000 65 00) NEW


Materials
 Diffuser: Pressed wood or brushed aluminium
 Dissipater: Aluminium
 Canopy: Metal

Dimmable: Yes
 Integrated dimmer: No
 Dimming protocols: Phase cut (Triac)

Product type: Wall / Ceiling
 Light source: LED SMD 700mA 16,28W 2700K CRI90 1873lm
 Luminaire: 180 - 295 VAC TRIAC 19,71W 698lm
 Weight: Net 1,9 kg – Gross 3,5 kg
 Package: 57 x 53 x 17 cm – 3,5 kg Vol – 0,051 m³
 LED included



Canopy color: Black
 Wire installation: Hardwired




Ginger 60C

Code	Finish
A662-154	● Oak-White
A662-155	● Wenge-White
A662-156	● Oak-Oak
A662-157	● Wenge-Wenge
A662-386	● Brushed brass-Brushed brass
A662-387	● Black-White
A662-572-36-27K	● Mauve (RAL 010 70 10) NEW
A662-572-37-27K	● Sand (RAL 050 85 10) NEW
A662-572-38-27K	● Stone Grey (RAL 000 65 00) NEW

Materials
 Diffuser: Pressed wood or brushed aluminium
 Dissipater: Aluminium
 Canopy: Metal

Dimmable: Yes
 Integrated dimmer: No
 Dimming protocols: Phase cut (Triac)

Product type: Wall / Ceiling
 Light source: LED SMD 700mA 22,4W 2700K CRI90 2933lm
 Luminaire: 180 - 295 VAC TRIAC 26,09W 1165lm
 Weight: Net 3,3 kg – Gross 6,3 kg
 Package: 67 x 67 x 24 cm – 6,3 kg Vol – 0,1 m³
 LED included



Canopy color: Black
 Wire installation: Hardwired

Accessory C2 20/32

Code	Finish
Structure	
A662-421	● Black
Shades 20	
A662-426	● Oak-White
A662-427	● Wenge-White
A662-428	● Oak-Oak
A662-429	● Wenge-Wenge
A662-430	● Brushed brass-Brushed brass
A662-431	● Black-White
A662-573-36-27K	● Mauve (RAL 010 70 10) NEW
A662-573-37-27K	● Sand (RAL 050 85 10) NEW
A662-573-38-27K	● Stone Grey (RAL 000 65 00) NEW

Shades 32	
A662-432	● Oak-White
A662-433	● Wenge-White
A662-434	● Oak-Oak
A662-435	● Wenge-Wenge
A662-436	● Brushed brass-Brushed brass
A662-437	● Black-White
A662-574-36-27K	● Mauve (RAL 010 70 10) NEW
A662-574-37-27K	● Sand (RAL 050 85 10) NEW
A662-574-38-27K	● Stone Grey (RAL 000 65 00) NEW




Materials
 Canopy: Metal

Dimmable: Yes
 Integrated dimmer: No
 Dimming protocols: Phase cut (Triac)

Product type: Wall / Ceiling
 Light source: LED SMD 700mA 12,25W 2700K CRI90 1376lm
 Luminaire: 180 - 295 VAC TRIAC 15,3W 511lm
 Weight: Net 4,5 kg – Gross 6 kg
 Package: 23 x 21 x 10 cm – 1 kg Vol – 0,01 m³
 57 x 53 x 17 cm – 3 kg Vol – 0,051 m³
 62 x 20 x 9 cm – 2 kg Vol – 0,01 m³

Product notes: Accessory to combine Ginger models 20 C and 32 C for a single junction box.
 LED included

marset



Canopy color: Black
 Wire installation: Hardwired

Ginger


Accessory C2 32/42

Code	Finish
Structure	● Black
A662-422	
Shades 32	
A662-432	● Oak-White
A662-433	● Wenge-White
A662-434	● Oak-Oak
A662-435	● Wenge-Wenge
A662-436	● Brushed brass-Brushed brass
A662-437	● Black-White
A662-574-36-27K	● Mauve (RAL 010 70 10) NEW
A662-574-37-27K	● Sand (RAL 050 85 10) NEW
A662-574-38-27K	● Stone Grey (RAL 000 65 00) NEW

Shades 42	
A662-438	● Oak-White
A662-439	● Wenge-White
A662-440	● Oak-Oak
A662-441	● Wenge-Wenge
A662-442	● Brushed brass-Brushed brass
A662-443	● Black-White
A662-575-36-27K	● Mauve (RAL 010 70 10) NEW
A662-575-37-27K	● Sand (RAL 050 85 10) NEW
A662-575-38-27K	● Stone Grey (RAL 000 65 00) NEW

Materials
Canopy: Metal

Dimmable: Yes
Integrated dimmer: No
Dimming protocols: Phase cut (Triac)



Dimmable



Product type: Wall / Ceiling
Light source: LED SMD 700mA 24,5W 2700K CRI90 2786lm
Luminaire: 180 - 295 VAC TRIAC 29W 1048lm
Weight: Net 7,8 kg – Gross 9 kg
Package: 57 x 53 x 17 cm – 3 kg Vol – 0,051 m³
57 x 53 x 17 cm – 3,5 kg Vol – 0,051 m³
62 x 20 x 9 cm – 2,5 kg Vol – 0,01 m³

Product notes: Accessory to combine Ginger models 32 C and 42 C for a single junction box.

Canopy color: Black
Wire installation: Hardwired


Accessory C2 42/60

Code	Finish
Structure	● Black
A662-423	
Shades 42	
A662-438	● Oak-White
A662-439	● Wenge-White
A662-440	● Oak-Oak
A662-441	● Wenge-Wenge
A662-442	● Brushed brass-Brushed brass
A662-443	● Black-White
A662-575-36-27K	● Mauve (RAL 010 70 10) NEW
A662-575-37-27K	● Sand (RAL 050 85 10) NEW
A662-575-38-27K	● Stone Grey (RAL 000 65 00) NEW

Shades 60	
A662-154	● Oak-White
A662-155	● Wenge-White
A662-156	● Oak-Oak
A662-157	● Wenge-Wenge
A662-386	● Brushed brass-Brushed brass
A662-387	● Black-White
A662-572-36-27K	● Mauve (RAL 010 70 10) NEW
A662-572-37-27K	● Sand (RAL 050 85 10) NEW
A662-572-38-27K	● Stone Grey (RAL 000 65 00) NEW

Materials
Canopy: Metal

Dimmable: Yes
Integrated dimmer: No
Dimming protocols: Phase cut (Triac)



Dimmable



Product type: Wall / Ceiling
Light source: LED SMD 700mA 38,7W 2700K CRI90 4806lm
Luminaire: 180 - 295 VAC TRIAC 45,5W 1863lm
Weight: Net 9,1 kg – Gross 10,5 kg
Package: 67 x 67 x 22 cm – 5 kg Vol – 0,098 m³
57 x 53 x 17 cm – 3,5 kg Vol – 0,051 m³
64 x 14 x 11 cm – 2 kg Vol – 0,051 m³

Product notes: Accessory to combine Ginger models 42 C and 60 C for a single junction box.

Canopy color: Black
Wire installation: Hardwired

Accessory C3 20/32/42

Code	Finish
Structure A662-424	● Black
Shades 20	
A662-426	● Oak-White
A662-427	● Wenge-White
A662-428	● Oak-Oak
A662-429	● Wenge-Wenge
A662-430	● Brushed brass-Brushed brass
A662-431	● Black-White
A662-573-36-27K	● Mauve (RAL 010 70 10) NEW
A662-573-37-27K	● Sand (RAL 050 85 10) NEW
A662-573-38-27K	● Stone Grey (RAL 000 65 00) NEW


Shades 32	
A662-432	● Oak-White
A662-433	● Wenge-White
A662-434	● Oak-Oak
A662-435	● Wenge-Wenge
A662-436	● Brushed brass-Brushed brass
A662-437	● Black-White
A662-574-36-27K	● Mauve (RAL 010 70 10) NEW
A662-574-37-27K	● Sand (RAL 050 85 10) NEW
A662-574-38-27K	● Stone Grey (RAL 000 65 00) NEW

Shades 42	
A662-438	● Oak-White
A662-439	● Wenge-White
A662-440	● Oak-Oak
A662-441	● Wenge-Wenge
A662-442	● Brushed brass-Brushed brass
A662-443	● Black-White
A662-575-36-27K	● Mauve (RAL 010 70 10) NEW
A662-575-37-27K	● Sand (RAL 050 85 10) NEW
A662-575-38-27K	● Stone Grey (RAL 000 65 00) NEW


Materials	Dimmable: Yes
Canopy: Metal	Integrated dimmer: No
	Dimming protocols: Phase cut (Triac)

Product type: Wall / Ceiling
 Light source: LED SMD 700mA 28,5W 2700K CRI90 3243lm
 Luminaire: 180 - 295 VAC TRIAC 33,5W 1209lm
 Weight: Net 7,8 kg – Gross 10 kg
 Package: 23 x 21 x 10 cm – 1 kg Vol – 0,01 m³
 57 x 53 x 17 cm – 3,5 kg Vol – 0,051 m³
 57 x 53 x 17 cm – 3 kg Vol – 0,051 m³
 53 x 53 x 12 cm – 2,5 kg Vol – 0,03 m³
 Product notes: Accessory to combine Ginger models 20 C, 32 C, and 42 C for a single junction box.

Canopy color: Black
 Wire installation: Hardwired



Dimmable



Accessory C3 32/42/60

Code	Finish
Structure	
A662-425	● Black
Shades 32	
A662-432	● Oak-White
A662-433	● Wenge-White
A662-434	● Oak-Oak
A662-435	● Wenge-Wenge
A662-436	● Brushed brass-Brushed brass
A662-437	● Black-White
A662-574-36-27K	● Mauve (RAL 010 70 10) NEW
A662-574-37-27K	● Sand (RAL 050 85 10) NEW
A662-574-38-27K	● Stone Grey (RAL 000 65 00) NEW

Shades 42	
A662-438	● Oak-White
A662-439	● Wenge-White
A662-440	● Oak-Oak
A662-441	● Wenge-Wenge
A662-442	● Brushed brass-Brushed brass
A662-443	● Black-White
A662-575-36-27K	● Mauve (RAL 010 70 10) NEW
A662-575-37-27K	● Sand (RAL 050 85 10) NEW
A662-575-38-27K	● Stone Grey (RAL 000 65 00) NEW

Shades 60	
A662-154	● Oak-White
A662-155	● Wenge-White
A662-156	● Oak-Oak
A662-157	● Wenge-Wenge
A662-386	● Brushed brass-Brushed brass
A662-387	● Black-White
A662-572-36-27K	● Mauve (RAL 010 70 10) NEW
A662-572-37-27K	● Sand (RAL 050 85 10) NEW
A662-572-38-27K	● Stone Grey (RAL 000 65 00) NEW

Materials	Dimmable: Yes
Canopy: Metal	Integrated dimmer: No
	Dimming protocols: Phase cut (Triac)

Product type: Wall / Ceiling

Light source: LED SMD 700mA 47W 2700K CRI90 5719lm

Luminaire: 180 - 295 VAC TRIAC 55,2W 2213lm

Weight: Net 11,8 kg – Gross 13,5 kg

Package: 57 x 53 x 17 cm – 3 kg Vol – 0,051 m³

57 x 53 x 17 cm – 3,5 kg Vol – 0,051 m³


67 x 67 x 22 cm – 5 kg Vol – 0,098 m³

63 x 62 x 7 cm – 3 kg Vol – 0,027 m³

Product notes: Accessory to combine Ginger models 32 C, 42 C, and 60 C for a single junction box.

Canopy color: Black

Wire installation: Hardwired



Dimmable



Spare parts

Code	Product	Finish	Spare part
R662-013	Ginger 20	Oak-White	Shade
R662-014	Ginger 20	Wenge-White	Shade
R662-015	Ginger 20	Oak	Shade
R662-016	Ginger 20	Wenge	Shade
R662-017	Ginger 20	Brushed brass	Shade
R662-018	Ginger 20	Brushed brass-White	Shade
R662-019	Ginger 20	Black-White	Shade
R662-211-36	Ginger 20	Mauve	Shade
R662-211-37	Ginger 20	Sand	Shade
R662-211-38	Ginger 20	Stone Grey	Shade
R662-039	Ginger 32	Oak-White	Shade
R662-040	Ginger 32	Wenge-White	Shade
R662-038	Ginger 32	Oak	Shade
R662-041	Ginger 32	Wenge	Shade
R662-042	Ginger 32	Brushed brass	Shade
R662-043	Ginger 32	Brushed brass-White	Shade
R662-044	Ginger 32	Black-White	Shade
R662-212-36	Ginger 32	Mauve	Shade
R662-212-37	Ginger 32	Sand	Shade
R662-212-38	Ginger 32	Stone Grey	Shade
R662-032	Ginger 42	Oak-White	Shade
R662-024	Ginger 42	Wenge-White	Shade
R662-046	Ginger 42	Oak	Shade
R662-047	Ginger 42	Wenge	Shade
R662-048	Ginger 42	Brushed brass	Shade
R662-049	Ginger 42	Brushed brass-White	Shade
R662-050	Ginger 42	Black-White	Shade
R662-213-36	Ginger 42	Mauve	Shade
R662-213-37	Ginger 42	Sand	Shade
R662-213-38	Ginger 42	Stone Grey	Shade
R662-052	Ginger 60	Oak-White	Shade
R662-025	Ginger 60	Wenge-White	Shade
R662-053	Ginger 60	Oak	Shade
R662-054	Ginger 60	Wenge	Shade
R662-055	Ginger 60	Brushed brass	Shade
R662-056	Ginger 60	Brushed brass-White	Shade
R662-037	Ginger 60	Black-White	Shade
R662-214-36	Ginger 60	Mauve	Shade
R662-214-37	Ginger 60	Sand	Shade
R662-214-38	Ginger 60	Stone Grey	Shade
A662-400	Ginger 20 M		Battery
R968-001-EU	Ginger 20M		Black power adapter
R968-002-USA	Ginger 20M		Black power adapter
R968-003-AU	Ginger 20M		Black power adapter
R968-004-UK	Ginger 20M		Black power adapter
R961-057	Ginger 20M		Usb type C cable black



The Ginger collection is moving outdoors, with wall sconces that can be installed individually or in a cluster, a new 15 cm sconce –perfect for passageways and small outdoor areas–, a lamppost and small floor lamps.

The Ginger outdoor also introduces a unique rust finish, with a deep, warm glow, alongside the standard black-white metal finish of the indoor version.



Ginger 15C IP65


Code A662-549-31
A662-549-39

Finish
● Rust Brown
● Black-White (RAL 9005-9010)

Materials
Diffuser: Aluminium
Dissipater: Aluminium
Structure: Stainless steel

Dimmable: Yes
Integrated dimmer: No
Dimming protocols: It depends on the purchased power supply.
Phase cut (Triac)

Product type: Wall / Ceiling
Light source: LED SMD 24Vdc 5W 2700K CRI90 495lm
Luminaire: (Power supply not included) 67lm - Black-White
(Power supply not included) 27lm - Rust brown
Weight: Net 0,4 kg – Gross 0,5 kg
Package: 24 x 21 x 10 cm – 0,5 kg Vol – 0,01 m³
Product notes: 24V remote power supply to be ordered separately.
LED included



Dimmable




CE

IP65

ERC

UK
CA



Power supplies on page 108

Canopy color: Black
Wire installation: Hardwired

Ginger 20C IP65


Code
A662-550-31
A662-550-39

Finish
● Rust Brown
▲ Black-White (RAL 9005-9010)

Materials
Diffuser: Aluminium
Dissipater: Aluminium


Dimmable: Yes
Integrated dimmer: No
Dimming protocols: It depends on the purchased power supply.
Phase cut (Triac)

Product type: Wall / Ceiling
Light source: LED SMD 24Vdc 5W 2700K CRI90 495lm
Luminaire: (Power supply not included) 161lm - Black-White
(Power supply not included) 29lm - Rust brown
Weight: Net 0,5 kg – Gross 0,7 kg
Package: 24 x 21 x 10 cm – 0,7 kg Vol – 0,01 m³
Product notes: 24V remote power supply to be ordered separately.
LED included



Power supplies on page 108

Canopy color: Black



Ginger 32C IP65


Code
A662-551-31
A662-551-39

Finish
● Rust Brown
▲ Black-White (RAL 9005-9010)


Materials
Diffuser: Aluminium
Dissipater: Aluminium

Dimmable: Yes
Integrated dimmer: No
Dimming protocols: Phase cut (Triac)

Product type: Wall / Ceiling
Light source: LED SMD 700mA 8,2W 2700K CRI90 913lm
Luminaire: 220 - 240 VAC TRIAC 9W 350lm - Black-White
220 - 240 VAC TRIAC 9W 81lm - Rust Brown
Weight: Net 0,9 kg – Gross 2 kg
Package: 43 x 48 x 17 cm – 2 kg Vol – 0,04 m³
Product notes: DALI and Casambi upon request
LED included



Canopy color: Black



Ginger 42C IP65


Code
A662-552-31
A662-552-39

Finish
● Rust Brown
▲ Black-White (RAL 9005-9010)

Materials
Diffuser: Aluminium
Dissipater: Aluminium

Dimmable: Yes
Integrated dimmer: No
Dimming protocols: Phase cut (Triac)

Product type: Wall / Ceiling
Light source: LED SMD 700mA 16,28W 2700K CRI90 1873lm
Luminaire: 180 - 295 VAC TRIAC 19,71W 698lm - Black-White
180 - 295 VAC TRIAC 19,71W 186lm - Rust brown
Weight: Net 1,8 kg – Gross 3,5 kg
Package: 57 x 53 x 17 cm – 3,5 kg Vol – 0,051 m³
Product notes: DALI and Casambi upon request
LED included



Dimmable

CE


ERC

UK
CA



IP65

Canopy color: Black



Ginger 60C IP65


Code
A662-553-31
A662-553-39

Finish
● Rust Brown
▲ Black-White (RAL 9005-9010)

Materials
Diffuser: Aluminium
Dissipater: Aluminium

Dimmable: Yes
Integrated dimmer: No
Dimming protocols: Phase cut (Triac)

Product type: Wall / Ceiling
Light source: LED SMD 700mA 22,4W 2700K CRI90 2933lm
Luminaire: 180 - 295 VAC TRIAC 26,09W 1165lm - Black-White
180 - 295 VAC TRIAC 26,09W 245lm - Rust brown
Weight: Net 3,6 kg – Gross 6,3 kg
Package: 67 x 67 x 24 cm – 6,3 kg Vol – 0,1 m³
Product notes: DALI and Casambi upon request
LED included



Dimmable

CE


ERC

UK
CA



IP65

Canopy color: Black



Ginger B 20/44


Code
A662-554-31
A662-554-39

Finish
● Rust Brown-White
● Black-White (RAL 9005-9010)

Materials
Diffuser: Aluminium
Structure: Aluminium

Dimmable: Yes
Integrated dimmer: No
Dimming protocols: It depends on the purchased power supply.
Phase cut (Triac)
DALI

Product type: Bollard
Light source: LED SMD 24Vdc 5W 2700K CRI90 495lm
Luminaire: (Power supply not included) 161lm
Weight: Net 0,8 kg – Gross 1,3 kg
Package: 25 x 23 x 12 cm – 0,7 kg Vol – 0,007 m³
15 x 13 x 48 cm – 0,6 kg Vol – 0,009 m³
Product notes: 24V remote power supply to be ordered separately.
LED included



Dimmable



CE

IP65

ERC

UK
CA

Cable length: 2,6 m
Canopy color: Black



Ginger B 20/63


Code
A662-543-31
A662-543-39

Finish
● Rust Brown-White
● Black-White (RAL 9005-9010)

Materials
Diffuser: Aluminium
Structure: Aluminium

Dimmable: Yes
Integrated dimmer: No
Dimming protocols: It depends on the purchased power supply.
Phase cut (Triac)
DALI

Product type: Bollard
Light source: LED SMD 24Vdc 5W 2700K CRI90 495lm
Luminaire: (Power supply not included) 161lm
Weight: Net 0,9 kg – Gross 1,4 kg
Package: 25 x 23 x 12 cm – 0,7 kg Vol – 0,007 m³
15 x 13 x 66,5 cm – 0,7 kg Vol – 0,01 m³
Product notes: 24V remote power supply to be ordered separately.
LED included



Dimmable



CE

IP65

ERC

UK
CA

Cable length: 2,4 m
Canopy color: Black



Ginger B 20/86


Code
A662-544-31
A662-544-39

Finish
● Rust Brown-White
● Black-White (RAL 9005-9010)

Materials
Diffuser: Aluminium
Structure: Aluminium

Dimmable: Yes
Integrated dimmer: No
Dimming protocols: It depends on the purchased power supply.
Phase cut (Triac)
DALI

Product type: Bollard
Light source: LED SMD 24Vdc 5W 2700K CRI90 495lm
Luminaire: (Power supply not included) 161lm
Weight: Net 1 kg – Gross 1,6 kg
Package: 25 x 23 x 12 cm – 0,7 kg Vol – 0,007 m³
15 x 13 x 98,5 cm – 0,9 kg Vol – 0,02 m³
Product notes: 24V remote power supply to be ordered separately.
LED included



Dimmable



CE

IP65

ERC

UK
CA



Cable length: 2,1 m
Canopy color: Black


Post accessory

Code
A662-555

Finish
● Stainless steel

Materials
Structure: Stainless steel 316 L

Product type: Accessory
Weight: Net 0,3 kg – Gross 0,4 kg
Package: 14 x 14 x 28 cm - 0,4 kg – VOL - 0,006 m³




Ground fixation plate

Code A662-556
 Finish ● Stainless steel

Materials
 Structure: Stainless steel 316 L

Product type: Accessory
 Weight: Net 0,3 kg – Gross 0,4 kg
 Package: 15 x 15 x 13 cm - 0,4 kg – VOL - 0,003 m³



Ginger: Power Supply - Non Dimmable IP

Code	Description	Dimming	Class
968-249	Power supply 20W - 24V - IP68	-	II
968-250	Power supply 70W - 24V - IP67	-	II

Ginger: Power Supply - Dimmable

Code	Description	Dimming	Class
968-223-23	Power supply 20W - 24V	Triac	II
968-205	Power supply 50W - 24V	Triac	II
968-227	Power supply 35W - 24V	DALI	II
968-206	Power supply 60W - 24V	DALI	II

Ginger: Connection Box

Code	Description	Dimming	Class
A666-210	Connection box 50W - 24V - IP67 (230 x 126 x 56mm)	Triac	II
A666-211	Connection box 35W - 24V - IP67 (230 x 126 x 56mm)	DALI	II
A666-212	Connection box 120W - 24V - IP67 (280 x 165 x 82mm)	DALI	II



Ginger: Connector Accessory

Code	Description
A963-001	2 way terminal block 4 poles IP68 H2O Stop. (ø5,5÷12mm cable).
A963-002	3/4 way terminal block 4 poles IP68 H2O Stop. (ø5,5÷12mm cable).




Ginger 60/298

Code A662-735 Finish Black-White (RAL 9005-9010)

Materials Dimmable: Yes
Diffuser: Aluminium Integrated dimmer: No
Structure: Stainless Steel Dimming: Depending on the connection
Dissipater: Aluminium ON / OFF
1-10V

Product type: Lamppost
Light source: LED SMD 1050mA 33,8W 2700K CRI90 4037lm
Luminaire: 90 - 305 VAC 1-10V 35,8W 1463lm
Weight: Net 13,25 kg – Gross 20,05 kg
Package: 68 x 69 x 24 cm – 5,7 kg Vol – 0,11 m³
61 x 16 x 255 cm – 11,1 kg Vol – 0,25 m³
25 x 25 x 44 cm – 3,25 kg Vol – 0,03 m³
LED included



Dimmable



CE

IP65

ERC

UK
CA





Wire installation: Hardwired

Ground fixation plate

Code A662-733 Finish Stainless steel

Materials
Structure: Stainless steel 316 L

Product type: Accessory
Weight: Net 1,6 kg – Gross 2,4 kg
Package: 35 x 24 x 24 cm - 2,4 kg – VOL - 0,02 m³






Hazy Day 44

Code A663-002 Finish ● White

Materials
Shade: Glass globe

Product type: Pendant
Light source: E27 LED Globe (ø120) 14W
Weight: Net 7,1 kg – Gross 7,4 kg
Package: 62 x 62 x 45 cm – 7,4 kg Vol – 0,17 m³



Cable length: 2 m
Wire installation: Hardwired
Color cord: Transparent
Canopy color: White



High Line, Josep Lluís Xuclà

Visually, the High Line is a light sculpture, a svelte line that gives off light without revealing its source. This floor lamp by Josep Lluís Xuclà generates light indirectly by reflection, and uniquely, the light does not bounce off the ceiling, but off the wall.

Its designer is interested in having the wall return the emitted light. A wall is this lamp's greatest ally, and they want to remain close. Formally, it's a composition in volumes and colors.




High Line

Code	Finish
A690-001	● Oak-White (RAL 9002)
A690-002	● Oak-Orange red (RAL 2001)
A690-003	● Wenge-Blue (RAL 5024)
A690-004	● Wenge-Green (RAL 6003)

Materials
 Base: Iron
 Structure: Wooden profiles

Integrated dimmer: Yes
 Dimmer Type: Progressive dimmer from 0 to 100

Product type: Floor
 Light source: LED SMD 700mA 30W 2700K CRI90 3895lm
 Luminaire: 220 - 240 VAC 34,3W 2076lm
 Weight: Net 9,3 kg – Gross 13,3 kg
 Package: 205 x 23 x 17 cm – 9,5 kg Vol – 0,076 m³
 34 x 36 x 3 cm – 3,8 kg Vol – 0,003 m³
 LED included



Dimmer

CE

ERC



Cable length: 2,2 m
 Color cord: Black
 Switch location: In-line

In search of the beauty of light, she created a sculptural lamp defined by its pure, almost graphic forms, and by the balance between rigidity and fragility.

In an effort to offer ambient light for any classic or contemporary interior design project, this collection can be used to create light compositions.





Ihana x2 80 NEW

Code	Finish	Dimming	CCT
A709-057-39-27K	● Opal	Triac	22K
A709-058-39-18/30K	● Opal	Triac	DTW 18K-30K

Materials	Dimmable: Yes
Structure: Steel	Integrated dimmer: No
Shade: Opal blown glass	Dimming protocols: Phase cut (Triac)
	Dim to warm from 1800K to 3000K. (Triac)

Product type: Pendant / Ceiling
 Light source: LED SMD 700mA 16,4W 2700K CRI90 1826lm
 Luminaire: 220 - 240 VAC TRIAC 19,78W 994lm
 Light source DTW: LED COB 350mA 12W 1800-3000K CRI90 1272lm
 Luminaire DTW: 220 - 240 VAC TRIAC 15,2W
 Weight: Net 4,5 kg – Gross 6,7 kg
 Package: 21 x 42 x 42 cm – 3 kg Vol – 0,04 m³
 24 x 14 x 114 cm – 3,7 kg Vol – 0,04 m³
 Product notes: DALI upon request
 LED included



Wire installation: Hardwired
 Canopy color: Black




Ihana x2 100

Code	Finish	Dimming	CCT
A709-011-39-27K	● Opal	Triac	22K
A709-012-39-18/30K	● Opal	Triac	DTW 18K-30K

Materials
 Structure: Steel
 Shade: Opal blown glass

Dimmable: Yes
 Integrated dimmer: No
 Dimming protocols: Phase cut (Triac)
 Dim to warm from 1800K to 3000K. (Triac)

Product type: Pendant / Ceiling
 Light source: LED SMD 700mA 16,4W 2700K CRI90 1826lm
 Luminaire: 220 - 240 VAC TRIAC 19,78W 994lm
 Light source DTW: LED COB 350mA 12W 1800-3000K CRI90 1272lm
 Luminaire DTW: 220 - 240 VAC TRIAC 15,2W
 Weight: Net 4,5 kg – Gross 6,7 kg
 Package: 21 x 42 x 42 cm – 3 kg Vol – 0,04 m³
 24 x 14 x 114 cm – 3,7 kg Vol – 0,04 m³
 Product notes: DALI upon request
 LED included



Dimmable

UK
CA

CE



ERC

Wire installation: Hardwired
 Canopy color: Black




Ihana x2 150

Code	Finish	Dimming	CCT
A709-009-39-27K	● Opal	Triac	22K
A709-010-39-18/30K	● Opal	Triac	DTW 18K-30K

Materials
 Structure: Steel
 Shade: Opal blown glass

Dimmable: Yes
 Integrated dimmer: No
 Dimming protocols: Phase cut (Triac)
 Dim to warm from 1800K to 3000K. (Triac)

Product type: Pendant / Ceiling
 Light source: LED SMD 700mA 16,4W 2700K CRI90 1826lm
 Luminaire: 220 - 240 VAC TRIAC 19,78W 994lm
 Light source DTW: LED COB 350mA 12W 1800-3000K CRI90 1272lm
 Luminaire DTW: 220 - 240 VAC TRIAC 15,2W
 Weight: Net 5,1 kg – Gross 8,2 kg
 Package: (2x) 21 x 42 x 42 cm – 3 kg Vol – 0,04 m³
 18 x 18 x 167 cm – 5,2 kg Vol – 0,05 m³
 Product notes: DALI upon request
 LED included



Dimmable

UK
CA

CE



ERC

Wire installation: Hardwired
 Canopy color: Black




Ihana x2 200

Code	Finish	Dimming	CCT
A709-007-39-27K	● Opal	Triac	22K
A709-008-39-18/30K	● Opal	Triac	DTW 18K-30K

Materials	Dimmable: Yes
Structure: Steel	Integrated dimmer: No
Shade: Opal blown glass	Dimming protocols: Phase cut (Triac)
	Dim to warm from 1800K to 3000K. (Triac)

Product type: Pendant / Ceiling
Light source: LED SMD 700mA 16,4W 2700K CRI90 1826lm
Luminaire: 220 - 240 VAC TRIAC 19,78W 994lm
Light source DTW: LED COB 350mA 12W 1800-3000K CRI90 1272lm
Luminaire DTW: 220 - 240 VAC TRIAC 15,2W
Weight: Net 6,7 kg – Gross 9,7 kg
Package: (2x) 21 x 42 x 42 cm – 3 kg Vol – 0,04 m³
18 x 18 x 225 cm – 6,7 kg Vol – 0,07 m³
Product notes: DALI upon request
LED included




Dimmable



CE

ERC

UK
CA




Wire installation: Hardwired
Canopy color: Black

Ihana x3 80 NEW

Code	Finish	Dimming	CCT
A709-056-39-27K	● Opal	Triac	22K
A709-013-39-18/30K	● Opal	Triac	DTW 18K-30K

Materials	Dimmable: Yes
Structure: Steel	Integrated dimmer: No
Shade: Opal blown glass	Dimming protocols: Phase cut (Triac)
	Dim to warm from 1800K to 3000K. (Triac)

Product type: Pendant / Ceiling
Light source: LED SMD 700mA 24,6W 2700K CRI90 2739lm
Luminaire: 220 - 240 VAC TRIAC 29,67W 1491lm
Light source DTW: LED COB 350mA 18W 1800-3000K CRI90 1908lm
Luminaire DTW: 220 - 240 VAC TRIAC 22,8W
Weight: Net 6,8 kg – Gross 9,5 kg
Package: (3x) 21 x 42 x 42 cm – 3 kg Vol – 0,04 m³
24 x 14 x 114 cm – 3,7 kg Vol – 0,04 m³
24 x 14 x 114 cm – 2,8 kg Vol – 0,04 m³
Product notes: DALI upon request
LED included



Dimmable



CE

ERC

UK
CA



Wire installation: Hardwired
Canopy color: Black

Ihana x3 100


Code	Finish	Dimming	CCT
A709-005-39-27K	● Opal	Triac	22K
A709-006-39-18/30K	● Opal	Triac	DTW 18K-30K

Materials
 Structure: Steel
 Shade: Opal blown glass

Dimmable: Yes
 Integrated dimmer: No
 Dimming protocols: Phase cut (Triac)
 Dim to warm from 1800K to 3000K. (Triac)

Product type: Pendant / Ceiling
 Light source: LED SMD 700mA 24,6W 2700K CRI90 2739lm
 Luminaire: 220 - 240 VAC TRIAC 29,67W 1491lm
 Light source DTW: LED COB 350mA 18W 1800-3000K CRI90 1908lm
 Luminaire DTW: 220 - 240 VAC TRIAC 22,8W
 Weight: Net 6,8 kg – Gross 9,5 kg
 Package: (3x) 21 x 42 x 42 cm – 3 kg Vol – 0,04 m³
 24 x 14 x 114 cm – 3,7 kg Vol – 0,04 m³
 24 x 14 x 114 cm – 2,8 kg Vol – 0,04 m³

Product notes: DALI upon request
 LED included



Wire installation: Hardwired
 Canopy color: Black



Ihana x3 150


Code	Finish	Dimming	CCT
A709-003-39-27K	● Opal	Triac	22K
A709-004-39-18/30K	● Opal	Triac	DTW 18K-30K

Materials
 Structure: Steel
 Shade: Opal blown glass

Dimmable: Yes
 Integrated dimmer: No
 Dimming protocols: Phase cut (Triac)
 Dim to warm from 1800K to 3000K. (Triac)

Product type: Pendant / Ceiling
 Light source: LED SMD 700mA 24,6W 2700K CRI90 2739lm
 Luminaire: 220 - 240 VAC TRIAC 29,67W 1491lm
 Light source DTW: LED COB 350mA 18W 1800-3000K CRI90 1908lm
 Luminaire DTW: 220 - 240 VAC TRIAC 22,8W
 Weight: Net 7,8 kg – Gross 12,7 kg
 Package: (3x) 21 x 42 x 42 cm – 3 kg Vol – 0,04 m³
 18 x 18 x 167 cm – 5,2 kg Vol – 0,05 m³
 18 x 18 x 167 cm – 4,5 kg Vol – 0,05 m³

Product notes: DALI upon request
 LED included



Wire installation: Hardwired
 Canopy color: Black




Ihana x3 200

Code	Finish	Dimming	CCT
A709-001-39-27K	● Opal	Triac	22K
A709-002-39-18/30K	● Opal	Triac	DTW 18K-30K

Materials	Dimmable: Yes
Structure: Steel	Integrated dimmer: No
Shade: Opal blown glass	Dimming protocols: Phase cut (Triac)
	Dim to warm from 1800K to 3000K. (Triac)

Product type: Pendant / Ceiling
Light source: LED SMD 700mA 24,6W 2700K CRI90 2739lm
Luminaire: 220 - 240 VAC TRIAC 29,67W 1491lm
Light source DTW: LED COB 350mA 18W 1800-3000K CRI90 1908lm
Luminaire DTW: 220 - 240 VAC TRIAC 22,8W
Weight: Net 8,2 kg – Gross 15,1 kg
Package: (3x) 21 x 42 x 42 cm – 3 kg Vol – 0,04 m³
18 x 18 x 225 cm – 6,7 kg Vol – 0,07 m³
18 x 18 x 225 cm – 5,4 kg Vol – 0,07 m³
Product notes: DALI upon request
LED included




Dimmable



CE

ERC


UK
CA



Wire installation: Hardwired
Canopy color: Black


Ihana Customized configuration

Code	Description	Dimming	CCT
Glass (A)			
A709-020-51-27K	● Opal	Triac	22K
A709-021-51-18/30K	● Opal	Triac	DTW 18K-30K




Product notes: Maximum 14 units.

Code	Description	Dimming
Start + End set (B)		
A709-054-39	● Start+End 80cm	Triac
A709-022-39	● Start+End 100cm	Triac
A709-024-39	● Start+End 150cm	Triac
A709-026-39	● Start+End 200cm	Triac
A709-052-39	● Start+End 80cm	Triac - DTW
A709-028-39	● Start+End 100cm	Triac - DTW
A709-030-39	● Start+End 150cm	Triac - DTW
A709-032-39	● Start+End 200cm	Triac - DTW




Product notes: Take into account the overall height of the setup. 1 horizontal tube included. Maximum 1 unit.

Code	Description	Dimming
Central tube (C)		
A709-055-39	● Central 80cm	Triac
A709-023-39	● Central 100cm	Triac
A709-025-39	● Central 150cm	Triac
A709-027-39	● Central 200cm	Triac
A709-053-39	● Central 80cm	Triac - DTW
A709-029-39	● Central 100cm	Triac - DTW
A709-031-39	● Central 150cm	Triac - DTW
A709-033-39	● Central 200cm	Triac - DTW



Product notes: Take into account the overall height of the setup. 1 horizontal tube included. Maximum 12 unit.



- Configuration x4: 4A + 1B + 2C
- Configuration x5: 5A + 1B + 3C
- Configuration x6: 6A + 1B + 4C
- Configuration x7: 7A + 1B + 5C
- Configuration x8: 8A + 1B + 6C
- Configuration x9: 9A + 1B + 7C
- Configuration x10: 10A + 1B + 8C
- Configuration x11: 11A + 1B + 9C
- Configuration x12: 12A + 1B + 10C
- Configuration x13: 13A + 1B + 11C
- Configuration x14: 14A + 1B + 12C

Materials
Structure: Steel
Shade: Opal blown glass

Dimmable: Yes
Integrated dimmer: No
Dimming protocols: Phase cut (Triac)
Dim to warm from 1800K to 3000K. (Triac)

Dimmable



Product type: Pendant / Ceiling
Light source: ?x LED SMD 700mA 8,2W 2700K CRI90 913lm
Luminaire: ?x 220 - 240 VAC TRIAC 9,8W 497lm
Light source DTW: ?x LED COB 350mA 6W 1800-3000K CRI90 636lm
Luminaire DTW: ?x 220 - 240 VAC TRIAC 7,6W
Package:

Glass
21 x 42 x 42 cm - 3 kg Vol - 0,04 m³
Start+End 100cm
24 x 14 x 114 cm - 3,7 kg Vol - 0,04 m³
Start+End 150cm
18 x 18 x 167 cm - 5,2 kg Vol - 0,05 m³
Start+End 200cm
18 x 18 x 225 cm - 6,7 kg Vol - 0,07 m³
Central 100cm
24 x 14 x 114 cm - 2,8 kg Vol - 0,04 m³
Central 150cm
18 x 18 x 167 cm - 4,5 kg Vol - 0,05 m³
Central 200cm
18 x 18 x 225 cm - 5,4 kg Vol - 0,07 m³

Product notes: 3000K available upon under request

Jaima, Joan Gaspar

Through the language of textiles, Joan Gaspar has designed a light of flexible, ductile materials that sifts the light as readily as it moves with the wind. In the Jaima collection, the light is the shade and weaver of emotions.

This collection takes its name from the bedouin tents of North Africa, and is inspired by their varied fabrics and forms.



Discover more at marset.com



DESIGN PLUS

powered by: **light+building**


Jaima 43 IP65

Code	Finish
A683-013	● Blue
A683-014	● Beige
A683-015	● Grey
A683-016	● Green

Materials
Shade: Textilene, inner part in white

Dimmable: Yes
Integrated dimmer: No
Dimming protocols: Phase cut (Triac)

Product type: Pendant
Light source: LED COB 230 VAC 15W 2700K CRI90 1022lm
Luminaire: 230 VAC TRIAC 15W 528lm
Weight: Net 1,8 kg – Gross 3,7 kg
Package: 44 x 45 x 39 cm – 3,7 kg Vol – 0,08 m³
LED included



Dimmable


CE

UK

EAC



IP65



Cable length: 2 m
Wire installation: Hardwired
Color cord: Black
Canopy color: Black


Jaima 54 IP65

Code	Finish
A683-017	● Blue
A683-018	● Beige
A683-019	● Grey
A683-020	● Green

Materials
Shade: Textilene, inner part in white

Dimmable: Yes
Integrated dimmer: No
Dimming protocols: Phase cut (Triac)

Product type: Pendant
Light source: LED COB 230VAC 15W 2700K CRI90 1022lm
Luminaire: 230VAC TRIAC 15W 513lm
Weight: Net 2,2 kg – Gross 5 kg
Package: 55 x 55 x 46 cm – 5 kg Vol – 0,14 m³
LED included



Dimmable



CE

IP65

UK

ERC



Cable length: 2 m
Wire installation: Hardwired
Color cord: Black
Canopy color: Black


Jaima 71 IP65

Code	Finish
A683-021	● Blue
A683-022	● Beige
A683-023	● Grey
A683-024	● Green

Materials
Shade: Textilene, inner part in white

Dimmable: Yes
Integrated dimmer: No
Dimming protocols: Phase cut (Triac)

Product type: Pendant
Light source: LED COB 230VAC 15W 2700K CRI90 1022lm
Luminaire: 230VAC TRIAC 15W 530lm
Weight: Net 2,8 kg – Gross 7,5 kg
Package: 71 x 71 x 63 cm – 7,5 kg Vol – 0,3 m³
LED included



Dimmable



CE

IP65

UK

ERC




Cable length: 2 m
Wire installation: Hardwired
Color cord: Black
Canopy color: Black

Hook accessory

Code A683-025 Finish ● Inox

Materials
Structure: Inox

Product type: Accessory
Weight: Net 0,02 kg – Gross 0,02 kg
Package: 24 x 16 x 1 cm - 0,02 kg – VOL - 0,0001 m³




Jaima P207 + Shade 43

Code A683-027 Finish ● Black (RAL 9005)
Structure

Shade 43
A683-028 ● Blue
A683-029 ● Beige
A683-030 ● Grey
A683-031 ● Green

Materials
Shade: Textilene, inner part in white
Structure: Stainless steel
Extensible stem: Carbon fiber
Dimmable: Yes
Integrated dimmer: No
Dimmer Casambi IP65 (optional)

Product type: Floor
Light source: LED COB 230 VAC 15W 2700K CRI90 1022lm
Luminaire: 230VAC TRIAC 15W 528lm
Weight: Net 4,1 kg – Gross 10,3 kg
Package: 216 x 48 x 23 cm – 7,8 kg Vol – 0,24 m³
45 x 45 x 39 cm – 2,5 kg Vol – 0,08 m³
LED included



CE
ERC
IP65
⊕



Cable length: 3,4 m
Wire installation: Plug-in
Color cord: Black


Jaima P307 + Shade 71

Code A683-035
Structure A683-035
Finish ● Black (RAL 9005)

Shade 71
A683-040 ● Blue
A683-041 ● Beige
A683-042 ● Grey
A683-043 ● Green

Materials
Shade: Textilene, inner part in white
Structure: Stainless steel
Extensible stem: Carbon fiber
Dimmable: Yes
Integrated dimmer: No
Dimmer Casambi IP65 (optional)

Product type: Floor
Light source: LED COB 230VAC 15W 2700K CRI90 1022lm
Luminaire: 230VAC TRIAC 15W 530lm
Weight: Net 4,8 kg – Gross 15 kg
Package: 277 x 48 x 23 cm – 9 kg Vol – 0,3 m³
71 x 71 x 63 cm – 6 kg Vol – 0,3 m³
LED included




Cable length: min 2 m - max 2,8 m
Wire installation: Plug-in
Color cord: Black

49 base + stem

Code A683-033
Finish ● Concrete and black (RAL 9005)

Materials
Base: Concrete
Stem: Stainless steel

Product type: Accessory
Weight: Net 14,3 kg – Gross 17,2 kg
Package: 63 x 62 x 7 cm - 15 kg – VOL -0,027 m³
31 x 18 x 17 cm - 2,2 kg – VOL -0,009 m³
Product notes: Base only compatible with Jaima P207




70 base + stem

Code A683-044 Finish
● Concrete and black (RAL 9005)

Materials
Base: Concrete
Stem: Stainless steel

Product type: Accessory
Weight: Net 36,8 kg – Gross 51,7 kg
Package: 75 x 75 x 19 cm - 49,5 kg – VOL -0,106 m³
31 x 18 x 17 cm - 2,2 kg – VOL -0,009 m³
Product notes: Base only compatible with Jaima P307




Fix stem

Code A683-032 Finish
● Black (RAL 9005)

Materials
Stem: Stainless steel

Product type: Accessory
Weight: Net 1,9 kg – Gross 2,3 kg
Package: 31 x 18 x 17 cm - 2,3 kg – VOL -0,009 m³
Product notes: Compatible with Jaima P207 and P307.




Wall bracket

Code A683-045 Finish
● Black (RAL 9005)

Materials
Stem: Stainless steel

Product type: Accessory
Weight: Net 1,8 kg – Gross 2 kg
Package: 31 x 18 x 17 cm - 2 kg – VOL -0,009 m³
Product notes: Compatible with Jaima P207 and P307.



Dimmer Casambi IP65

Code A712-001 Finish
● Black

Materials
Case: ABS
Trim: Aluminium

Product type: Accessory
85 - 240 VAC max. 50W
Weight: Net 2 kg – Gross 3 kg
Package: 20 x 12 x 8 cm - 3 kg – VOL - 0,002 m³
Product notes: Bluetooth smart wireless trailing edge dimmer that adjusts light intensity or switches the lamp ON/OFF. Available in Android or iOS with the app Casambi.

CE
EAC
UK
IP65






Lab 1

Code A646-001 Finish
● White (RAL 9003)

Materials Dimmable: No
Structure: Injected aluminium
Lids: Metal, wood, stone-like

Product type: Wall
Light source: LED SMD 700mA 2,7W 3000K CRI80 101lm
Luminaire: 100 - 240 VAC 5,06W 89lm
Weight: Net 0,87 kg – Gross 1 kg
Package: 16 x 15 x 14 cm – 1 kg Vol – 0,003 m³



CE

UK
CA

EAC



IP65



Wire installation: Hardwired

Lab 2


Code
A646-003
A646-011

Finish
● White (RAL 9003)
● Graphite grey (RAL 7024)

Materials
Structure: Injected aluminium
Lids: Metal, wood, stone-like

Dimmable: No

Product type: Wall
Light source: LED SMD 700mA 5,4W 3000K CRI80 202lm
Luminaire: 100 - 240 VAC 6,2W 170lm
Weight: Net 0,87 kg – Gross 1 kg
Package: 16 x 15 x 14 cm – 1 kg Vol – 0,003 m³



CE

UK
CA

ERC



IP65



Wire installation: Hardwired

Lab 1 2020


Code
A646-090

Finish
● Graphite grey (RAL 7024)

Materials
Structure: Injected aluminium
Lids: Metal, wood, stone-like

Dimmable: No

Product type: Wall
Light source: LED SMD 24Vdc 3,7W 2700K CRI90 189lm
Luminaire: 100 - 240 VAC 4,3W 304lm
Weight: Net 0,87 kg – Gross 1 kg
Package: 16 x 15 x 14 cm – 1 kg Vol – 0,003 m³



CE

UK
CA

ERC



IP65



Wire installation: Hardwired


Lab 2 2020

Code A646-091
 Finish ● Graphite grey (RAL 7024)

Materials
 Structure: Injected aluminium
 Lids: Metal, wood, stone-like

Dimmable: No

Product type: Wall
 Light source: LED SMD 24Vdc 7,4W 2700K CRI90 378lm
 Luminaire: 100 - 240 VAC 8,47W 322lm
 Weight: Net 0,87 kg – Gross 1 kg
 Package: 16 x 15 x 14 cm – 1 kg Vol – 0,003 m³



IP65




Wire installation: Hardwired

Lid

Code A646-005
 A646-022
 A646-023
 A646-007
 A646-009

Finish
 ● White (RAL 9003)
 ● Brown (RAL 8019)
 ● Rust brown
 ● Dark iroko
 ● Stone-like





Materials
 Structure: Injected aluminium
 Lids: Metal, wood, stone-like

Product type: Accessory

Signage Lid

Code -
 -
 -

Finish
 3 - 10 units
 11 - 25 units
 26 or more units



Product type: Accessory
 Product Notes: Minimum order of 3pcs.
 Available upon request, Lab 2 only.


Lab A 35

Code	Finish
A646-060	● Graphite grey-White (RAL 7024-9003)
A646-061	● Graphite grey-Brown (RAL 7024-8019)
A646-062	● Graphite grey-Rust brown
A646-063	● Graphite grey-Dark iroko

Materials: Aluminium
Structure: Aluminium
Lids: Metal, wood

Dimmable: Yes
Integrated dimmer: No
Dimming protocols: Phase cut (Triac)

Product type: Wall
Light source: LED SMD 700mA 6,3W 2700K CRI80 590lm
Luminaire: 220 - 240 VAC TRIAC 8,41W 293lm
Weight: Net 1,4 kg – Gross 2,3 kg
Package: 17,5 x 13 x 46 cm – 2,3 kg Vol – 0,01 m³



CE

UK
CA

ERC



IP65



Wire installation: Hardwired


Lab B 35

Code	Finish
A646-070	● Graphite grey-White (RAL 7024-9003)
A646-071	● Graphite grey-Brown (RAL 7024-8019)
A646-072	● Graphite grey-Rust brown
A646-073	● Graphite grey-Dark iroko

Materials: Aluminium
Structure: Aluminium
Lids: Metal, wood

Dimmable: Yes
Integrated dimmer: No
Dimming protocols: Phase cut (Triac)

Product type: Bollard
Light source: LED SMD 700mA 6,3W 2700K CRI80 590lm
Luminaire: 220 - 240 VAC TRIAC 8,41W 293lm
Weight: Net 1,4 kg – Gross 2,3 kg
Package: 17,5 x 13 x 46 cm – 2,3 kg Vol – 0,01 m³



CE

UK
CA

ERC



IP65



Wire installation: Hardwired


Lab B 60

Code	Finish
A646-080	● Graphite grey-White (RAL 7024-9003)
A646-081	● Graphite grey-Brown (RAL 7024-8019)
A646-082	● Graphite grey-Rust brown
A646-083	● Graphite grey-Dark iroko

Materials
Structure: Aluminium
Lids: Metal, wood

Dimmable: Yes
Integrated dimmer: No
Dimming protocols: Phase cut (Triac)

Product type: Bollard
Light source: LED SMD 700mA 6,3W 2700K CRI80 590lm
Luminaire: 220 - 240 VAC TRIAC 8,41W 319lm
Weight: Net 2,5 kg – Gross 3,5 kg
Package: 18 x 13 x 70 cm – 3,5 kg Vol – 0,02 m³



CE

UK
CA

ERC



IP65




Wire installation: Hardwired

Ground fixation plate

Code	Finish
A646-067	● Stainless steel

Materials
Structure: Stainless steel

Product type: Accessory
Weight: Net 0,26 kg – Gross 0,32 kg
Package: 9 x 10 x 21 cm - 0,32 kg – VOL - 0,002 m³





Like a folding screen, LaFlaca's large, fat profile allows you to partition your space using light, and delineate or combine different ambiances. With this new indoor /

outdoor floor lamp, a metal structure lends its shape to a wrinkle-free fabric, which envelops the frame, sharing its aesthetic character.




LaFlaca 120

Code A700-001 Finish ● Beige

Materials Dimmer Casambi IP65 (optional)
Structure: Stainless Steel
Diffuser: Translucent methacrylate
Shade: Textilene

Product type: Floor
Light source: E27 LED Standard 8W 2700K
Weight: Net 5 kg – Gross 7,5 kg
Package: 57 x 52 x 140 cm – 7,5 kg Vol – 0,4 m³



CE

ERC



IP65

Cable length: 4 m
Wire installation: Plug-in
Color cord: Black




LaFlaca 90

Code A700-002 Finish ● Beige

Materials Dimmer Casambi IP65 (optional)
Structure: Stainless Steel
Diffuser: Translucent methacrylate
Shade: Textilene

Product type: Floor
Light source: E27 LED Standard 8W 2700K
Weight: Net 4,7 kg – Gross 7,6 kg
Package: 93 x 52 x 109 cm – 7,6 kg Vol – 0,5 m³



Cable length: 4 m
Wire installation: Plug-in
Color cord: Black




LaFlaca 60

Code A700-003 Finish ● Beige

Materials Dimmer Casambi IP65 (optional)
Structure: Stainless Steel
Diffuser: Translucent methacrylate
Shade: Textilene

Product type: Floor
Light source: E27 LED Standard 8W 2700K
Weight: Net 3,7 kg – Gross 5,6 kg
Package: 70 x 52 x 79 cm – 5,6 kg Vol – 0,3 m³



Cable length: 4 m
Wire installation: Plug-in
Color cord: Black




Dimmer Casambi IP65

Code A712-001
Finish ● Black

Materials
Case: ABS
Trim: Aluminium

Product type: Accessory
85 - 240 VAC max. 50W
Weight: Net 2 kg – Gross 3 kg
Package: 20 x 12 x 8 cm - 3 kg – VOL - 0,002 m³
Product notes: Bluetooth smart wireless trailing edge dimmer that adjusts light intensity or switches the lamp ON/OFF. Available in Android or iOS with the app Casambi.



CE
EAC
UK
IP65





Floor bracket kit

Code A700-004
Finish ● Grey (RAL 7005)

Materials
Structure: Stainless steel


Product type: Accessory
Weight: Net 0,08 kg – Gross 0,08 kg
Package: 8 x 12 x 20 cm - 0,08 kg – VOL - 0,002 m³
Product notes: 2 pcs included



Ledtube, Daniel López

Its ergonomic design beckons you to move it in any direction, up to 360°, and its use is very intuitive. When opened, it turns on automatically; when closed, it turns off and hides away in the wall, like camouflage. It's so versatile it can be installed

vertically or horizontally, adapting to the needs of your space. Also Ledtube features a honeycomb grill that traps peripheral light in all directions, avoiding glare.




Ledtube RSC

Code	Finish
A622-074	● Aluminium
A622-075	● Bronze
A622-045	● Matt white (RAL 9010)
A622-046	● Matt black (RAL 9005)

Materials: Dimmable: No
Structure: Injected aluminium
Frontal: Transparent polycarbonate

Product type: Wall
Light source: LED SMD 700mA 2,1W 2700K CRI80 226,5lm
Luminaire: 100 - 240 VAC 4,25W 131lm
Weight: Net 0,65 kg – Gross 0,8 kg
Package: 20 x 12 x 8 cm – 0,8 kg Vol – 0,002 m³
Product notes: Incorporated press button to switch on or off when opening or closing the wall lamp. Honeycomb grill to avoid glare.
LED included



Wire installation: Hardwired




Ledtube RSC USB

Code	Finish
A622-150	● Aluminium
A622-151	● Bronze
A622-152	● Matt white (RAL 9010)
A622-153	● Matt black (RAL 9005)

Materials: Dimmable: No
 Structure: Injected aluminium
 Frontal: Transparent polycarbonate

Product type: Wall
 Light source: LED SMD 700mA 2,1W 2700K CRI80 226,5lm
 Luminaire: 90 - 264 VAC 5,2W 131lm
 Weight: Net 0,87 kg – Gross 1 kg
 Package: 11 x 21 x 9 cm – 1 kg Vol – 0,02 m³
 Product notes: Incorporated press button to switch on or off when opening or closing the wall lamp. Honeycomb grill to avoid glare. Incorporated USB on fixture face.
 LED included




Wire installation: Hardwired

Ledtube R right

Code	Finish
A622-101	● Aluminium
A622-107	● Bronze
A622-109	● Matt white (RAL 9010)
A622-111	● Matt black (RAL 9005)

Materials: Dimmable: No
 Structure: Injected aluminium
 Frontal: Transparent polycarbonate

Product type: Wall
 Light source: LED SMD 700mA 2,1W 2700K CRI80 226,5lm
 Luminaire: 100 - 240 VAC 4,25W 131lm
 Weight: Net 0,8 kg – Gross 0,9 kg
 Package: 16 x 15 x 9 cm – 0,9 kg Vol – 0,002 m³
 Product notes: Incorporated press button to switch on or off when opening or closing the wall lamp. Honeycomb grill to avoid glare.
 LED included



Wire installation: Hardwired


Ledtube R left

Code	Finish
A622-113	● Aluminium
A622-119	● Bronze
A622-121	● Matt white (RAL 9010)
A622-123	● Matt black (RAL 9005)

Materials
Structure: Injected aluminium
Frontal: Transparent polycarbonate

Dimmable: No

Product type: Wall
Light source: LED SMD 700mA 2,1W 2700K CRI80 226,5lm
Luminaire: 100 - 240 VAC 4,25W 131lm
Weight: Net 0,8 kg – Gross 0,9 kg
Package: 16 x 15 x 9 cm – 0,9 kg Vol – 0,002 m³
Product notes: Incorporated press button to switch on or off when opening or closing the wall lamp. Honeycomb grill to avoid glare.
LED included



Wire installation: Hardwired




Ledtube A NEW

Code	Finish
A622-170-17-27K	● Aluminium
A622-170-18-27K	● Bronze
A622-170-35-27K	● Matt white (RAL 9010)
A622-170-39-27K	● Matt black (RAL 9005)

Materials
Structure: Injected aluminium

Dimmable: No

Product type: Wall / Ceiling
Light source: LED SMD 700mA 2,1W 2700K CRI80 226,5lm
Luminaire: 100 - 240 VAC 4,25W 131lm
Weight: Net 0,46 kg – Gross 0,56 kg
Package: 21 x 12 x 9 cm – 0,3 kg Vol – 0,002 m³
Product notes: Lens at 25° with a honeycomb grill to avoid glare.
Integrated switch.
LED included



Wire installation: Hardwired
Switch location: Structure




Ledtube mini

Code	Finish
A622-154	● Aluminium
A622-155	● Bronze
A622-156	● Matt white (RAL 9010)
A622-157	● Matt black (RAL 9005)

Materials
Structure: Injected aluminium
Frontal: Transparent polycarbonate

Dimmable: No

Product type: Wall
Light source: LED SMD 700mA 2,1W 2700K CRI80 199,4lm
Luminaire: 220 - 240 VAC 4,33W 45lm
Weight: Net 0,37 kg – Gross 0,52 kg
Package: 21 x 12 x 9 cm – 0,52 kg Vol – 0,002 m³
Product notes: Incorporated press button to switch on or off when opening or closing the wall lamp. Lens at 25° with a honeycomb grill to avoid glare.
LED included



Wire installation: Hardwired




Ledtube mini spot

Code	Finish
A622-158	● Aluminium
A622-159	● Bronze
A622-160	● Matt white (RAL 9010)
A622-161	● Matt black (RAL 9005)

Materials
Structure: Injected aluminium

Dimmable: No

Product type: Wall / Ceiling
Light source: LED SMD 700mA 2,1W 2700K CRI80 199,4lm
Luminaire: 220 - 240 VAC 4,33W 45lm
Weight: Net 0,15 kg – Gross 0,3 kg
Package: 21 x 12 x 9 cm – 0,3 kg Vol – 0,002 m³
Product notes: Lens at 25° with a honeycomb grill to avoid glare.
LED included



Wire installation: Hardwired



Manhattan, Joan Gaspar

Rational and minimalist, this wall lamp is the result of a technical, functional and ornament-free design. Inside, a polycarbonate film surrounds the light source to provide high-quality diffusion.

Designed to illuminate kitchens and bathrooms, it has an IP44 rating. Its shape allows it to be installed both vertically and horizontally.




Manhattan LED 63.5


Code A2005-030 Finish ● Chrome

Materials Dimmable: No
Structure: Aluminium
Diffuser: silk-screened polycarbonate

Product type: Wall
Light source: LED SMD 350mA 15,6W 2700K CRI80 2608lm
Luminaire: 220 - 240 VAC 19,15W
Weight: Net 1,2 kg – Gross 1,4 kg
Package: 67 x 11 x 9 cm – 1,4 kg Vol – 0,01 m³
Product notes: 3000K available upon request
LED included



IP44



Wire installation: Hardwired

Maranga, Christophe Mathieu

Maranga is the name of an imaginary fruit: exquisite, tempting, succulent. It reinterprets Scandinavian style in the essentiality of its shape and its rational use of lighting to generate a warm, comfortable atmosphere.

This interplay of light and dark generates an effect which is rich in shades of light and prevents glare, while an opening at the bottom fitted with a diffuser gives out direct light downwards.




Maranga 32


Code A644-004 Finish White (RAL 9003)

Materials
Shade: Polycarbonate, chromed metal cover
Diffuser: Transparent polycarbonate

Product type: Pendant
Light source: 2x E14 LED 5W
Weight: Net 1,3 kg – Gross 2,2 kg
Package: 36 x 37 x 20 cm – 2,2 kg Vol – 0,03 m³



Cable length: 2 m
Wire installation: Hardwired
Color cord: Transparent
Canopy color: White




Maranga 50


Code A644-001 Finish ● White (RAL 9003)

Materials
Shade: Polycarbonate, chromed metal cover
Diffuser: Transparent polycarbonate

Product type: Pendant
Light source: 3x E27 LED Standard 8W
Weight: Net 2,6 kg – Gross 4,3 kg
Package: 60 x 60 x 23 cm – 4,3 kg Vol – 0,08 m³



Cable length: 2 m
Wire installation: Hardwired
Color cord: Transparent
Canopy color: White




Maranga C

Code A644-012 Finish ● White (RAL 9003)

Materials
Shade: Polycarbonate, chromed metal cover
Diffuser: Transparent polycarbonate

Product type: Ceiling
Light source: 3x E27 LED Standard 8W
Weight: Net 2,2 kg – Gross 3,8 kg
Package: 60 x 60 x 24 cm – 3,8 kg Vol – 0,09 m³



Wire installation: Hardwired




Maranga P130

Code A644-017 Finish ● White (RAL 9003)

Materials
Shade: Polycarbonate, chromed metal cover
Diffuser: Transparent polycarbonate
Base: Metal
Stem: Metal

Product type: Floor
Light source: 3x E27 LED Standard 8W
Weight: Net 8,8 kg – Gross 12,5 kg
Package: 59 x 59 x 20 cm – 4 kg Vol – 0,069 m³
9 x 6 x 130 cm – 1,5 kg Vol – 0,007 m³
42 x 42 x 3 cm – 7 kg Vol – 0,005 m³



Cable length: 2 m
Wire installation: Plug-in
Color cord: White
Switch location: In-line




Maranga S

Code A644-024 Finish ● White (RAL 9003)

Materials
Shade: Polycarbonate, chromed metal cover
Diffuser: Transparent polycarbonate
Base: Metal
Stem: Metal

Product type: Table
Light source: 2x E14 LED 5W
Weight: Net 3,5 kg – Gross 4,8 kg
Package: 37 x 37 x 56 cm – 4,8 kg Vol – 0,081 m³



Cable length: 1,5 m
Wire installation: Plug-in
Color cord: White
Switch location: In-line






Mercer mini

Code A89-008
A89-072

Finish
● Natural cotton ribbon
● Pearl white

Materials
Shade: Textile
Structure: Blown glass
Diffuser: Opal disc

Product type: Table
Light source: G9 LED 3,5W
Weight: Net 1,6 kg - Gross 2,4 kg
Package: 38 x 28 x 30 cm - 2,4 kg Vol - 0,03 m³



Cable length: 1,5 m
Wire installation: Plug-in
Color cord: Black
Switch location: In-line



Mercer M


Code
A89-010
A89-071

Finish
● Natural cotton ribbon
● Pearl white

Materials
Shade: Textile
Structure: Blown glass
Diffuser: Opal disc

Integrated dimmer: Yes
Dimmer Type: Progressive in-line dimmer

Product type: Table
Light source: E27 LED 9,5W DIM
Weight: Net 5 kg – Gross 6,28 kg
Package: 57 x 39 x 41 cm – 6,28 kg Vol – 0,09 m³



Dimmer

CE

EAC



Cable length: 1,5 m
Wire installation: Plug-in
Color cord: Black
Switch location: In-line



Mercer


Code
A89-001
A89-070

Finish
● Natural cotton ribbon
● Pearl white

Materials
Shade: Textile
Structure: Blown glass
Diffuser: Opal disc

Integrated dimmer: Yes
Dimmer Type: Progressive in-line dimmer

Product type: Table
Light source: E27 LED 9,5W DIM
Weight: Net 5 kg – Gross 7 kg
Package: 65 x 49 x 49 cm – 7 kg Vol – 0,16 m³



Dimmer

CE

EAC



Cable length: 1,5 m
Wire installation: Plug-in
Color cord: Black
Switch location: In-line




Mercer 20

Code	Finish
A89-031	● Natural cotton ribbon
A89-073	● Pearl white

Materials
Shade: Textile
Structure: Blown glass

Product type: Pendant
Light source: E14 LED 5W
Weight: Net 1,25 kg – Gross 1,88 kg
Package: 33 x 33 x 28 cm – 1,88 kg Vol – 0,03 m³




Cable length: 2 m
Wire installation: Hardwired
Color cord: Black
Canopy color: White

Mercer 30

Code	Finish
A89-029	● Natural cotton ribbon
A89-074	● Pearl white

Materials
Shade: Textile
Structure: Blown glass

Product type: Pendant
Light source: E27 LED Standard 8W
Weight: Net 2,8 kg – Gross 3,7 kg
Package: 39 x 34 x 40 cm – 3,7 kg Vol – 0,06 m³




Cable length: 2 m
Wire installation: Hardwired
Color cord: Black
Canopy color: White

Mercer 44

Code Finish
A89-012 ● Natural cotton ribbon
A89-075 ● Pearl white

Materials
Shade: Textile
Structure: Blown glass

Product type: Pendant
Light source: 2x E27 LED Standard 8W
Weight: Net 7,8 kg – Gross 10 kg
Package: 56 x 56 x 48 cm – 10 kg Vol – 0,15 m³



Cable length: 2 m
Wire installation: Hardwired
Color cord: Black
Canopy color: White




Mercer A

Code Finish
A89-050 ● Natural cotton ribbon
A89-076 ● Pearl white

Materials
Shade: Textile
Structure: Blown glass
Wal bracket: Chromed iron

Product type: Wall
Light source: E14 LED 5W
Weight: Net 1,35 kg – Gross 2 kg
Package: 33 x 33 x 28 cm – 2 kg Vol – 0,03 m³



Wire installation: Hardwired




Mercer C

Code	Finish
A89-060	● Natural cotton ribbon
A89-077	● Pearl white

Materials
Shade: Textile
Structure: Blown glass

Product type: Wall
Light source: 2x E27 LED Standard 8W
Weight: Net 4,5 kg – Gross 6 kg
Package: 58 x 58 x 36 cm – 6 kg Vol – 0,1 m³



Wire installation: Hardwired




Spare parts

Code	Product	Finish	Spare part
A89-502	Mercer Mini	-	Glass
A89-501	Mercer M	-	Glass
A89-500	Mercer 53	-	Glass
A89-504	Mercer Susp 20	-	Glass
A89-505	Mercer Susp 30	-	Glass
A89-503	Mercer Susp 44	-	Glass
A89-504	Mercer A	-	Glass
A89-506	Mercer C	-	Glass

Milana, Jaime Ramirez

An almost imperceptible lens covers the LED and distributes the light. If only the cylindrical lamp is used, the downward-directed light is impeccable, and when a

shade is added, the light escapes, illuminating the lamp itself. This new lighting system gives the user control of the light, offering a new conceptual proposal.




Milana

- | | |
|----------|------------------------|
| Code | Finish |
| A699-001 | ● Off-white (RAL 1013) |
| A699-002 | ● Black (RAL 9005) |
| A699-013 | ● Red (RAL 3013) |
| A699-014 | ● Beige (RAL 1001) |
| A699-015 | ● Grey (RAL 7038) |

Materials: Shade: Aluminium; Diffuser: Polycarbonate
 Dimmable: Yes; Integrated dimmer: No; Dimming protocols: Phase cut (Triac)

Product type: Pendant
 Light source: LED SMD 700mA 8,6W 2700K CRI90 372lm
 Luminaire: 220 - 240 VAC TRIAC 8,72W 340lm
 Weight: Net 0,52 kg - Gross 0,7 kg
 Package: 22,5 x 7 x 4 cm - 0,3 kg Vol - 0,0006 m³
 20 x 12 x 8 cm - 0,4 kg Vol - 0,0006 m³
 Product notes: DALI upon request



Cable length: 3 m
 Wire installation: Hardwired
 Color cord: Black
 Canopy color: Black


Milana 32

Code	Finish
A699-003	● Off-white (RAL 1013)
A699-004	● Black (RAL 9005)
A699-016	● Red (RAL 3013)
A699-017	● Beige (RAL 1001)
A699-018	● Grey (RAL 7038)

Materials
Shade: Aluminium
Diffuser: Polycarbonate

Dimmable: Yes
Integrated dimmer: No
Dimming protocols: Phase cut (Triac)

Product type: Pendant
Light source: LED SMD 700mA 8,6W 2700K CRI90 372lm
Luminaire: 220 - 240 VAC TRIAC 8,72W 340lm
Weight: Net 0,87 kg – Gross 1,52 kg
Package: 22,5 x 7 x 4 cm – 0,3 kg Vol – 0,0006 m³
20 x 12 x 8 cm – 0,4 kg Vol – 0,0006 m³
36,5 x 36,5 x 7,5 cm – 0,82 kg Vol – 0,0006 m³
Product notes: DALI upon request



Dimmable



CE

ERC

UK
CA

Cable length: 3 m
Wire installation: Hardwired
Color cord: Black
Canopy color: Black




Milana 47

Code	Finish
A699-005	● Off-white (RAL 1013)
A699-006	● Black (RAL 9005)
A699-019	● Red (RAL 3013)
A699-038	● Beige (RAL 1001)
A699-039	● Grey (RAL 7038)

Materials
Shade: Aluminium
Diffuser: Polycarbonate

Dimmable: Yes
Integrated dimmer: No
Dimming protocols: Phase cut (Triac)

Product type: Pendant
Light source: LED SMD 700mA 8,6W 2700K CRI90 372lm
Luminaire: 220 - 240 VAC TRIAC 8,72W 340lm
Weight: Net 1,3 kg – Gross 2,3 kg
Package: 22,5 x 7 x 4 cm – 0,3 kg Vol – 0,0006 m³
20 x 12 x 8 cm – 0,4 kg Vol – 0,0006 m³
52,5 x 52,5 x 10 cm – 1,56 kg Vol – 0,028 m³
Product notes: DALI upon request



Dimmable



CE

ERC

UK
CA

Cable length: 3 m
Wire installation: Hardwired
Color cord: Black
Canopy color: Black




Milana Counterweight

Code	Finish
A699-007	● Off-white (RAL 1013)
A699-008	● Black (RAL 9005)
A699-040	● Red (RAL 3013)
A699-041	● Beige (RAL 1001)
A699-042	● Grey (RAL 7038)

Materials: Shade: Aluminium
 Diffuser: Polycarbonate

Dimmable: Yes
 Integrated dimmer: No
 Dimming protocols: Phase cut (Triac)

Product type: Pendant
 Light source: LED SMD 700mA 8,6W 2700K CRI90 372lm
 Luminaire: 220 - 240 VAC TRIAC 8,72W 340lm
 Weight: Net 1 kg – Gross 1,3 kg
 Package: 22,5 x 7 x 4 cm – 0,3 kg Vol – 0,0006 m³
 20 x 12 x 8 cm – 0,4 kg Vol – 0,0006 m³
 12 x 12 x 7 cm – 0,6 kg Vol – 0,001 m³
 Product notes: DALI upon request



Cable length: 3 m
 Wire installation: Hardwired
 Color cord: Black
 Canopy color: Black




Milana 32 Counterweight

Code	Finish
A699-009	● Off-white (RAL 1013)
A699-010	● Black (RAL 9005)
A699-043	● Red (RAL 3013)
A699-044	● Beige (RAL 1001)
A699-045	● Grey (RAL 7038)

Materials: Shade: Aluminium
 Diffuser: Polycarbonate

Dimmable: Yes
 Integrated dimmer: No
 Dimming protocols: Phase cut (Triac)

Product type: Pendant
 Light source: LED SMD 700mA 8,6W 2700K CRI90 372lm
 Luminaire: 220 - 240 VAC TRIAC 8,72W 340lm
 Weight: Net 1,6 kg – Gross 2,4 kg
 Package: 22,5 x 7 x 4 cm – 0,3 kg Vol – 0,0006 m³
 20 x 12 x 8 cm – 0,4 kg Vol – 0,0006 m³
 12 x 12 x 7 cm – 0,6 kg Vol – 0,001 m³
 36,5 x 36,5 x 7,5 cm – 0,82 kg Vol – 0,009 m³
 Product notes: DALI upon request



Cable length: 3 m
 Wire installation: Hardwired
 Color cord: Black
 Canopy color: Black




Milana 47 Counterweight

Code	Finish
A699-011	● Off-white (RAL 1013)
A699-012	● Black (RAL 9005)
A699-046	● Red (RAL 3013)
A699-047	● Beige (RAL 1001)
A699-048	● Grey (RAL 7038)

Materials
 Shade: Aluminium
 Diffuser: Polycarbonate

Dimmable: Yes
 Integrated dimmer: No
 Dimming protocols: Phase cut (Triac)

Product type: Pendant
 Light source: LED SMD 700mA 8,6W 2700K CRI90 372lm
 Luminaire: 220 - 240 VAC TRIAC 8,72W 340lm
 Weight: Net 2,3 kg – Gross 3,4 kg
 Package: 22,5 x 7 x 4 cm – 0,3 kg Vol – 0,0006 m³
 20 x 12 x 8 cm – 0,4 kg Vol – 0,0006 m³
 12 x 12 x 7 cm – 0,6 kg Vol – 0,001 m³
 52,5 x 52,5 x 10 cm – 1,6 kg Vol – 0,028 m³
 Product notes: DALI upon request



Dimmable

CE

ERC

UK
RA



Cable length: 3 m
 Wire installation: Hardwired
 Color cord: Black
 Canopy color: Black

Spare parts

Code	Product	Finish	Spare part
A699-025	Milana 32	White	Shade
A699-024	Milana 32	Black	Shade
A699-027	Milana 32	Red	Shade
A699-026	Milana 32	Beige	Shade
A699-036	Milana 32	Grey	Shade
A699-029	Milana 47	White	Shade
A699-028	Milana 47	Black	Shade
A699-031	Milana 47	Red	Shade
A699-030	Milana 47	Beige	Shade
A699-037	Milana 47	Grey	Shade

MVV, Manuel Valls

The MVV story begins in the 1970s. This new suspension lamp is a first, and was designed by Manuel Valls Vergés, one of Spain's most notable architects at the time and partner of Jose Antonio Coderch for 15 years, alongside whom he undertook

such prominent projects as the Ugalde house, near Barcelona. The MVV name reflects Vergés' initials, as a way of displaying his authorship of this unique lamp.



MVV 45


Code A688-001 Finish ● Cherry wood

Materials

Structure: Steel, Polycarbonate
Shade: PET with cherry wood on the outside and a white interior
Diffuser: Transparent methacrylate

Product type: Pendant

Light source: E27 LED STANDARD 8W 2700K
Weight: Net 1,9 kg – Gross 2,3 kg
Package: 45 x 48 x 9 cm – 2,3 kg Vol – 0,02 m³




CE

ERC

UK

□

Cable length: 2 m
Wire installation: Hardwired
Color cord: Black
Canopy color: Black



Spare parts

Code
R688-001
R688-002

Product
MVV
MVV

Finish
Cherry wood EXT (B)
Cherry wood INT (A)


Spare part
Shade
Shade



Nenúfar, Joan Gaspar

The outcome of the designer's arduous quest to create a fixture that seems to float on air, the Nenúfar takes its name and its delicate shape from the water lily. The Nenúfar is a cluster of LED pendants, composed of several discs attached to

a central stem. Each disc is distinct, separated from the others in a way that the downward beams do not intersect or interfere, but combine for a uniform, direct beam.




Nenúfar 3

Code A647-006
Finish ● Black

Materials
Stem: Metal
Shade: Polycarbonate
Diffuser: Methacrylate

Dimmable: Yes
Integrated dimmer: No
Dimming protocols: Phase cut (Triac)

Product type: Pendant
Light source: LED SMD 24Vdc 27W 2700K CRI90 3150lm
Luminaire: (Power supply not included) 611lm
Weight: Net 1,5 kg – Gross 2,8 kg
Package: 69 x 34 x 32 cm – 2,8 kg Vol – 0,075 m³
Product notes: 3000K available upon request
LED included



Cable length: 3 m
Wire installation: Hardwired
Color cord: Black
Canopy color: Black

For mounted canopy installation

When the project requires a combination of different Nenúfars, you will have to take into account the total power in watts, the power of the driver, and the wire entry points of the canopy. The total wattage of the selected Nenúfar elements

cannot exceed the max wattage of the canopy's driver, and the number of Nenúfars installed in a single canopy cannot exceed the number of wire entry points of that canopy.


Nenúfar Canopy 30W

Code A647-013
Finish ● Black

Materials
Structure: Painted iron

Dimmable: No

Product type: Accessory
Luminaire: 90 - 264 VAC 30W (max.)
Weight: Net 1,1 kg – Gross 1,4 kg
Package: 28 x 26 x 8 cm - 1,4 kg – VOL - 0,004 m³
Wire installation: Hardwired
Canopy color: Black - Entry points: 3




Nenúfar Canopy 60W

Code A647-014
Finish ● Black

Materials
Structure: Painted iron

Dimmable: No

Product type: Accessory
Luminaire: 180 - 295 VAC 60W (max.)
Weight: Net 1,6 kg – Gross 2 kg
Package: 33 x 31 x 8 cm - 2 kg – VOL - 0,09 m³
Wire installation: Hardwired
Canopy color: Black - Entry points: 4




Nenúfar Canopy 100W

Code A647-015
Finish ● Black

Materials
Structure: Painted iron

Dimmable: No

Product type: Accessory
Luminaire: 90 - 264 VAC 100W (max.)
Weight: Net 2 kg – Gross 2,5 kg
Package: 32 x 31 x 9 cm - 2,5 kg – VOL - 0,008 m³
Wire installation: Hardwired
Canopy color: Black - Entry points: 5



Nenúfar Canopy 60W DALI

Code A647-043
Finish ● Black


Materials
Structure: Painted iron

Dimmable: No

Product type: Accessory
Luminaire: 220 - 240 VAC DALI 60W (max.)
Weight: Net 1,9 kg – Gross 2,6 kg
Package: 44 x 44 x 13 cm - 2,6 kg – VOL - 0,012 m³



Wire installation: Hardwired
Canopy color: Black - Entry points: 5




Circular Canopy 100W

Code	Finish	Dimming	Class
A693-005	● Black	Triac	III
A693-006	● Black	DALI	II

Materials
Structure: Painted iron

Product type: Accessory
Luminaire: 220 - 240 VAC TRIAC 100W (max.)
Luminaire: 220 - 240 VAC DALI 100W (max.)
Weight: Net 3,3 kg – Gross 3,8 kg
Package: 42 x 42 x 8 cm - 3,8 kg – VOL - 0,013 m³
Product notes: Canopy for 24V luminaires.

Dimmable: Yes
Integrated dimmer: No
Dimming protocols: Phase cut (Triac)
DALI



Wire installation: Hardwired
Canopy color: Black - Entry points: 19


Nenúfar Canopy 100W 1-10V

Code	Finish
A647-047	● Black

Materials
Structure: Painted iron

Product type: Accessory
Luminaire: 220 - 240 VAC 0-10V 100W (max.)
Weight: Net 2,1 kg – Gross 2,5 kg
Package: 44 x 44 x 13 cm - 2,5 kg – VOL - 0,012 m³

Dimmable: Yes
Integrated dimmer: No
Dimming protocols: 1-10V



Wire installation: Hardwired
Canopy color: Black - Entry points: 5

For recessed canopy installation

The ceiling plate allows you to hide the driver in a false ceiling. Every Nenúfar requires a ceiling plate. For any installation where the driver must be hidden, there are 4 types of drivers based on the power: 20-30-60-100W.


Nenúfar Ceiling plate

Code	Finish
A647-016	● Black

Materials
Structure: Painted iron

Product type: Accessory
Weight: Net 0,19 kg – Gross 0,19 kg
Package: 25 x 16 x 1 cm - 0,19 kg – VOL - 0,0004 m³

Ø12cm



Code	Description
968-058	Nenúfar driver 30W
968-059	Nenúfar driver 60W
968-060	Nenúfar driver 100W
968-197	Nenúfar driver 100W DALI
968-063	Nenúfar driver 80W 1-10V / DSI
968-064	Nenúfar driver 100W 1-10V / DSI


Nenúfar Pre-set 3A

Code	Finish	Dimming	Class
A647-101	● Black	-	I
A647-103	● Black	DALI	I
A647-105	● Black	1-10V	I

Materials
 Stem: Metal
 Shade: Polycarbonate
 Diffuser: Methacrylate

Dimmable: Yes
 Integrated dimmer: No
 Dimming protocols: DALI
 1-10V

Product type: Pendant
 Light source: LED SMD 24Vdc 27W (x3) 2700K CRI90 3150lm (x3)
 Luminaire: 90 - 264 VAC 80W 611lm (x3)
 220 - 240 VAC DALI 76W 611lm (x3)
 220 - 240 VAC 0-10V 79W 611lm (x3)
 Weight: Net 5,1 kg – Gross 7,5 kg
 Package: 44 x 44 x 13 cm – 4,5 kg Vol – 0,025 m³
 (3x) 69 x 34 x 32 cm – 3 kg Vol – 0,075 m³
 Product notes: 3000K available upon request
 LED included



Dimmable

CE

ERC

UK
CA



Wire installation: Hardwired
 Color cord: Black
 Canopy color: Black




Nenúfar Pre-set 5A

Code	Finish	Dimming	Class
A647-113	● Black	-	I
A647-115	● Black	DALI	I
A647-117	● Black	1-10V	I

Materials
 Stem: Metal
 Shade: Polycarbonate
 Diffuser: Methacrylate

Dimmable: Yes
 Integrated dimmer: No
 Dimming protocols: DALI
 1-10V

Product type: Pendant
 Light source: LED SMD 24Vdc 27W (x5) 2700K CRI90 3150lm (x5)
 Luminaire: 180 - 264 VAC 134W 611lm (x5)
 220 - 240 VAC DALI 611lm (x5)
 220 - 240 VAC 0-10V 611lm (x5)
 Weight: Net 8 kg – Gross 9,5 kg
 Package: 53 x 53 x 12 cm – 6,5 kg Vol – 0,033 m³
 (5x) 69 x 34 x 32 cm – 3 kg Vol – 0,075 m³
 Product notes: 3000K available upon request
 LED included



Dimmable

CE

ERC

UK
CA



Wire installation: Hardwired
 Color cord: Black
 Canopy color: Black




Nenúfar Pre-set 7A

Code	Finish	Dimming	Class
A647-125	● Black	-	I
A647-127	● Black	DALI	I
A647-129	● Black	1-10V	I

Materials
 Stem: Metal
 Shade: Polycarbonate
 Diffuser: Methacrylate

Dimmable: Yes
 Integrated dimmer: No
 Dimming protocols: DALI
 1-10V

Product type: Pendant
 Light source: LED SMD 24Vdc 27W (x7) 2700K CRI90 3150lm (x7)
 Luminaire: 180 - 264 VAC 188W 611lm (x7)
 180 - 264 VAC 188W 611lm (x7)
 220 - 240 VAC 0-10V 184W 611lm (x7)
 Weight: Net 16,8 kg – Gross 18,5 kg
 Package: 70 x 70 x 20 cm – 15,5 kg Vol – 0,098 m³
 (7x) 69 x 34 x 32 cm – 3 kg Vol – 0,075 m³
 Product notes: 3000K available upon request
 LED included



Dimmable



Wire installation: Hardwired
 Color cord: Black
 Canopy color: Black




Nenúfar Pre-set 9A

Code	Finish	Dimming	Class
A647-137	● Black	-	I
A647-139	● Black	DALI	I
A647-141	● Black	1-10V	I

Materials
 Stem: Metal
 Shade: Polycarbonate
 Diffuser: Methacrylate

Dimmable: Yes
 Integrated dimmer: No
 Dimming protocols: DALI
 1-10V

Product type: Pendant
 Light source: LED SMD 24Vdc 27W (x9) 2700K CRI90 3150lm (x9)
 Luminaire: 90 - 264 VAC 213W 611lm (x9)
 220 - 240 VAC DALI 240W 611lm (x9)
 220 - 240 VAC 0-10V 213W 611lm (x9)
 Weight: Net 48,2 kg – Gross 50 kg
 Package: 80 x 81 x 50 cm – 23 kg Vol – 0,32 m³
 (9x) 69 x 34 x 32 cm – 3 kg Vol – 0,075 m³
 Product notes: 3000K available upon request
 LED included



Dimmable



Wire installation: Hardwired
 Color cord: Black
 Canopy color: Black






Neón de Luz NL - A 65

Code	Finish	Dimming	Class
A70-510	● Aluminium LED	-	II
A70-509	● Aluminium LED	DALI	II

Materials: Dimmable: Depends on the model
 Structure: Polycarbonate with reflectors Integrated dimmer: No
 Brackets: Chromed zamac Dimming protocols: DALI
 Reactance box: Polycarbonate

Product type: Wall
 Light source: LED SMD 450mA 15W 3000K CRI80 2250lm
 Luminaire: 220 - 240 VAC 18,94W
 220 - 240 VAC DALI 2 18,87W
 Weight: Net 1,2 kg – Gross 1,8 kg
 Package: 68 x 8 x 8 cm – 0,6 kg Vol – 0,004 m³
 58 x 22 x 5 cm – 1,2 kg Vol – 0,006 m³
 LED included



Dimmable



CE

ERC

UK
CA

Wire installation: Hardwired
 Color cord: Transparent
 Canopy color: White




Neón de Luz NL - A 95

Code	Finish	Dimming	Class
A70-500	● Aluminium LED	-	II
A70-508	● Aluminium LED	DALI	II

Materials
 Structure: Polycarbonate with reflectors
 Brackets: Chromed zamac
 Reactance box: Polycarbonate

Dimmable: Depends on the model
 Integrated dimmer: No
 Dimming protocols: DALI

Product type: Wall
 Light source: LED SMD 450mA 27,6W 3000K CRI80 3710lm
 Luminaire: 220 - 240 VAC 30,13W 2200lm
 220 - 240 VAC DALI 18,94W 2200lm
 Weight: Net 1,4 kg – Gross 2,26 kg
 Package: 100 x 8 x 8 cm – 1,16 kg Vol – 0,006 m³
 58 x 22 x 5 cm – 1,2 kg Vol – 0,006 m³
 LED included



Dimmable

CE

EAC

UK
CA

Wire installation: Hardwired
 Color cord: Transparent
 Canopy color: White




Neón de Luz NL - A 125

Code	Finish	Dimming	Class
A70-501	● Aluminium LED	-	II
A70-512	● Aluminium LED	DALI	II

Materials
 Structure: Polycarbonate with reflectors
 Brackets: Chromed zamac
 Reactance box: Polycarbonate

Dimmable: Depends on the model
 Integrated dimmer: No
 Dimming protocols: DALI

Product type: Wall
 Light source: LED SMD 450mA 38,9W 3000K CRI80 5190lm
 Luminaire: 220 - 240 VAC 40,35W 3020lm
 220 - 240 VAC DALI 40,29W 3020lm
 Weight: Net 2,1 kg – Gross 3 kg
 Package: 127 x 8 x 8 cm – 1,8 kg Vol – 0,008 m³
 58 x 22 x 5 cm – 1,2 kg Vol – 0,006 m³



Dimmable

CE

EAC

UK
CA

Wire installation: Hardwired
 Color cord: Transparent
 Canopy color: White




Neón de Luz NL - A 155

Code	Finish	Dimming	Class
A70-502	● Aluminium LED	-	II
A70-513	● Aluminium LED	DALI	II

Materials
 Structure: Polycarbonate with reflectors
 Brackets: Chromed zamac
 Reactance box: Polycarbonate

Dimmable: Depends on the model
 Integrated dimmer: No
 Dimming protocols: DALI

Product type: Wall
 Light source: LED SMD 450mA 51,25W 3000K CRI80 8715lm
 Luminaire: 220 - 240 VAC 55,98W 4274lm
 220 - 240 VAC DALI 55,8W 4274lm
 Weight: Net 2,2 kg – Gross 3,5 kg
 Package: 158 x 8 x 8 cm – 2,3 kg Vol – 0,010 m³
 58 x 22 x 5 cm – 1,2 kg Vol – 0,006 m³
 LED included



Wire installation: Hardwired
 Color cord: Transparent
 Canopy color: White




Neón de Luz NL - S 65

Code	Finish	Dimming	Class
A70-511	● Aluminium LED	-	II
A70-514	● Aluminium LED	DALI	II

Materials
 Structure: Polycarbonate with reflectors
 Brackets: Chromed zamac
 Reactance box: Polycarbonate

Dimmable: Depends on the model
 Integrated dimmer: No
 Dimming protocols: DALI

Product type: Pendant
 Light source: LED SMD 450mA 15W 3000K CRI80 2250lm
 Luminaire: 220 - 240 VAC 18,94W
 220 - 240 VAC DALI 18,87W
 Weight: Net 1,4 kg – Gross 1,8 kg
 Package: 68 x 8 x 8 cm – 0,6 kg Vol – 0,004 m³
 50 x 18 x 8 cm – 1,2 kg Vol – 0,006 m³



Cable length: 2 m
 Wire installation: Hardwired
 Color cord: Transparent
 Canopy color: White




Neón de Luz NL - S 95

Code	Finish	Dimming	Class
A70-503	● Aluminium LED	-	II
A70-515	● Aluminium LED	DALI	II

Materials
 Structure: Polycarbonate with reflectors
 Brackets: Chromed zamac
 Reactance box: Polycarbonate

Dimmable: Depends on the model
 Integrated dimmer: No
 Dimming protocols: DALI

Product type: Pendant
 Light source: LED SMD 450mA 27,6W 3000K CRI80 3710lm
 Luminaire: 220 - 240 VAC 30,13W 2200lm
 220 - 240 VAC 29,07W 2200lm
 Weight: Net 1,5 kg – Gross 2,26 kg
 Package: 100 x 8 x 8 cm – 1,16 kg Vol – 0,006 m³
 58 x 22 x 5 cm – 1,2 kg Vol – 0,006 m³
 LED included



Dimmable



CE

EAC

UK
CA

Cable length: 2 m
 Wire installation: Hardwired
 Color cord: Transparent
 Canopy color: White




Neón de Luz NL - S 125

Code	Finish	Dimming	Class
A70-504	● Aluminium LED	-	II
A70-516	● Aluminium LED	DALI	II

Materials
 Structure: Polycarbonate with reflectors
 Brackets: Chromed zamac
 Reactance box: Polycarbonate

Dimmable: Depends on the model
 Integrated dimmer: No
 Dimming protocols: DALI

Product type: Pendant
 Light source: LED SMD 450mA 38,9W 3000K CRI80 5190lm
 Luminaire: 220 - 240 VAC 40,35W 3020lm
 220 - 240 VAC 40,29W 3020lm
 Weight: Net 2,1 kg – Gross 2,74 kg
 Package: 127 x 8 x 8 cm – 1,54 kg Vol – 0,008 m³
 51 x 17 x 8 cm – 1,2 kg Vol – 0,006 m³
 LED included



Dimmable



CE

EAC

UK
CA

Cable length: 2 m
 Wire installation: Hardwired
 Color cord: Transparent
 Canopy color: White




Neón de Luz NL - S 155

Code	Finish	Dimming	Class
A70-505	● Aluminium LED	-	II
A70-517	● Aluminium LED	DALI	II

Materials
Structure: Polycarbonate with reflectors
Brackets: Chromed zamac
Reactance box: Polycarbonate

Dimmable: Depends on the model
Integrated dimmer: No
Dimming protocols: DALI

Product type: Pendant
Light source: LED SMD 450mA 51,25W 3000K CRI80 8715lm
Luminaire: 220 - 240 VAC 55,98W 4274lm
220 - 240 VAC DALI 55,82W 4274lm
Weight: Net 2,3 kg – Gross 3,2 kg
Package: 158 x 8 x 8 cm – 2 kg Vol – 0,010 m³
58 x 22 x 5 cm – 1,2 kg Vol – 0,006 m³
LED included



Dimmable



CE

ERC

UK
CA


Cable length: 2 m
Wire installation: Hardwired
Color cord: Transparent
Canopy color: White



N°8, Christophe Mathieu

The wooden sphere of the N° 8's lampshade is handcrafted to make each lamp unique. Its smooth texture has the quality and feel of a billiard ball, while its flexible arm, covered in braided fabric, is a mainstay that improves its look without sacrificing

its efficacy. The N°8 was designed to be placed at the head of a bed and add comfort to the bedroom, a place dedicated to restfulness, where a good book is always healthier than a sleeping pill.



N°8


Code
A670-001
A670-002

Finish
● Oak
● Wenge


Materials
Plate: Metal
Arm: Metal covered in braided fabric
Diffuser: Wood

Dimmable: No

Product type: Wall
Light source: LED SMD 700mA 2,1W 2700K CRI80 226,5lm
Luminaire: 100 - 240 VAC 4,25
Weight: Net 0,62 kg – Gross 1,15 kg
Package: 69 x 17 x 12 cm – 1,15 kg Vol – 0,01 m³
LED included



Wire installation: Hardwired
Canopy color: Black
Switch location: Plate






Piola

Code	Finish
A682-001	● White
A682-003	● Pink
A682-004	● Graphite

Materials
 Structure: Polycarbonate
 Shade: Laminated band made of PVC and polyester
 Stem: Metal

Dimmable: Yes
 Integrated dimmer: No
 Dimming protocols: Phase cut (Triac)

Product type: Pendant
 Light source: LED SMD 700mA 16,28W 2700K CRI90 1873lm
 Luminaire: 180 - 295 VAC TRIAC 19,71W 810lm
 Weight: Net 3,2 kg – Gross 5,9 kg
 Package: 72 x 38 x 25 cm – 5,9 kg Vol – 0,07 m³
 LED included



Dimmable



CE

ERC

UK
CA



Cable length: 2 m
 Wire installation: Hardwired
 Color cord: Black
 Canopy color: Black



Plaff-on!, Joan Gaspar

A good design is one that lasts over time. This is the case with the Plaff-on! a lamp that has been illuminating ceilings and walls for almost ten years. This very functional

collection has been updated and now its new versions – in two sizes of 33 and 50 cm in diameter and in black finish – include the IP protection grade.




Plaff-on! 16 IP65

Code A628-050 Finish ● Black

Materials Dimmable: Yes
Structure: Aluminium Integrated dimmer: No
Shade: Opal blown glass Dimming protocols: Phase cut (Triac)

Product type: Wall / Ceiling
Light source: LED COB 230 VAC 8W 2700K CRI90 571lm
Luminaire: 230 VAC TRIAC 8,47W 225lm
Weight: Net 0,8 kg – Gross 1,2 kg
Package: 22 x 22 x 17 cm – 1,2 kg Vol – 0,008 m³
LED included



Dimmable



CE

IP65

ERC

UK
CA


Wire installation: Hardwired



Signage Lid

Code	Description
-	3 - 10 units
-	11 - 25 units
-	26 or more units

Product type: Accessory
 Product Notes: Minimum order of 3pcs.
 Available upon request.



Plaff-on! 33 LED IP54


Code	Finish	Dimming	CCT
A628-054	● Black	Triac	27K
A628-055	● Black	DALI	27K
A628-065	● Black	Triac	27K - 30K - 40K

Materials
 Structure: Aluminium
 Shade: Opal blown glass
 Dimmable: Yes
 Integrated dimmer: No
 Dimming protocols: Phase cut (Triac)
 DALI

Product type: Wall / Ceiling
 Light source: LED SMD 700mA 21,8W 2700K CRI90 2654lm
 Luminaire: 220 - 240 VAC TRIAC 27W 1941lm
 220 - 240 VAC DALI 26,1W 1941lm

Light source: LED SMD 700mA 21,8W 3000K CRI90 2929lm
 Luminaire: 220 - 240 VAC TRIAC 26,95W

Light source: LED SMD 700mA 21,8W 4000K CRI90 3049lm
 Luminaire: 220 - 240 VAC TRIAC 26,95W
 Weight: Net 4 kg – Gross 4,5 kg
 Package: 40 x 40 x 21 cm – 4,5 kg Vol – 0,03 m³
 LED included



Dimmable



IP54

CE

ERC

UK
CA



Wire installation: Hardwired


The 3-CCT model has an integrated switch to select the desired color temperature during the installation.

Plaff-on! 33 IP54

Code A628-053 Finish ● Black

Materials
Structure: Aluminium
Shade: Opal blown glass

Product type: Wall / Ceiling
Light source: 2x E27 LED Standard 8W
Weight: Net 4,1 kg – Gross 4,5 kg
Package: 40 x 40 x 21 cm – 4,5 kg Vol – 0,03 m³



IP54



Wire installation: Hardwired

Plaff-on! 50 LED IP54

Code	Finish	Dimming	CCT	Class
A628-057	● Black	Triac	27K	II
A628-058	● Black	DALI	27K	I
A628-066	● Black	Triac	27K - 30K - 40K	II


Materials
Structure: Aluminium
Shade: Opal blown glass

Dimmable: Yes
Integrated dimmer: No
Dimming protocols: Phase cut (Triac)
DALI

Product type: Wall / Ceiling
Light source: LED SMD 700mA 28,4W 2700K CRI90 3318lm
Luminaire: 220 - 240 VAC TRIAC 34W 2172lm
220 - 240 VAC DALI 33,25W 2172lm

Light source: LED SMD 700mA 28,4W 3000K CRI90 3753lm
Luminaire: 220 - 240 VAC TRIAC 34W

Light source: LED SMD 700mA 28,4W 4000K CRI90 3798lm
Luminaire: 220 - 240 VAC TRIAC 34W
Weight: Net 7,2 kg – Gross 8,5 kg
Package: 60 x 60 x 25 cm – 8,5 kg Vol – 0,09 m³
LED included



IP54



Wire installation: Hardwired


The 3-CCT model has an integrated switch to select the desired color temperature during the installation.

Plaff-on! 50 IP54

Code A628-056 Finish ● Black

Materials
Structure: Aluminium
Shade: Opal blown glass

Product type: Wall / Ceiling
Light source: 4x E27 LED Standard 8W
Weight: Net 6,6 kg – Gross 8,5 kg
Package: 60 x 60 x 25 cm – 8,5 kg Vol – 0,09 m³



CE
EAC
UK
CA

☐
IP54



Wire installation: Hardwired


Plaff-on! A IP65

Code A628-061 Finish ● Black

Materials
Structure: Aluminium
Shade: Opal blown glass

Dimmable: Yes
Integrated dimmer: No
Dimming protocols: Phase cut (Triac)

Product type: Wall
Light source: LED COB 230 VAC 8W 2700K CRI90 571lm
Luminaire: 230 VAC TRIAC 8,47W 225lm
Weight: Net 0,8 kg – Gross 1,2 kg
Package: 22 x 22 x 16,5 cm – 1,2 kg Vol – 0,008 m³
LED included



Dimmable
CE
EAC
UK
CA

⊕
IP65



Wire installation: Hardwired


Plaff-on! B IP65

Code A628-064
 Finish ● Black

Materials
 Structure: Aluminium
 Shade: Opal blown glass

Dimmable: Yes
 Integrated dimmer: No
 Dimming protocols: Phase cut (Triac)

Product type: Wall
 Light source: LED COB 230 VAC 8W 2700K CRI90 571lm
 Luminaire: 230 VAC TRIAC 8,47W 225lm
 Weight: Net 1,8 kg – Gross 3,4 kg
 Package: 23,5 x 83 x 33,5 cm – 3,4 kg Vol – 0,07 m³
 LED included



Dimmable



CE

IP65

ERC

UK
CA




Wire installation: Hardwired

Ground fixation plate

Code A628-071
 Finish ● Stainless steel

Materials
 Structure: Stainless steel 316L

Product type: Accessory
 Weight: Net 0,2 kg – Gross 0,84 kg
 Package: 26 x 26 x 20 cm – 0,84 kg – VOL - 0,13 m³




Spare parts

Code	Product	Finish	Spare part
R628-002	Plaff-on! 16 IP65	-	Glass
R628-010	Plaff-on! 33 IP54	-	Glass
R628-011	Plaff-on! 50 IP54	-	Glass

Pleat Box, Xavier Mañosa & Mashallah

The idea behind the Pleat Box is a sophisticated combination between a digitally designed crease in a piece of cloth and a silhouette that is applied to a ceramic base.

The Pleat Box collection is available with an integrated LED technology, which projects indirect light and prevents glare.




Pleat Box 13

Code	Finish
A636-049	● White - White
A636-050	● White - Gold
A636-051	● Grey - White
A636-052	● Grey - Gold
A636-053	● Terracotta - White
A636-054	● Terracotta - Gold
A636-073	● Black - White
A636-083	● Black - Gold

Materials
 Shade: Ceramic with the inner part in brilliant white enamel or gold
 Canopy: Ceramic
 Cord: Fabric

Product type: Pendant
 Light source: E27 LED Reflector 8W
 Weight: Net 1,4 kg – Gross 2 kg
 Package: 24 x 24 x 53 cm – 2 kg Vol – 0,03 m³



Cable length: 2 m
 Wire installation: Hardwired
 Color cord: White whenever the inner or the outer part of the lamp is white. If not, it is black.
 Canopy color: Same color as chosen shade


Pleat Box 13 LED

Code	Finish
A636-200	● White - White
A636-201	● White - Gold
A636-202	● Grey - White
A636-203	● Grey - Gold
A636-204	● Terracotta - White
A636-205	● Terracotta - Gold
A636-206	● Black - White
A636-207	● Black - Gold

Materials
 Shade: Ceramic with the inner part in brilliant white enamel or gold
 Canopy: Ceramic
 Cord: Fabric

Dimmable: Yes
 Integrated dimmer: No
 Dimming protocols: Phase cut (Triac)

Product type: Pendant
 Light source: LED SMD 350mA 4,05W 2700K CRI90 463lm
 Luminaire: 220 - 240 VAC TRIAC 5,72W 165lm
 Weight: Net 1,65 kg – Gross 2,3 kg
 Package: 24 x 24 x 53 cm – 2,3 kg Vol – 0,03 m³
 LED included



Dimmable



CE

ERC

UK

Cable length: 2 m
 Wire installation: Hardwired
 Color cord: White whenever the inner or the outer part of the lamp is white. If not, it is black.
 Canopy color: Same color as chosen shade




Pleat Box 24

Code	Finish
A636-173	● White - White
A636-174	● White - Gold
A636-175	● Grey - White
A636-176	● Grey - Gold
A636-177	● Terracotta - White
A636-178	● Terracotta - Gold
A636-179	● Black - White
A636-180	● Black - Gold

Materials
 Shade: Ceramic with the inner part in brilliant white enamel or gold
 Canopy: Ceramic
 Cord: Fabric

Product type: Pendant
 Light source: E14 LED 5W
 Weight: Net 1,9 kg – Gross 2,5 kg
 Package: 36 x 36 x 30 cm – 2,5 kg Vol – 0,04 m³



CE

ERC

UK



Cable length: 2 m
 Wire installation: Hardwired
 Color cord: White whenever the inner or the outer part of the lamp is white. If not, it is black.
 Canopy color: Same color as chosen shade




Pleat Box 24 LED

Code	Finish
A636-210	● White - White
A636-211	● White - Gold
A636-212	● Grey - White
A636-213	● Grey - Gold
A636-214	● Terracotta - White
A636-215	● Terracotta - Gold
A636-216	● Black - White
A636-217	● Black - Gold

Materials
 Shade: Ceramic with the inner part in brilliant white enamel or gold
 Canopy: Ceramic
 Cord: Fabric

Dimmable: Yes
 Integrated dimmer: No
 Dimming protocols: Phase cut (Triac)

Product type: Pendant
 Light source: LED SMD 700mA 8,2W 2700K CRI90 913lm
 Luminaire: 220 - 240 VAC TRIAC 9,89W 113lm
 Weight: Net 1,9 kg – Gross 2,5 kg
 Package: 36 x 36 x 30 cm – 2,5 kg Vol – 0,04 m³
 LED included



Dimmable



CE

ERC

UK
CA

Cable length: 2 m
 Wire installation: Hardwired
 Color cord: White whenever the inner or the outer part of the lamp is white. If not, it is black.
 Canopy color: Same color as chosen shade




Pleat Box 36

Code	Finish
A636-061	● White - White
A636-062	● White - Gold
A636-063	● Grey - White
A636-064	● Grey - Gold
A636-065	● Terracotta - White
A636-066	● Terracotta - Gold
A636-074	● Black - White
A636-086	● Black - Gold
A636-101	● Brown - White
A636-102	● Brown - Gold

Materials
 Shade: Ceramic with the inner part in brilliant white enamel or gold
 Canopy: Ceramic
 Cord: Fabric

Product type: Pendant
 Light source: E14 LED 5W
 Weight: Net 2,6 kg – Gross 3,7 kg
 Package: 49 x 49 x 29 cm – 3,7 kg Vol – 0,07 m³



CE

ERC

UK
CA



Cable length: 2 m
 Wire installation: Hardwired
 Color cord: White whenever the inner or the outer part of the lamp is white. If not, it is black.
 Canopy color: Same color as chosen shade




Pleat Box 36 LED

Code	Finish
A636-220	● White - White
A636-221	● White - Gold
A636-222	● Grey - White
A636-223	● Grey - Gold
A636-224	● Terracotta - White
A636-225	● Terracotta - Gold
A636-226	● Black - White
A636-227	● Black - Gold
A636-228	● Brown - White
A636-229	● Brown - Gold

Materials
 Shade: Ceramic with the inner part in brilliant white enamel or gold
 Canopy: Ceramic
 Cord: Fabric

Dimmable: Yes
 Integrated dimmer: No
 Dimming protocols: Phase cut (Triac)

Product type: Pendant
 Light source: LED SMD 700mA 8,2W 2700K CRI90 913lm
 Luminaire: 220 - 240 VAC TRIAC 9,89W 233lm
 Weight: Net 3,2 kg – Gross 4,3 kg
 Package: 49 x 50 x 30 cm – 4,3 kg Vol – 0,07 m³
 LED included



Dimmable




CE

ERC

UK
CA

Cable length: 2 m
 Wire installation: Hardwired
 Color cord: White whenever the inner or the outer part of the lamp is white. If not, it is black.
 Canopy color: Same color as chosen shade




Pleat Box 47

Code	Finish
A636-067	● White - White
A636-068	● White - Gold
A636-069	● Grey - White
A636-070	● Grey - Gold
A636-071	● Terracotta - White
A636-072	● Terracotta - Gold
A636-087	● Black - White
A636-088	● Black - Gold
A636-103	● Brown - White
A636-104	● Brown - Gold

Materials
 Shade: Ceramic with the inner part in brilliant white enamel or gold
 Canopy: Ceramic
 Cord: Fabric

Product type: Pendant
 Light source: E27 LED Standard 8W
 Weight: Net 4,6 kg – Gross 6 kg
 Package: 57 x 57 x 36 cm – 6 kg Vol – 0,1 m³



CE

ERC

UK
CA



Cable length: 2 m
 Wire installation: Hardwired
 Color cord: White whenever the inner or the outer part of the lamp is white. If not, it is black.
 Canopy color: Same color as chosen shade





Pleat Box 47 LED

Code	Finish
A636-230	● White - White
A636-231	● White - Gold
A636-232	● Grey - White
A636-233	● Grey - Gold
A636-234	● Terracotta - White
A636-235	● Terracotta - Gold
A636-236	● Black - White
A636-237	● Black - Gold
A636-238	● Brown - White
A636-239	● Brown - Gold


Materials
 Shade: Ceramic with the inner part in brilliant white enamel or gold
 Canopy: Ceramic
 Cord: Fabric

Dimmable: Yes
 Integrated dimmer: No
 Dimming protocols: Phase cut (Triac)

Product type: Pendant
 Light source: LED SMD 700mA 16,28W 2700K CRI90 1873lm
 Luminaire: 180 - 295 VAC TRIAC 19,71W 625lm
 Weight: Net 4,6 kg – Gross 6 kg
 Package: 57 x 57 x 36 cm – 6 kg Vol – 0,1 m³
 LED included



Cable length: 2 m
 Wire installation: Hardwired
 Color cord: White whenever the inner or the outer part of the lamp is white. If not, it is black.
 Canopy color: Same color as chosen shade



Spare parts

Code	Product	Finish	Spare part
R636-027	Pleat Box 13	White-White	Shade
R636-026	Pleat Box 13	White-Gold	Shade
R636-028	Pleat Box 13	Grey-White	Shade
R636-029	Pleat Box 13	Grey-Gold	Shade
R636-030	Pleat Box 13	Terracotta-White	Shade
R636-031	Pleat Box 13	Terracotta-Gold	Shade
R636-032	Pleat Box 13	Black-White	Shade
R636-034	Pleat Box 13	Black-Gold	Shade
R636-017	Pleat Box 24	White-White	Shade
R636-016	Pleat Box 24	White-Gold	Shade
R636-018	Pleat Box 24	Grey-White	Shade
R636-040	Pleat Box 24	Grey-Gold	Shade
R636-019	Pleat Box 24	Terracotta-White	Shade
R636-020	Pleat Box 24	Terracotta-Gold	Shade
R636-021	Pleat Box 24	Black-White	Shade
R636-022	Pleat Box 24	Black-Gold	Shade
R636-041	Pleat Box 36	White-White	Shade
R636-046	Pleat Box 36	White-Gold	Shade
R636-042	Pleat Box 36	Grey-White	Shade
R636-047	Pleat Box 36	Grey-Gold	Shade
R636-043	Pleat Box 36	Terracotta-White	Shade
R636-048	Pleat Box 36	Terracotta-Gold	Shade
R636-044	Pleat Box 36	Black-White	Shade
R636-049	Pleat Box 36	Black-Gold	Shade
R636-014	Pleat Box 47	White-White	Shade
R636-055	Pleat Box 47	White-Gold	Shade
R636-051	Pleat Box 47	Grey-White	Shade
R636-056	Pleat Box 47	Grey-Gold	Shade
R636-052	Pleat Box 47	Terracotta-White	Shade
R636-057	Pleat Box 47	Terracotta-Gold	Shade
R636-053	Pleat Box 47	Black-White	Shade
R636-058	Pleat Box 47	Black-Gold	Shade

Polo, Joan Gaspar

The fluidity of its movements and its integrated LED technology makes the Polo a Light source with a great precision and versatility.

The Polo comes with a diffuser made from injected aluminium and a rotary switch located in the upper part.




Polo

Code A642-001
Finish ● Black (RAL 9005)

Materials Diffuser: Aluminium Dimmable: No
Body: Aluminium

Product type: Table
Light source: LED SMD 350mA 6,3W 3000K CRI80 532,4lm
Luminaire: 100 - 240 VAC 8,34W 441lm
Weight: Net 0,7 kg – Gross 1,8 kg
Package: 53 x 36 x 11 cm – 1,8 kg Vol – 0,019 m³
Product notes: Reflector with 80° degree aperture
LED included



CE

ERC



Cable length: 2,2 m
Wire installation: Plug-in
Color cord: Black
Switch location: Built-in the shade





Base

Code A642-003
Finish ● Black (RAL 9005)

Materials
Base: Metal with a polycarbonate cover

Product type: Accessory
Weight: Net 3,9 kg – Gross 4 kg
Package: 24 x 24 x 12 cm - 4 kg – VOL - 0,007 m³




Clamp

Code A642-005
Finish ● Black (RAL 9005)

Materials
Structure: Metal

Product type: Accessory
Weight: Net 0,4 kg – Gross 0,5 kg
Package: 14 x 9 x 7 cm - 0,5 kg – VOL - 0,001 m³




Wall bracket

Code A642-009
Finish ● Black (RAL 9005)

Materials
Structure: Aluminium

Product type: Accessory
Weight: Net 0,2 kg – Gross 0,3 kg
Package: 15 x 9 x 7 cm - 0,3 kg – VOL - 0,001 m³




Floor base

Code A642-020
Finish ● Black (RAL 9005)

Materials
Structure: Aluminium

Product type: Accessory
Weight: Net 5,4 kg – Gross 7 kg
Package: 34 x 34 x 3 cm - 6 kg – VOL - 0,003 m³
Ø4 x 66 cm - 1 kg – VOL - 0,0002 m³




Polo A hardwire

Code	Finish
A642-040	● Black (RAL 9005)
A642-041	● White (RAL 9001)


Materials
Diffuser: Aluminium
Body: Aluminium

Dimmable: No

Product type: Wall
Light source: LED SMD 350mA 6,3W 3000K CRI80 532,4lm
Luminaire: 100 - 240 VAC 8,11W 436lm
Weight: Net 0,6 kg – Gross 0,8 kg
Package: 19 x 19 x 12 cm – 0,8 kg Vol – 0,004 m³
Product notes: Reflector with 80° degree aperture
LED included



Wire installation: Hardwired
Color cord: Black
Switch location: Built-in the shade




Polo A with clamp

Code	Finish
A642-026	● White (RAL 9001)

Materials
Diffuser: Aluminium
Body: Aluminium

Dimmable: No

Product type: Clamp
Light source: LED SMD 350mA 6,3W 3000K CRI80 532,4lm
Luminaire: 100 - 240 VAC 8,34W 441lm
Weight: Net 0,5 kg – Gross 0,7 kg
Package: 24 x 19 x 12 cm – 0,7 kg Vol – 0,005 m³
Product notes: Reflector with 80° degree aperture



Wire installation: Plug-in
Color cord: Black
Switch location: Built-in the shade



Polo Spot


Code
A642-036
A642-037

Finish
● Black (RAL 9005)
● White (RAL 9001)

Materials
Diffuser: Aluminium
Body: Aluminium

Dimmable: No

Product type: Ceiling
Light source: LED SMD 350mA 6,3W 3000K CRI80 532,4lm
Luminaire: 100 - 240 VAC 8,11W 436lm
Weight: Net 0,6 kg – Gross 0,8 kg
Package: 19 x 19 x 14 cm – 0,8 kg Vol – 0,005 m³
Product notes: Reflector with 36° degree aperture
LED included



Wire installation: Hardwired
Color cord: Black



Recessed accessory Polo Spot

Code
A642-104

Materials
Structure: Stainless steel






Pu-erh 21

Code	Finish
A684-025	White-Gold
A684-007	Burgundy-White
A684-008	Burgundy-Gold
A684-005	Pink-White
A684-006	Pink-Gold
A684-004	Blue-Gold
A684-002	Black-White
A684-026	Black-Gold

Materials
 Diffuser: Ceramic with the inner part in white or gold enamel

Dimmable: Yes
 Integrated dimmer: No
 Dimming protocols: Phase cut (Triac)

Product type: Pendant
 Light source: LED SMD 350mA 4,05W 2700K CRI90 463lm
 Luminaire: 220 - 240 VAC TRIAC 5,72W 174lm
 Weight: Net 1 kg – Gross 1,2 kg
 Package: 26 x 26 x 20 cm – 1,2 kg Vol – 0,01 m³
 LED included



Dimmable

CE

ERC




Cable length: 2 m
 Wire installation: Hardwired
 Color cord: Black
 Canopy color: Black

Pu-erh 32

Code	Finish
A684-027	White-Gold
A684-015	Burgundy-White
A684-016	Burgundy-Gold
A684-014	Pink-Gold
A684-012	Blue-Gold
A684-028	Black-Gold

Materials: Diffuser: Ceramic with the inner part in white or gold enamel
 Dimmable: Yes
 Integrated dimmer: No
 Dimming protocols: Phase cut (Triac)

Product type: Pendant
 Light source: LED SMD 700mA 8,2W 2700K CRI90 913lm
 Luminaire: 220 - 240 VAC TRIAC 9,18W 286lm
 Weight: Net 2,1 kg – Gross 2,7 kg
 Package: 39 x 39 x 29 cm – 2,7 kg Vol – 0,04 m³
 LED included



Dimmable




Cable length: 2 m
 Wire installation: Hardwired
 Color cord: Black
 Canopy color: Black

Pu-erh 42

Code	Finish
A684-029	White-Gold
A684-024	Burgundy-Gold
A684-022	Pink-Gold
A684-020	Blue-Gold
A684-018	Black-White
A684-030	Black-Gold

Materials: Diffuser: Ceramic with the inner part in white or gold enamel
 Dimmable: Yes
 Integrated dimmer: No
 Dimming protocols: Phase cut (Triac)

Product type: Pendant
 Light source: LED SMD 700mA 8,2W 2700K CRI90 913lm
 Luminaire: 220 - 240 VAC TRIAC 9,18W 269lm
 Weight: Net 3,2 kg – Gross 3,7 kg
 Package: 51 x 51 x 23 cm – 3,7 kg Vol – 0,07 m³
 LED included



Dimmable



Cable length: 2 m
 Wire installation: Hardwired
 Color cord: Black
 Canopy color: Black

Compact indoor and outdoor wall lamp with a pressed glass diffuser. Its undulating shade covers the light, blurring it. It doesn't settle for just providing light, it also manages to create an ambiance.

Roc tempts the senses. It looks like a bright block of ice, and its irregular, almost organic texture beckons to be touched.




Roc IP65

Code A701-001 Finish ● Black

Materials Dimmable: Yes
Structure: Aluminium Integrated dimmer: No
Shade: Pressed glass Dimming protocols: Phase cut (Triac)

Product type: Wall
Light source: LED COB 230 VAC 8W 2700K CRI90 571lm
Luminaire: 230 VAC TRIAC 8,47W 250lm
Weight: Net 1,4 kg – Gross 1,7 kg
Package: 21 x 34 x 8 cm – 1,7 kg Vol – 0,005 m³
LED included



Dimmable

IP65


CE

ERC

UK

±


Wire installation: Hardwired



Santorini, Sputnik Estudio

Santorini was created as an outdoor light, inspired by the lamps on fishing vessels. Following its good run, an indoor suspension version is now being released.

This collection remains rich in its nuances and shapes by allowing the user to position the shades, creating different lighting arrangements.




Santorini

Code	Finish
A654-001	● White (RAL 9003)
A654-002	● Grey (RAL 7039)
A654-003	● Mustard (RAL 1032)

Materials
Structure: Polycarbonate
Shade: Blown pressed glass

Product type: Pendant
Light source: E27 LED Standard 8W
Weight: Net 1,5 kg – Gross 2,2 kg
Package: 41 x 26 x 24 cm – 2,2 kg Vol – 0,03 m³



CE

EAC



IP65

Cable length: 4,5 m
Wire installation: Plug-in
Color cord: Black






Santorini A Fixed Stem

Code	Finish
A654-023	● White (RAL 9003)
A654-024	● Grey (RAL 7039)
A654-025	● Mustard (RAL 1032)

Materials
Structure: Polycarbonate
Shade: Blown pressed glass
Support: Stainless anti-oxidant
cataphoresis treatment

Product type: Wall
Light source: E27 LED Standard 8W
Weight: Net 1,5 kg – Gross 2,4 kg
Package: 53 x 33 x 24 cm – 2,4 kg Vol – 0,042 m³



CE

ERC

UK



IP65




Wire installation: Hardwired

Santorini C

Code	Finish
A654-026	● White (RAL 9003)
A654-027	● Grey (RAL 7039)
A654-028	● Mustard (RAL 1032)

Materials
Structure: Polycarbonate
Shade: Blown pressed glass
Support: Stainless anti-oxidant
cataphoresis treatment

Product type: Ceiling
Light source: E27 LED Standard 8W
Weight: Net 1,4 kg – Gross 2,3 kg
Package: 53 x 33 x 24 cm – 2,3 kg Vol – 0,042 m³



CE

ERC

UK



IP65



Wire installation: Hardwired

Garland accessory

Code A654-004
Finish ● Grey

Product type: Accessory
Weight: Net 0,03 kg – Gross 0,03 kg
Package: 16 x 25 x 1 cm – 0,03 kg – VOL - 0,0004 m³




Wall bracket

Code A654-005
Finish ● Graphite grey (RAL 7024)

Materials
Structure: Metal with stainless anti-oxidant cataphoresis treatment

Product type: Accessory
Weight: Net 0,3 kg – Gross 0,5 kg
Package: 14 x 14 x 28 cm – 0,5 kg – VOL - 0,005 m³





Hardwired wall bracket IP65

Code A654-006
Finish ● Graphite grey (RAL 7024)

Materials
Structure: Metal with stainless anti-oxidant cataphoresis treatment

Product type: Accessory
Weight: Net 0,5 kg – Gross 0,7 kg
Package: 14 x 14 x 28 cm – 0,7 kg – VOL - 0,005 m³



Canopy IP65

Code A654-007
Finish ● Graphite grey (RAL 7024)

Product type: Accessory
Weight: Net 0,2 kg – Gross 0,3 kg
Package: 16 x 9 x 15 cm – 0,3 kg – VOL - 0,002 m³



Canopy

Code A654-008
 Finish ● White

Product type: Accessory
 Weight: Net 0,2 kg – Gross 0,3 kg
 Package: 16 x 9 x 15 cm - 0,3 kg – VOL - 0,002 m³




Floor accessory

Code A654-009
 Finish ● Grey (RAL 7039)

Materials
 Structure: Metallic structure with stainless anti-oxidant cataphoresis treatment

Product type: Accessory
 Weight: Net 6,7 kg – Gross 7,8 kg
 Package: 25 x 5 x 179 cm - 2,1 kg – VOL - 0,022 m³
 38 x 38 x 5 cm - 5,7 kg – VOL - 0,006 m³




Santorini IP20

Code A654-050
 Finish ● Light green (PANTONE 5517U)
 A654-051 ● Sand (RAL 1001)
 A654-052 ● Off-white (RAL 1013)
 A654-053 ● Pale pink (PANTONE 939C)

Materials
 Structure: Polycarbonate
 Shade: Blown pressed glass

Product type: Pendant
 Light source: E27 LED Standard 8W
 Weight: Net 1,3 kg – Gross 2 kg
 Package: 41 x 25 x 24 cm – 2 kg Vol – 0,025 m³



Cable length: 2 m
 Wire installation: Hardwired
 Color: Cord: Black fabric electrical cord
 Canopy color: Black

Spare parts

Code	Product	Finish	Spare part
R654-001	Santorini Outdoor	-	Glass
R654-005	Santorini Outdoor	White	Big Shade
R654-006	Santorini Outdoor	Grey	Big Shade
R654-007	Santorini Outdoor	Mustard	Big Shade
R654-010	Santorini Outdoor	White	Small Shade
R654-011	Santorini Outdoor	Grey	Small Shade
R654-012	Santorini Outdoor	Mustard	Small Shade
R654-009	Santorini Outdoor	White	Cylindrical Shade






Scantling P73

Code
 A626-001 Finish
 A626-018 ● White (RAL 9001)
 ● Black (RAL 9005)

Materials
 Stem: Iron
 Base: Iron
 Arm: Oak
 Shade: Aluminium

Product type: Floor
 Light source: E27 LED Reflector 8W
 Weight: Net 7,5 kg – Gross 10,7 kg
 Package: 139 x 46 x 17 cm – 10,7 kg Vol – 0,11 m³



Cable length: 2 m
 Wire installation: Plug-in
 Color cord: Black fabric electrical cord
 Switch location: Shade




Scantling P40

Code	Finish
A626-003	● White (RAL 9001)
A626-019	● Black (RAL 9005)

Materials
Stem: Iron
Base: Iron
Arm: Oak
Shade: Aluminium

Product type: Floor
Light source: E27 LED Reflector 8W
Weight: Net 4,4 kg – Gross 7,6 kg
Package: 137 x 46 x 17 cm – 7,6 kg Vol – 0,11 m³




Cable length: 2 m
Wire installation: Plug-in
Color: Cord: Black fabric electrical cord
Switch location: Shade

Scantling S

Code	Finish
A626-005	● White (RAL 9001)
A626-020	● Black (RAL 9005)

Materials
Stem: Iron
Base: Iron
Arm: Oak
Shade: Aluminium

Product type: Table
Light source: E27 LED Reflector 8W
Weight: Net 3,6 kg – Gross 5,3 kg
Package: 71 x 40 x 18 cm – 5,3 kg Vol – 0,05 m³



Cable length: 1,5 m
Wire installation: Plug-in
Color: Cord: Black fabric electrical cord
Switch location: Shade


Scantling A

Code
A626-007
A626-021

Finish
● White (RAL 9001)
● Black (RAL 9005)

Materials
Structure: Iron
Arm: Oak
Shade: Aluminium

Product type: Wall
Light source: E27 LED Reflector 8W
Weight: Net 0,8 kg – Gross 1,4 kg
Package: 35 x 30 x 18 cm – 1,4 kg Vol – 0,02 m³



CE

ERC

UK

CA



Wire installation: Hardwired
Switch location: Canopy



The warmth of the fixture's ceramics contrasts with the faceted edges of the sphere, making it seem as if it is winking playfully. Made using a meticulous, traditional design

process, the lamps are fired four times – using glazes specifically developed for this collection – and incorporate warm, high-quality materials, such as gold.



Scotch Club 17



Code	Finish
A656-001	● White - White
A656-002	● White - Gold
A656-003	● Grey - White
A656-004	● Grey - Gold
A656-005	● Terracotta - White
A656-006	● Terracotta - Gold
A656-007	● Black - White
A656-008	● Black - Gold

Materials

Shade: Ceramic with the inner part in brilliant white enamel or gold
 Canopy: Ceramic
 Cord: Fabric

Product type: Pendant

Light source: G9 LED 2,2W
 Weight: Net 1,3 kg – Gross 2 kg
 Package: 45 x 25 x 27 cm – 2 kg Vol – 0,03 m³



Cable length: 2 m
 Wire installation: Hardwired
 Color cord: White whenever the inner or the outer part of the lamp is white. If not, it is black.
 Canopy color: Same color as chosen shade

Scotch Club 26

Code	Finish
A656-130	● White - White
A656-131	● White - Gold
A656-132	● Blue - White
A656-133	● Blue - Gold
A656-134	● Terracotta - White
A656-135	● Terracotta - Gold
A656-136	● Black - White
A656-137	● Black - Gold

Materials


Shade: Ceramic with the inner part in brilliant white enamel or gold
 Canopy: Ceramic
 Cord: Fabric

Product type: Pendant

Light source: E27 LED Standard 8W

Weight: Net 2,4 kg – Gross 3,3 kg

Package: 35 x 34 x 40 cm – 3,3 kg Vol – 0,05 m³



Cable length: 2 m

Wire installation: Hardwired

Color cord: White whenever the inner or the outer part of the lamp is white. If not, it is black.

Canopy color: Same color as chosen shade



Scotch Club 41

Code	Finish
A656-138	● White - White
A656-139	● White - Gold
A656-142	● Terracotta - White
A656-143	● Terracotta - Gold
A656-144	● Black - White
A656-145	● Black - Gold

Materials


Shade: Ceramic with the inner part in brilliant white enamel or gold
 Canopy: Ceramic
 Cord: Fabric

Product type: Pendant

Light source: E27 LED Standard 8W

Weight: Net 6 kg – Gross 8,2 kg

Package: 59 x 60 x 59 cm – 8,2 kg Vol – 0,2 m³




Cable length: 2 m

Wire installation: Hardwired

Color cord: White whenever the inner or the outer part of the lamp is white. If not, it is black.

Canopy color: Same color as chosen shade



Scotch Club A 30

Code	Finish
A656-025	● White - White
A656-026	● White - Gold
A656-027	● Blue - White
A656-028	● Blue - Gold
A656-029	● Terracotta - White
A656-030	● Terracotta - Gold
A656-031	● Black - White
A656-032	● Black - Gold

Materials


Shade: Ceramic with the inner part in brilliant white enamel or gold

Product type: Wall

Light source: 2x G9 LED 2,2W

Weight: Net 1,6 kg – Gross 2,4 kg

Package: 36 x 36 x 29 cm – 2,4 kg Vol – 0,037 m³



CE

ERC

UK



Wire installation: Hardwired



Scotch Club A 40

Code	Finish
A656-082	● White - Gold
A656-083	● Blue - White
A656-084	● Blue - Gold
A656-085	● Terracotta - White
A656-086	● Terracotta - Gold
A656-087	● Black - White
A656-088	● Black - Gold

Materials


Shade: Ceramic with the inner part in brilliant white enamel or gold

Product type: Wall

Light source: 2x E27 LED Standard 8W

Weight: Net 3,9 kg – Gross 5,3 kg

Package: 52 x 52 x 29 cm – 5,3 kg Vol – 0,078 m³



CE

ERC

UK



Wire installation: Hardwired



Scotch Club C

Code	Finish
A656-033	● White - White
A656-034	● White - Gold
A656-036	● Blue - Gold
A656-037	● Terracotta - White
A656-038	● Terracotta - Gold
A656-039	● Black - White
A656-040	● Black - Gold

Materials


Shade: Ceramic with the inner part in brilliant white enamel or gold

Product type: Wall

Light source: G9 LED 2,2W

Weight: Net 0,8 kg – Gross 1,2 kg

Package: 22 x 25 x 23 cm – 1,2 kg Vol – 0,01 m³



Wire installation: Hardwired

Spare parts

Code	Product	Finish	Spare part
R656-014	Scotch Club 17	White-White	Shade
R656-015	Scotch Club 17	White-Gold	Shade
R656-016	Scotch Club 17	Terracotta-White	Shade
R656-017	Scotch Club 17	Terracotta-Gold	Shade
R656-018	Scotch Club 17	Black-White	Shade
R656-019	Scotch Club 17	Black-Gold	Shade
R656-020	Scotch Club 26	White-White	Shade
R656-021	Scotch Club 26	White-Gold	Shade
R656-022	Scotch Club 26	Terracotta-White	Shade
R656-023	Scotch Club 26	Terracotta-Gold	Shade
R656-024	Scotch Club 26	Black-White	Shade
R656-002	Scotch Club 26	Black-Gold	Shade
R656-004	Scotch Club 41	White-White	Shade
R656-005	Scotch Club 41	White-Gold	Shade
R656-008	Scotch Club 41	Terracotta-White	Shade
R656-009	Scotch Club 41	Terracotta-Gold	Shade
R656-010	Scotch Club 41	Black-White	Shade
R656-011	Scotch Club 41	Black-Gold	Shade
R656-025	Scotch Club A 30	White-White	Shade
R656-026	Scotch Club A 30	White-Gold	Shade
R656-027	Scotch Club A 30	Terracotta-White	Shade
R656-028	Scotch Club A 30	Terracotta-Gold	Shade
R656-029	Scotch Club A 30	Black-White	Shade
R656-030	Scotch Club A 30	Black-Gold	Shade
R656-032	Scotch Club A 40	White-Gold	Shade
R656-033	Scotch Club A 40	Terracotta-White	Shade
R656-013	Scotch Club A 40	Terracotta-Gold	Shade
R656-034	Scotch Club A 40	Black-White	Shade
R656-035	Scotch Club A 40	Black-Gold	Shade
R656-036	Scotch Club C	White-White	Shade
R656-037	Scotch Club C	White-Gold	Shade
R656-038	Scotch Club C	Terracotta-White	Shade
R656-039	Scotch Club C	Terracotta-Gold	Shade
R656-040	Scotch Club C	Black-White	Shade
R656-041	Scotch Club C	Black-Gold	Shade

Soho, Joan Gaspar

The Soho makes a statement in recognition of those lamps that were traditionally used to light up markets, taverns and cafeterias.

It is made from rotation-molded polyethylene, a technique that allows us to offer it in different sizes.



Soho 38 LED

Code	Finish	Dimming
A631-200	● White	Triac
A631-201	● Stone grey	Triac
A631-202	● Black	Triac
A631-203	● Sand	Triac
A631-204	● Sky blue	Triac
A631-205	● White	DALI
A631-206	● Stone grey	DALI
A631-207	● Black	DALI
A631-208	● Sand	DALI
A631-209	● Sky blue	DALI

Materials: Shade: Rotary moulded polyethylene
 Diffuser: Methacrylate opal

Dimmable: Yes
 Integrated dimmer: No
 Dimming protocols: Phase cut (Triac)
 DALI

Product type: Pendant

Light source: LED SMD 700mA 13,35W 2700K CRI80 1848lm


Luminaire: 220 - 240 VAC TRIAC 15,94W 1051lm

220 - 240 VAC DALI 16,23W 1051lm

Weight: Net 2,5 kg – Gross 3,5 kg

Package: 44 x 45 x 24 cm – 3,5 kg Vol – 0,05 m³

LED included



Dimmable



CE

ERC

UK CA



Cable length: 2 m

Wire installation: Hardwired

Color cord: White (white version), Black (all the rest)

Canopy color: White


Soho 57 LED

Code	Finish
A631-100	● White
A631-101	● Stone grey
A631-102	● Black

Materials
Shade: Rotary moulded polyethylene
Diffuser: Methacrylate opal

Dimmable: Yes
Integrated dimmer: No
Dimming protocols: DALI / DSI

Product type: Pendant
Light source: LED SMD 700mA 28,7W 2700K CRI80 3446lm
Luminaire: 220 - 240 VAC DALI 33,5W 2086lm
Weight: Net 7 kg – Gross 8,5 kg
Package: 60 x 60 x 36 cm – 8,5 kg Vol – 0,13 m³
Product notes: 3000K available upon request
LED included



Dimmable



CE

ERC

UK
CA



Cable length: 2 m
Wire installation: Hardwired
Color cord: Black
Canopy color: White


Soho 112 LED

Code	Finish
A631-103	● White
A631-104	● Stone grey
A631-105	● Black

Materials
Shade: Rotary moulded polyethylene
Diffuser: Methacrylate opal

Dimmable: Yes
Integrated dimmer: No
Dimming protocols: DALI / DSI

Product type: Pendant
Light source: LED SMD 400mA 106,8W 2700K CRI80 17100lm
Luminaire: 220 - 240 VAC DALI 2 118,3W 8836lm
Weight: Net 27,6 kg – Gross 32 kg
Package: 116 x 114 x 71 cm – 32 kg Vol – 0,95 m³
Product notes: 3000K available upon request
LED included



Dimmable



CE

ERC

UK
CA



Cable length: 2 m
Wire installation: Hardwired
Color cord: Black
Canopy color: White


Soho C 38 LED

Code	Finish	Dimming
A631-210	● White	Triac
A631-211	● Stone grey	Triac
A631-212	● Black	Triac
A631-213	● Sand	Triac
A631-214	● Sky blue	Triac
A631-215	● White	DALI
A631-216	● Stone grey	DALI
A631-217	● Black	DALI
A631-218	● Sand	DALI
A631-219	● Sky blue	DALI

Materials
 Shade: Rotary moulded polyethylene
 Diffuser: Methacrylate opal

Dimmable: Yes
 Integrated dimmer: No
 Dimming protocols: Phase cut (Triac)
 DALI

Product type: Ceiling
 Light source: LED SMD 700mA 13,35W 2700K CRI80 1848lm
 Luminaire: 220 - 240 VAC TRIAC 15,94W 1051lm
 220 - 240 VAC DALI 16,23W 1051lm
 Weight: Net 2,3 kg – Gross 3,1 kg
 Package: 44 x 44 x 15 cm – 3,1 kg Vol – 0,03 m³
 LED included



Dimmable



CE

ERC

UK
CA

Wire installation: Hardwired




Soho C 57 LED

Code	Finish
A631-106	● White
A631-107	● Stone grey
A631-108	● Black

Materials
 Shade: Rotary moulded polyethylene
 Diffuser: Methacrylate opal

Dimmable: Yes
 Integrated dimmer: No
 Dimming protocols: DALI / DSI

Product type: Ceiling
 Light source: LED SMD 700mA 28,7W 2700K CRI80 3446lm
 Luminaire: 220 - 240 VAC DALI 33,5W 2086lm
 Weight: Net 6,3 kg – Gross 7,7 kg
 Package: 60 x 60 x 21 cm – 7,7 kg Vol – 0,08 m³
 Product notes: 3000K available upon request
 LED included



Dimmable



CE

ERC

UK
CA

Wire installation: Hardwired




Soho C 112 LED

Code	Finish
A631-109	● White
A631-110	● Stone grey
A631-111	● Black

Materials
Shade: Rotary moulded polyethylene
Diffuser: Methacrylate opal

Dimmable: Yes
Integrated dimmer: No
Dimming protocols: DALI / DSI

Product type: Ceiling
Light source: LED SMD 400mA 106,8W 2700K CRI80 17100lm
Luminaire: 220 - 240 VAC DALI 2 118,3W 8836lm
Weight: Net 24,8 kg – Gross 27,6 kg
Package: 116 x 114 x 39 cm – 27,6 kg Vol – 0,53 m³
Product notes: 3000K available upon request
LED included



Wire installation: Hardwired


Soho 38 IP44 LED

Code	Finish
A631-220	● White
A631-221	● Stone grey
A631-222	● Black
A631-223	● Sand
A631-224	● Sky blue

Materials
Shade: Rotary moulded polyethylene
Diffuser: Methacrylate opal

Dimmable: Yes
Integrated dimmer: No
Dimming protocols: Phase cut (Triac)

Product type: Pendant
Light source: LED SMD 700mA 13,35W 2700K CRI80 1848lm
Luminaire: 220 - 240 VAC TRIAC 15,94W 1051lm
Weight: Net 2,7 kg – Gross 3,6 kg
Package: 44 x 45 x 25 cm – 3,6 kg Vol – 0,05 m³
LED included



IP44



Cable length: 2 m
Wire installation: Hardwired
Color cord: Black
Canopy color: White


Soho 57 IP44 LED

Code	Finish
A631-166	● White
A631-167	● Stone grey
A631-168	● Black

Materials
Shade: Rotary moulded polyethylene
Diffuser: Methacrylate opal

Dimmable: Yes
Integrated dimmer: No
Dimming protocols: Phase cut (Triac)

Product type: Pendant
Light source: LED SMD 700mA 28,7W 2700K CRI80 3446lm
Luminaire: 180 - 295 VAC TRIAC 32,89W 2086lm
Weight: Net 7 kg – Gross 8,6 kg
Package: 60 x 61 x 36 cm – 8,6 kg Vol – 0,13 m³
Product notes: 3000K available upon request
LED included



Dimmable



CE

IP44

ERC

UK
CA



Cable length: 2 m
Wire installation: Hardwired
Color cord: Black
Canopy color: White


Soho 112 IP44 LED

Code	Finish
A631-169	● White
A631-170	● Stone grey
A631-171	● Black

Materials
Shade: Rotary moulded polyethylene
Diffuser: Methacrylate opal

Dimmable: Yes
Integrated dimmer: No
Dimming protocols: Phase cut (Triac)

Product type: Pendant
Light source: LED SMD 350mA 93,6W 2700K CRI80 15648lm
Luminaire: 180 - 295 VAC TRIAC 109,8W 8085lm
Weight: Net 27,6 kg – Gross 32 kg
Package: 116 x 114 x 71 cm – 32 kg Vol – 0,95 m³
Product notes: 3000K available upon request
LED included



Dimmable



CE

IP44

ERC

UK
CA



Cable length: 3 m
Wire installation: Hardwired
Color cord: Black
Canopy color: White


Soho 38 A LED

Code	Finish
A631-225	● White
A631-226	● Stone grey
A631-227	● Black
A631-228	● Sand
A631-229	● Sky blue

Materials
Shade: Rotary moulded polyethylene
Diffuser: Methacrylate opal
Structure: Metal with stainless anti-oxidant cataphoresis

Dimmable: Yes
Integrated dimmer: No
Dimming protocols: Phase cut (Triac)

Product type: Wall
Light source: LED SMD 700mA 13,35W 2700K CRI80 1848lm
Luminaire: 220 - 240 VAC TRIAC 15,94W 1051lm
Weight: Net 3,2 kg – Gross 4,2 kg
Package: 45 x 45 x 25 cm – 4,2 kg Vol – 0,05 m³
LED included



Dimmable



CE

IP44

EAC

UK
CA

Wire installation: Hardwired
Canopy color: Black




Soho A LED

Code	Finish
A631-154	● White
A631-155	● Stone grey
A631-156	● Black

Materials
Shade: Rotary moulded polyethylene
Diffuser: Methacrylate opal
Structure: Metal with stainless anti-oxidant cataphoresis

Dimmable: Yes
Integrated dimmer: No
Dimming protocols: Phase cut (Triac)

Product type: Wall
Light source: LED SMD 700mA 28,7W 2700K CRI80 3446lm
Luminaire: 180 - 295 VAC TRIAC 32,89W 2086lm
Weight: Net 7,8 kg – Gross 9,7 kg
Package: 60 x 61 x 36 cm – 9,7 kg Vol – 0,13 m³
Product notes: 3000K available upon request
LED included



Dimmable



CE

IP44

EAC

UK
CA

Wire installation: Hardwired
Canopy color: Black




Soho C Fixed Stem LED

Code	Finish
A631-163	● White
A631-164	● Stone grey
A631-165	● Black

Materials
 Shade: Rotary moulded polyethylene
 Diffuser: Methacrylate opal
 Structure: Metal with stainless anti-oxidant cataphoresis

Dimmable: Yes
 Integrated dimmer: No
 Dimming protocols: Phase cut (Triac)

Product type: Ceiling
 Light source: LED SMD 700mA 28,7W 2700K CRI80 3446lm
 Luminaire: 180 - 295 VAC TRIAC 32,89W 2086lm
 Weight: Net 7,6 kg – Gross 9,2 kg
 Package: 60 x 60 x 35 cm – 9,2 kg Vol – 0,13 m³
 Product notes: 3000K available upon request
 LED included



Dimmable



CE

IP44

ERC

UK

Wire installation: Hardwired
 Canopy color: Black



Soho 38 P LED


Code	Finish
A631-230	● White
A631-231	● Stone grey
A631-232	● Black
A631-233	● Sand
A631-234	● Sky blue

Materials
 Shade: Rotary moulded polyethylene
 Diffuser: Methacrylate opal
 Structure: Metal with stainless anti-oxidant cataphoresis

Dimmable: Yes
 Integrated dimmer: No
 Dimming protocols: Phase cut (Triac)

Product type: Ceiling
 Light source: LED SMD 700mA 8,2W 2700K CRI90 913lm
 Luminaire: 220 - 240 VAC TRIAC 9,89W
 Weight: Net 12 kg – Gross 14,5 kg
 Package: 44 x 44 x 24 cm – 3 kg Vol – 0,05 m³
 46 x 46 x 3 cm – 8,5 kg Vol – 0,006 m³
 176 x 30 x 6,5 cm – 3 kg Vol – 0,03 m³

LED included



Dimmable

IP44

CE

ERC



Cable length: 2 m
 Wire installation: Plug-in
 Color cord: Black




Dimmer Casambi IP65


Code A712-001
Finish ● Black

Materials
Case: ABS
Trim: Aluminium

Product type: Accessory
85 - 240 VAC max. 50W
Weight: Net 2 kg – Gross 3 kg
Package: 20 x 12 x 8 cm - 3 kg – VOL - 0,002 m³
Product notes: Bluetooth smart wireless trailing edge dimmer that adjusts light intensity or switches the lamp ON/OFF. Available in Android or iOS with the app Casambi.



CE
EAC
UK
IP65



The concept of Sun is inspired by the early hours dawn, when the light of the sun plays along the horizon as it begins to appear. The Yonoh Studio played with superimposing materials to achieve this effect, creating a light with a luminous glow

that is capable of transporting us to that precise moment. The light that emanates from Sun creates a very special atmosphere, capturing our eyes and soothing our souls.




Sun 26

Code	Finish	Dimming	Class
A671-001	● White	Triac	I
A671-002	● Graphite	Triac	I
A671-003	● White	DALI	I
A671-004	● Graphite	DALI	I

Materials
 Diffuser: Thermoformed opal methacrylate, with another diffuser in opal blown glass placed off-centre.
 Structure: Iron

Dimmable: Yes
 Integrated dimmer: No
 Dimming protocols: Phase cut (Triac) DALI

Product type: Ceiling / Wall
 Light source: LED SMD 700mA 12,6W 2700K CRI80 1642lm
 Luminaire: 220 - 240 VAC TRIAC 15,6W 949lm
 110 - 277 VAC DALI 2 13,8W 949lm
 Weight: Net 1,9 kg – Gross 2,8 kg
 Package: 34 x 36 x 17 cm – 2,8 kg Vol – 0,02 m³
 LED included



Dimmable



CE

ERC

UK
CA

Wire installation: Hardwired




Sun 40

Code	Finish	Dimming	Class
A671-006	● Graphite	Triac	II
A671-008	● Graphite	DALI	I

Materials
 Diffuser: Thermoformed opal methacrylate, with another diffuser in opal blown glass placed off-centre.
 Structure: Iron

Dimmable: Yes
 Integrated dimmer: No
 Dimming protocols: Phase cut (Triac)
 DALI

Product type: Ceiling / Wall
 Light source: LED SMD 700mA 21,3W 2700K CRI80 2765lm
 Luminaire: 180 - 295 VAC TRIAC 25,5W 1830lm
 220 - 240 VAC DALI 21,26W 1830lm
 Weight: Net 3,5 kg – Gross 5,7 kg
 Package: 49 x 49 x 23 cm – 5,7 kg Vol – 0,055 m³
 LED included



Dimmable



Wire installation: Hardwired




Sun 60

Code	Finish	Dimming	Class
A671-009	● White	Triac	II
A671-010	● Graphite	Triac	II
A671-011	● White	DALI	I
A671-012	● Graphite	DALI	I

Materials
 Diffuser: Thermoformed opal methacrylate, with another diffuser in opal blown glass placed off-centre.
 Structure: Iron

Dimmable: Yes
 Integrated dimmer: No
 Dimming protocols: Phase cut (Triac)
 DALI

Product type: Ceiling / Wall
 Light source: LED SMD 700mA 33,4W 2700K CRI80 4310lm
 Luminaire: 180 - 295 VAC TRIAC 39,85W 3089lm
 220 - 240 VAC DALI 37,17W 3089lm
 Weight: Net 6,4 kg – Gross 10,4 kg
 Package: 70 x 70 x 23 cm – 10,4 kg Vol – 0,12 m³
 LED included



Dimmable



Wire installation: Hardwired



Tam Tam, Fabien Dumas

The Tam Tam is a festive and versatile collection that offers several options to add color and originality to all types of interior design projects.

The idea is to be able to aim the light in any direction, making this fixture perfect for long or narrow spaces.



Tam Tam 3

Code
Central shade
A633-002 39
A633-002 35


Finish
● Black (RAL 9011)
● Off-White (RAL 1013)

Satellite shade
A633-001 39
A633-001 35
A633-001 46
A633-001 47
A633-001 45
A633-001 37
A633-001 48

● Black (RAL 9011)
● Off-white (RAL 1013)
● Orange (RAL 2000)
● Brown Grey (RAL 7013)
● Green (RAL 6025)
● Sand (RAL 7032)
● Blue (RAL 5024)

Materials
Shade: Aluminium
Diffuser: Opalescent methacrylate

Product type: Pendant
Light source: 9x E27 LED Standard 8W
Weight: Net 4,7 kg – Gross 8,2 kg
Package: 58 x 58 x 38 cm – 6 kg Vol – 0,13 m³
(3x) 42 x 42 x 28 cm – 2,2 kg Vol – 0,05 m³



CE

ERC

UK

□



Cable length: 3 m
Wire installation: Hardwired
Color cord: Black
Canopy color: White


Tam Tam 5

Code	Finish
Central shade	
A633-003 39	● Black (RAL 9011)
A633-003 35	● Off-White (RAL 1013)

Satellite shade	
A633-001 39	● Black (RAL 9011)
A633-001 35	● Off-white (RAL 1013)
A633-001 46	● Orange (RAL 2000)
A633-001 47	● Brown Grey (RAL 7013)
A633-001 45	● Green (RAL 6025)
A633-001 37	● Sand (RAL 7032)
A633-001 48	● Blue (RAL 5024)

Materials
 Shade: Aluminium
 Diffuser: Opalescent methacrylate

Product type: Pendant
Light source: 13x E27 LED Standard 8W
Weight: Net 4,4 kg – Gross 8,2 kg
Package: 59 x 59 x 38 cm – 6 kg Vol – 0,13 m³
 (5x) 42 x 42 x 27 cm – 2,2 kg Vol – 0,05 m³



CE

ERAC

UK



Cable length: 3 m
 Wire installation: Hardwired
 Color cord: Black
 Canopy color: White




Tam Tam Mini

Code	Finish
Central shade	
A633-012 39	● Black (RAL 9011)
A633-012 35	● Off-White (RAL 1013)

Satellite shade	
A633-011 39	● Black (RAL 9011)
A633-011 35	● Off-white (RAL 1013)
A633-011 46	● Orange (RAL 2000)
A633-011 47	● Brown Grey (RAL 7013)
A633-011 45	● Green (RAL 6025)
A633-011 37	● Sand (RAL 7032)
A633-011 48	● Blue (RAL 5024)

Materials
 Shade: Aluminium
 Diffuser: Opalescent methacrylate

Product type: Pendant
Light source: 3x E14 LED Standard 5W 2x E27 LED Standard 8W
Weight: Net 2,7 kg – Gross 4,1 kg
Package: 44 x 44 x 28 cm – 3,4 kg Vol – 0,054 m³
 (3x) 24 x 24 x 17 cm – 0,7 kg Vol – 0,009 m³



CE

ERAC

UK



Cable length: 3 m
 Wire installation: Hardwired
 Color cord: Black
 Canopy color: White



Tam Tam 4


Code
Structure
A633-017

Finish
● Black (RAL 9011)

Shades
A633-011 39 ● Black (RAL 9011)
A633-011 35 ● Off-white (RAL 1013)
A633-011 46 ● Orange (RAL 2000)
A633-011 47 ● Brown Grey (RAL 7013)
A633-011 45 ● Green (RAL 6025)
A633-011 37 ● Sand (RAL 7032)
A633-011 48 ● Blue (RAL 5024)

Materials
Shade: Aluminium
Diffuser: Opalescent methacrylate

Product type: Pendant
Light source: 4x E14 LED Standard 5W
Weight: Net 2,4 kg – Gross 5,1 kg
Package: 167 x 18 x 18 cm – 4,4 kg Vol – 0,054 m³
(4x) 24 x 24 x 17 cm – 0,7 kg Vol – 0,009 m³



CE

ERC

UK
CA



Cable length: 3 m
Wire installation: Hardwired
Color cord: Black
Canopy color: Black



Tam Tam 6


Code
Structure
A633-018

Finish
● Black (RAL 9011)

Shades
A633-011 39 ● Black (RAL 9011)
A633-011 35 ● Off-white (RAL 1013)
A633-011 46 ● Orange (RAL 2000)
A633-011 47 ● Brown Grey (RAL 7013)
A633-011 45 ● Green (RAL 6025)
A633-011 37 ● Sand (RAL 7032)
A633-011 48 ● Blue (RAL 5024)

Materials
Shade: Aluminium
Diffuser: Opalescent methacrylate

Product type: Pendant
Light source: 6x E14 LED Standard 5W
Weight: Net 3 kg – Gross 6,4 kg
Package: 225 x 18 x 18 cm – 5,7 kg Vol – 0,072 m³
(6x) 24 x 24 x 17 cm – 0,7 kg Vol – 0,009 m³



CE

ERC

UK
CA



Cable length: 3 m
Wire installation: Hardwired
Color cord: Black
Canopy color: Black




Tam Tam P

Code
Stem
A633-019 ● Black (RAL 9011)

Shade
A633-020 39 ● Black (RAL 9011)
A633-020 35 ● Off-white (RAL 1013)
A633-020 46 ● Orange (RAL 2000)
A633-020 47 ● Brown Grey (RAL 7013)
A633-020 45 ● Green (RAL 6025)
A633-020 37 ● Sand (RAL 7032)
A633-020 48 ● Blue (RAL 5024)

Materials
Shade: Aluminium
Diffuser: Opalescent methacrylate
Structure: Metal

Product type: Floor
Light source: E14 LED Standard 5W
Weight: Net 3 kg – Gross 4,5 kg
Package: 128 x 8 x 8 cm – 1,5 kg Vol – 0,008 m³
33 x 33 x 3 cm – 3 kg Vol – 0,003 m³
24 x 24 x 16 cm – 1 kg Vol – 0,009 m³



CE

EAC



Cable length: 2 m
Wire installation: Plug-in
Color cord: Black
Switch location: In-line




Tam Tam P2

Code
Stem
A633-215 ● Black (RAL 9011)

Shade
A633-011 39 ● Black (RAL 9011)
A633-011 35 ● Off-white (RAL 1013)
A633-011 46 ● Orange (RAL 2000)
A633-011 47 ● Brown Grey (RAL 7013)
A633-011 45 ● Green (RAL 6025)
A633-011 37 ● Sand (RAL 7032)
A633-011 48 ● Blue (RAL 5024)

Materials
Shade: Aluminium
Diffuser: Opalescent methacrylate
Structure: Metal

Product type: Floor
Light source: 2x E14 LED Standard 5W
Weight: Net 7 kg – Gross 9 kg
Package: 168 x 18 x 18 cm – 4 kg Vol – 0,008 m³
33 x 33 x 3 cm – 3 kg Vol – 0,003 m³
(2x) 24 x 24 x 16 cm – 1 kg Vol – 0,009 m³



CE

EAC



Cable length: 2 m
Wire installation: Plug-in
Color cord: Black
Switch location: In-line




Tam Tam P3

Code Finish
 Stem
 A633-021 ● Black (RAL 9011)

Shade
 A633-011 39 ● Black (RAL 9011)
 A633-011 35 ● Off-white (RAL 1013)
 A633-011 46 ● Orange (RAL 2000)
 A633-011 47 ● Brown Grey (RAL 7013)
 A633-011 45 ● Green (RAL 6025)
 A633-011 37 ● Sand (RAL 7032)
 A633-011 48 ● Blue (RAL 5024)

Materials
 Shade: Aluminium
 Diffuser: Opalescent methacrylate
 Structure: Metal

Product type: Floor
 Light source: 3x E14 LED Standard 5W
 Weight: Net 7 kg – Gross 10 kg
 Package: 168 x 18 x 18 cm – 4 kg Vol – 0,008 m³
 33 x 33 x 3 cm – 3 kg Vol – 0,003 m³
 (3x) 24 x 24 x 16 cm – 1 kg Vol – 0,009 m³



CE

ERC



Cable length: 2 m
 Wire installation: Plug-in
 Color cord: Black
 Switch location: In-line





Tam Tam A

Code Finish
 Base 1
 A633-013 35 ● Off-white (RAL 1013)

Shade
 A633-011 39 ● Black (RAL 9011)
 A633-011 35 ● Off-white (RAL 1013)
 A633-011 46 ● Orange (RAL 2000)
 A633-011 47 ● Brown Grey (RAL 7013)
 A633-011 45 ● Green (RAL 6025)
 A633-011 37 ● Sand (RAL 7032)
 A633-011 48 ● Blue (RAL 5024)

Materials
 Shade: Aluminium
 Diffuser: Opalescent methacrylate
 Plate: Metal

Product type: Wall
 Light source: E14 LED Standard 5W
 Weight: Net 1,2 kg – Gross 2 kg
 Package: 31 x 31 x 13 cm – 1,3 kg Vol – 0,012 m³
 24 x 24 x 17 cm – 0,7 kg Vol – 0,009 m³



CE

ERC



Wire installation: Hardwired
 Switch location: Plate



Tam Tam A2


Code
Base
A633-014 35

Finish
● Off-white (RAL 1013)


Shade
A633-011 39 ● Black (RAL 9011)
A633-011 35 ● Off-white (RAL 1013)
A633-011 46 ● Orange (RAL 2000)
A633-011 47 ● Brown Grey (RAL 7013)
A633-011 45 ● Green (RAL 6025)
A633-011 37 ● Sand (RAL 7032)
A633-011 48 ● Blue (RAL 5024)

Materials
Shade: Aluminium
Diffuser: Opalescent methacrylate
Plate: Metal

Product type: Wall
Light source: 2x E14 LED Standard 5W
Weight: Net 1,5 kg – Gross 2,7 kg
Package: 45 x 45 x 13 cm – 1,3 kg Vol – 0,03 m³
(2x) 24 x 24 x 16 cm – 0,7 kg Vol – 0,009 m³



Wire installation: Hardwired



From light to shadow with a single gesture. Theia has two faces: to discover them, simply swivel the fixture around its central axis. It can be pointed towards you for use

as a reading lamp, or towards an object or a wall, creating a subtle, indirect light that immediately warms the atmosphere.



INTERIOR
DESIGN
NYC
X DESIGN
2016 AWARDS WINNER

Theia M


Code
A672-001
A672-002

Finish
● White (RAL 9010)
● Black (RAL 9005)

Materials
Base: Iron
Stem: Iron
Dissipater: Aluminium
Diffuser: Spun metal
Shade: Thermoformed methacrylate

Dimmable: No
Integrated dimmer: Yes

Product type: Table
Light source: LED SMD 700mA 8,2W 2700K CRI90 913lm
Luminaire: 100 - 240 VAC 10,85W
Weight: Net 5,9 kg – Gross 7,2 kg
Package: 36 x 36 x 24 cm – 5,8 kg Vol – 0,03 m³
44 x 18 x 12 cm – 1,4 kg Vol – 0,01 m³
LED included



Dimmer

CE

ERC



Cable length: 1,5 m
Wire installation: Plug-in
Color cord: Black
Switch location: Built-in the dissipater



Theia P


Code
A672-003
A672-004

Finish
● White (RAL 9010)
● Black (RAL 9005)

Materials
Base: Iron
Stem: Iron
Dissipater: Aluminium
Diffuser: Spun metal
Shade: Thermoformed methacrylate

Dimmable: No
Integrated dimmer: Yes

Product type: Floor
Light source: LED SMD 700mA 8,2W 2700K CRI90 913lm
Luminaire: 100 - 240 VAC 10,85W
Weight: Net 6,8 kg – Gross 8,5 kg
Package: 37 x 37 x 23 cm – 5,8 kg Vol – 0,03 m³
120 x 17 x 12 cm – 2,7 kg Vol – 0,02 m³
LED included



Dimmer

CE

ERC



Cable length: 2 m
Wire installation: Plug-in
Color cord: Black
Switch location: Built-in the dissipater



Just as materials and techniques evolve, so do lamps. The TXL managed to light up exteriors with the same warmth as interiors. But "all things must change to stay the same", and so the lamp is updated and presented with a new fabric shade.

This new material better withstands adverse weather conditions and clothes the lamp in a ductile, and yet solid and resilient look.




TXL 2019 205

Code Finish
 A605-060 ● Beige
 A605-061 ● Grey

Materials
 Base: Concrete
 Stem: Stainless steel
 Diffuser: White acid etched glass
 Shade: Textilene with the inner part always in white

Product type: Floor
 Light source: 2x E27 LED Standard 8W
 Weight: Net 28,8 kg – Gross 32 kg
 Package: 41 x 33 x 33 cm – 2,5 kg Vol – 0,04 m³
 70 x 70 x 50 cm – 4,4 kg Vol – 0,25 m³
 220 x 10 x 10 cm – 3,6 kg Vol – 0,02 m³
 66 x 66 x 15 cm – 21,5 kg Vol – 0,06 m³



CE
 ENEC

 IP65

Cable length: 2,5 m
 Wire installation: Plug-in
 Color cord: Black




TXL 2019 170

Code Finish
 A605-062 ● Beige
 A605-063 ● Grey

Materials
 Base: Concrete
 Stem: Stainless steel
 Diffuser: White acid etched glass
 Shade: Textilene with the inner part always in white

Product type: Floor
 Light source: 3x E14 LED 5W
 Weight: Net 21,2 kg – Gross 23,2 kg
 Package: 27 x 28 x 38 cm – 2 kg Vol – 0,02 m³
 60 x 60 x 45 cm – 3,6 kg Vol – 0,16 m³
 180 x 10 x 10 cm – 3,10 kg Vol – 0,018 m³
 58 x 58 x 15 cm – 14,5 kg Vol – 0,05 m³



CE
 ENEC

 IP65




Cable length: 2,5 m
 Wire installation: Plug-in
 Color cord: Black

Dimmer Casambi IP65

Code Finish
 A712-001 ● Black

Materials
 Case: ABS
 Trim: Aluminium

Product type: Accessory
 85 - 240 VAC max. 50W
 Weight: Net 2 kg – Gross 3 kg
 Package: 20 x 12 x 8 cm - 3 kg – VOL - 0,002 m³
 Product notes: Bluetooth smart wireless trailing edge dimmer that adjusts light intensity or switches the lamp ON/OFF. Available in Android or iOS with the app Casambi.



CE
 ENEC
 UK
 CA
 IP65



Spare parts

Code	Product	Finish	Spare part
A605-102	Txl 205	-	Glass
A605-112	Txl 170	-	Glass
R605-004	Txl 2019 205	Beige	Shade
R605-005	Txl 2019 205	Grey	Shade
R605-006	Txl 2019 170	Beige	Shade
R605-007	Txl 2019 170	Grey	Shade




Vetra 20

Code Finish
A689-001 ● White
A689-031 ● Amber

Materials Dimmable: Yes
Shade: Blown glass Integrated dimmer: No
Dissipater: Aluminium Dimming protocols: Phase cut (Triac)

Product type: Pendant
Light source: LED SMD 350mA 4,05W 2700K CRI90 463lm
Luminaire: 220 - 240 VAC TRIAC 5,72W 195lm
Weight: Net 1,2 kg – Gross 1,7 kg
Package: 31 x 31 x 22 cm – 1,7 kg Vol – 0,02 m³



Dimmable

CE

ERC

UK



Cable length: 3 m
Wire installation: Hardwired
Color cord: Black
Canopy color: Black




Vetra 32

Code Finish
A689-002 ● White
A689-032 ● Amber

Materials Dimmable: Yes
Shade: Blown glass Integrated dimmer: No
Dissipater: Aluminium Dimming protocols: Phase cut (Triac)

Product type: Pendant
Light source: LED SMD 700mA 8,2W 2700K CRI90 913lm
Luminaire: 220 - 240 VAC TRIAC 9,18W 348lm
Weight: Net 3 kg – Gross 4 kg
Package: 44 x 44 x 28 cm – 4 kg Vol – 0,051 m³
LED included



Dimmable

CE

ERC

UK



Cable length: 3 m
Wire installation: Hardwired
Color cord: Black
Canopy color: Black




Vetra 43

Code Finish
A689-004 ● White
A689-033 ● Amber

Materials Dimmable: Yes
Shade: Blown glass Integrated dimmer: No
Dissipater: Aluminium Dimming protocols: Phase cut (Triac)

Product type: Pendant
Light source: LED SMD 700mA 16,28W 2700K CRI90 1873lm
Luminaire: 180 - 295 VAC TRIAC 19,71W 881lm
Weight: Net 5,7 kg – Gross 7,6 kg
Package: 57 x 57 x 37 cm – 7,6 kg Vol – 0,051 m³
LED included



Dimmable

CE

ERC

UK



Cable length: 3 m
Wire installation: Hardwired
Color cord: Black
Canopy color: Black




Vetra S

Code	Finish
A689-006	● White
A689-007	● Black

Materials
Base: Iron
Stem: Iron
Shade: Blown glass
Dissipater: Aluminium

Dimmable: Yes
Integrated dimmer: No
Progressive dimmer from 0 to 100.

Product type: Table
Light source: LED SMD 700mA 8,2W 2700K CRI90 913lm
Luminaire: 85 - 264 VAC 10,56W 348lm
Weight: Net 6,3 kg – Gross 8,3 kg
Package: 43 x 43 x 29 cm – 3 kg Vol – 0,051 m³
62 x 21 x 19 cm – 2 kg Vol – 0,02 m³
36 x 36 x 4 cm – 3,3 kg Vol – 0,01 m³
LED included



Dimmer

CE

ERC



Cable length: 1,5 m
Wire installation: Hardwired
Color cord: Black
Switch location: In-line




Vetra P

Code	Finish
A689-008	● White
A689-009	● Black

Materials
Base: Iron
Stem: Iron
Shade: Blown glass
Dissipater: Aluminium

Dimmable: Yes
Integrated dimmer: No
3 positions sensor dimmer.

Product type: Floor
Light source: LED SMD 700mA 8,2W 2700K CRI90 913lm
Luminaire: 100 - 240 VAC 10,85W 348lm
Weight: Net 7,9 kg – Gross 10 kg
Package: 43 x 43 x 28 cm – 3 kg Vol – 0,051 m³
140 x 25 x 25 cm – 4 kg Vol – 0,09 m³
36 x 36 x 5 cm – 3 kg Vol – 0,01 m³
LED included



Dimmer

CE

ERC



Cable length: 2 m
Wire installation: Hardwired
Color cord: Black
Switch location: In-line



Spare parts

Code	Product	Finish	Spare part
R689-002	Vetra 20	White	Glass
R689-003	Vetra 20	Amber	Glass
R689-004	Vetra 32	White	Glass
R689-005	Vetra 32	Amber	Glass
R689-001	Vetra 43	White	Glass
R689-006	Vetra 43	Amber	Glass




Zenc **NEW**

Code	Finish
A715-001-35	● White (RAL 1013)
A715-001-38	● Grey (RAL 7022)
A715-001-40	● Red (RAL 3011)
A715-001-48	● Sky Blue (PANTONE 7542C)
A715-001-44	● Pale pink (RAL 010 85 10)
A715-001-42	● Pale yellow (RAL 085 80 30)

Materials
Shade: Bi-injected rotary moulded polyethylene









Product type: Pendant
Light source: E27 Globe (Ø95) 12W
Weight: Net 3 kg – Gross 3,9 kg
Package: 52 x 52 x 37 cm – 3,9 kg Vol – 0,1 m³



Cable length: 2,5 m
Wire installation: Hardwired
Color cord: Black
Canopy color: Black



Led bulbs

	Code	Description
	BOM-261	E14 LED 5.5W 2700K 470lm
	BOM-223	E27 LED Globe (ø95) 12W 2800K 810lm
	BOM-227	E27 LED Reflector 8W 3000K 720lm
	BOM-222	E27 LED Globe (ø120) 11W 2800K 1055lm
	BOM-246	G9 LED 3,5W 3000K 300lm
	BOM-270	E27 LED PAR30 10W 40° 3000K 850/1200lm
	BOM-272	E27 LED 9,5W 2800K 810lm DIM

Technical note

The watts shown on the pricelist are the actual watts of the luminaire (including both LED and driver); otherwise, the watts are expressly shown as being for the Light source. Similarly, the lumens may be for the luminaire or Light source, as shown on the pricelist.

For more information, you can find lighting data on our website.

Symbols & Certificates

IP65

Electric fittings are preset in order to prevent the intrusion and contact with solids and liquids with live parts. Resistance against the penetration of solids and liquids is expressed by the initials IP, followed by two digits that stand for the degree of protection: the first referring to solids, the second to liquids.



Very low safety supply voltage; not to be used at over 12V (at 50Hz). Earthing: excluded.

Dimmer

Dimmer on the unit.

Dimmable

Product which can be dimmed.



Product with an additional protection cable (grounds).



Basic insulation plus second insulation or both replaced by reinforced insulation. Earthing: excluded.



All products are manufactured according to the set safety and electromagnetism standards of Europe: EN 60598-1, EN 60598-2-1 and marked CE.



Product complying with TR TC 004/2011 and TP TC 020/2011. Custom Union Regulation.



Product complying with UK Conformity Assessment.

★

Available until depletion of stocks.
Check with us before placing an order.

Sales Terms

Prices

This price list shows Recommended Retail Price, without VAT, and replaces any previous price list.

The invoice maturity date cannot be altered and any delays will be subject to the relevant administrative and financing expenses. The due date of an invoice can not be changed by the client in case of a commercial claim, except with a written authorization of Marset.

Sold products will be owned by Marset Iluminación S.A. (Marset) until full payment of invoice. This is also applicable to customers whose business closes down.

Orders

Minimum Order: 120€ without VAT.

If a client requires an order of lesser amount, Marset will charge an extra 15€ for administration costs.

Orders will only be accepted if sent by fax or email.

The order will be considered definitive if the client does not make any amendments 24 hours after receipt of the Confirmation Order Sheet sent by Marset, including information on product, availability, quantities, price, payment and transport conditions.

International wire transfers should be made in OUR terms (Remitter pays all fees) so the total amount is received by Marset. If the transfer is received in any other conditions, we will charge you the corresponding fees in your next order.

Transport

In general terms, orders will be delivered ExWorks. For certain markets there are specific transport conditions (check with Marset).

Marset's priority is to deliver orders as per agreed delivery dates but delivery dates communicated by Marset are approximate only, and Marset will not be liable for, nor will be in breach of its obligations to Customer, for any delay in delivery, provided that Marset shall use commercially reasonable efforts to meet such dates.

Transport Claims

In case of any transport claim, Marset has an insurance that covers damages for CIP deliveries.

The client must inform via fax both the transport agency and Marset 24hrs since reception of goods. Please write the claim on the delivery note if the damage can be easily seen.

It is advised to put a stamp on the delivery note that states that the order has arrived and that the goods are subject to examination of the contents.

In case of damage or breakage, please ask our team whether it is best to fix the light with a spare part or to return the product.

Repairs

All repairs are subject to a fee established once the fixture reaches Marset's factory. The transport fee will be charged to the customer.

Goods return

Goods can only be returned subject to an official authorisation and approval by Marset.

If Marset accepts a return, the company will issue a credit note covering 80% of the amount invoiced.

Returned goods have to be sent with the original packaging, in perfect state and with the reference of the printed authorisation. Otherwise, our warehouse will not accept the goods.

Guarantee

Our fixtures have a 3-year guarantee valid from the date of purchase. All our fixtures display a code with the manufacturing date. If the code is removed, the guarantee will not cover the product.

Our guarantee liability includes the repair or replacement of the goods, excluding shades, Light sources, charging cables and batteries.

The cost of installation and/or uninstalling the product and the transport fees are not included in the guarantee.

Other

Marset Iluminación, s.a. reserves the right to modify any product in order to improve its characteristics, without prior notice.

Placement of an order implies acceptance of our sale terms.

All disputes will be subject to arbitration in Barcelona according to Spanish law.

Plan your projects in our Professional Area

Photometric Data

Press Releases




Banners

2D Models




3D Models

HR Images

Videos



$\text{Ø}10\text{cm}$



We want to offer you an exclusive service that's designed to make your work easier. By signing up at the new professional area at maset.com, you'll be able to download technical information, images, and videos of our products, receive our newsletter, and save your preferred products. We offer direct access and personal attention.



Factory & Headquarters

Carretera de Rubí 284
08228 Terrassa (Spain)
T +34 934 600 107
F +34 934 601 089
info@marset.com

Barcelona Showroom

Santaló 56 interior
08021 Barcelona (Spain)
T +34 934 142 844
press@marset.com

Marset USA Inc.

20 Wear 22nd Street-Suite 903
New York, NY 10010
T +1 646 727 4250
F +1 646 304 6959
marsetusa@marset.com

Milan Showroom

Via dell'Annunciata 29
20121 Milan (Italy)
C +39 3666 6059083
milano-showroom@mdaitalia.it

Cologne Showroom

Design Post
Deutz-Mülheimer-Str. 22a
50679 Cologne (Germany)
T +49 221 69 06 50
info@marset.com



