


SNAIK

DAIFUKU
DESIGN
2007



CARPYEN
BARCELONA

Carpylum70 S.L.
C/ Pere IV 78-84 E-08005 Barcelona
T +34 93 320 99 90

Spain: comercial@carpyen.com
Export: export@carpyen.com
Special project: antony@carpyen.com

SNAIK



CARPYEN
BARCELONA

Carpylum70 S.L.
C/ Pere IV 78-84 E-08005 Barcelona
T +34 93 320 99 90

Spain: comercial@carpyen.com
Export: export@carpyen.com
Special project: antony@carpyen.com

SNAIK

Materiales / Materials Matériaux / Matters

Metal
Metal
Métal
Metall

Acabados / Finishes Finitions / Ausführung



Níquel mate
Matt nickel
Nickel mat
Nickel matt



Negro
Black
Noir
Schwarz



Blanco
White
Blanc
Weiss



Cromo
Chrome
Chrome
Chrom

LED Integrado / Integrated / Intégré / Integriert



3,2 W / 100-240 V / 50-60 Hz
420 Lumen / 2700 K / CRI 80

Ángulo de apertura 120°
120° lighting angle
Angle d'ouverture 120°
Abstrahlwinkel 120°

Interruptor en la base
Switch on the base
Interrupteur sur la base
Schalter an der basis



Medidas / Measures / Measurements / Mittengun



Flexión máxima 90° /
Maximum flexion 90°